

Interment Form B (PLEASE COMPLETE IN FULL, INCOMPLETE FORMS WILL BE RETURNED AND MAY DELAY PROCESSING)



CLEVELAND CEMETERY, REDLAND BAY CEMETERY, DUNWICH CEMETERY
ABN: 86 058 929 428

Important Information

A copy of this form must be lodged with Cemetery & Interment Services, min 72 HOURS PRIOR TO INTERMENT.

Details of Interment

Title: Mr Mrs Ms Miss

Deceased Given Name

Surname

Deceased address

Suburb

Postcode

Date of Birth

Date of Death

Age

Place of Death

Usual Occupation

Religion

Name of Father

Name of Mother (maiden)

Name of Funeral Director

Address of Funeral Director

Location of registered Mortuary

Date of Interment

Time of Interment

Cemetery

Section

Allotment Number

Site ID (Office use only)

<input type="checkbox"/>	Graveside Service / Committal (with Attendees)	<input type="checkbox"/>	Committal (No Attendees)
<input type="checkbox"/>	Set-up Not Required (Interment Fee only) - includes sand for committal, lowering device where required.		
<input type="checkbox"/>	Standard Set-up (Interment fee + \$400 inc gst) - 10 chairs, 1 shade cover, lectern, sand for committal, lowering device where required.		
<input type="checkbox"/>	Triple Depth Required – Accommodates up to 3 adult burials (incurs extra fee - only where ground conditions permit and not guaranteed until excavation of first interment)		

Current/New Licence Holder Declaration

I, _____, of _____ have read, understand and agree to any relevant cemetery rules, regulations and/or Local Laws, and being the registered holder of the interment licence, hereby request you to open Allotment No: _____, Section: _____ of _____ Cemetery and to inter the late _____.

Licence Holder Signature: **Date:**.....

Witness Signature: **Date:**.....

Usual Interment hours: Monday to Friday 09:00h – 15:00h, Saturdays – By Appointment Only (additional fees apply).
Insufficient notice / late arrivals additional fees will be charged.

Special Interments: For special times etc., and particulars as to other fees or services please contact:
Cemetery & Interment Services Ph: (07) 3829 8570 or E-Mail: cemetery@redland.qld.gov.au

Information Privacy Act 2009 - Redland City Council is collecting your personal information in order to process this application. The information will only be used by authorised Council Officers for the purpose of a cemetery booking and ensuring our records are complete and accurate. Your information will not be given to any other person or agency unless you have given us permission, or we are required by law to do so.


Redland City Council PO Box 21 Cleveland QLD 4163 | T 07 3829 8999 | E rcc@redland.qld.gov.au | W www.redland.qld.gov.au

General Conditions for Coffin/ Casket Interments

To ensure the maximum use of a coffin allotment we recommend only FLAT lid traditional shaped coffins are used for every interment. If other styles of coffin are used there can be no guarantee of successful multiple interments or monumental work requiring footings/foundations.


Memorial foundations either contemporary or old/existing are to be expected to be present with every interment in a "monumental" designated area. Knowing the width of the head and foot of coffins is as important as the length and width. All coffins must have a legible coffin plate.

Please complete below: The measurements given below are **EXACT EXTERNAL dimensions** of the coffin/casket that will arrive for interment. This INCLUDES any rigid / collapsible handles at their widest, 'OPEN' point.



MEASUREMENTS IN mm : A _____ x B _____ x C _____

COFFIN



MEASUREMENTS IN mm : A _____ x B _____ x C _____

CASKET

Above-Ground Coffin Interment Allotments

Materials and construction for above-ground interment (ie: in vaults, mausoleum chambers without direct contact with, and drainage to soil) is a different consideration to in-ground interments. Coffins for above ground interments must comply with the relevant regulations, Local Laws, etc., in Queensland. Currently RCC requires:

- Coffins and containers must meet the regulation requirements and we will not permit them to be made of easily damaged materials like soft or composite wood, cardboard etc.
- Coffins and containers made of all natural materials must also include a hermetically sealed inner liner (usually zinc or heavy PVC eg: Bioseal 5) where the body has been fully arterially embalmed and prepared at a registered mortuary before sealing. The Funeral Director is to provide a copper tray for all above-ground coffin vaults.

In-Ground Coffin Interment Allotments

Following the interment, the grave is backfilled using the soil excavated from it unless clean fill is required. Clean fill may consist of sand or cracker dust and RCC must be advised at the time of the interment booking. A certain amount of 'mounding up' of the grave takes place in anticipation of ground sinkage. Please note that the 'mound' is a thick clay material, which is the soil excavated from the grave. During the weeks following the interment, RCC Cemetery Staff will continue to monitor and top up the grave, if required, with this clay material. It is important to note that graves may need to be topped up on several occasions over a prolonged period, depending upon weather and the grave condition, before ground movements ceases and topsoil and turf can be laid.