













CITY PLAN 2018

Redland planning scheme

Version 6

Citation and commencement

This planning scheme may be cited as the Redland planning scheme.

A notice was published in the Government Gazette No. 82 on 10 August, 2018 for the planning scheme for Redland City.

The commencement date for the Redland planning scheme was 8 October, 2018.

Amendments to the planning scheme are included at Appendix 2.

This page is intentionally left blank

Contents

| Part ' | 1 Al | bout the | planning scheme | 10 |
|--------|-----------------|----------|--|----|
| | 1.1 | | duction | |
| | 1.2 | Planr | ning scheme components | 11 |
| | 1.3 | | pretation | |
| | | 1.3.1 | Definitions | |
| | | 1.3.2 | Standard drawings, maps, notes, editor's notes and footnotes | |
| | | 1.3.3 | Punctuation | |
| | | 1.3.4 | Zones for roads, closed roads, waterways and reclaimed land | |
| | 1.4 | | gories of development | |
| | 1.5 | | rchy of assessment benchmarks | |
| | 1.6 | | ing work regulated under the planning scheme | |
| | 1.7 | | government administrative matters | |
| | 1.7 | 1.7.1 | Southern Moreton Bay Islands | |
| | | 1.7.1 | | |
| | | 1.7.2 | Temporary uses | |
| Dout ! | 2 64 | | | |
| | | • | nning provisions | |
| | 2.1 | | planning policy | |
| | 2.2 | | onal plan | |
| | 2.3 | Refe | ral agency delegations | 18 |
| | 2.4 | Regu | lated requirements | 18 |
| Part : | 3 St | | framework | |
| | 3.1 | _ | ninary | |
| | 3.2 | | egic intent | |
| | 0.2 | 3.2.1 | Context | |
| | | 3.2.2 | Liveable communities and housing | |
| | | 3.2.3 | Economic growth | |
| | | 3.2.4 | Environment and heritage | |
| | | 3.2.5 | Safety and resilience to hazards | |
| | | 3.2.6 | Infrastructure | |
| | 3.3 | | ne: liveable communities and housing | |
| | 0.0 | 3.3.1 | Strategic outcomes | |
| | 3.4 | | ne: economic development | |
| | J. T | 3.4.1 | Strategic outcomes | |
| | 3.5 | | ne: environment and heritage | |
| | 3.5 | 3.5.1 | Strategic outcomes | |
| | 2.6 | | | |
| | 3.6 | | ne: safety and resilience to hazards | |
| | 0.7 | 3.6.1 | Strategic outcomes | |
| | 3.7 | | ne: infrastructure | |
| | | 3.7.1 | Strategic outcomes | |
| | | | vernment infrastructure plan | |
| | 4.1 | | ninary | |
| | 4.2 | Planr | ning assumptions | 38 |
| | | 4.2.1 | Population and employment growth | 41 |
| | | 4.2.2 | Development | 41 |
| | | 4.2.3 | Infrastructure demand | |
| | 4.3 | | ty infrastructure area | |
| | 4.4 | Desir | ed standards of service | 43 |
| | | 4.4.1 | Water supply network | |
| | | 4.4.2 | Sewerage network | |
| | | 4.4.3 | Stormwater network | |
| | | 4.4.4 | Transport network | |
| | | 4.4.5 | Public parks and land for community facilities network | |
| | 4.5 | Plans | s for trunk infrastructure | |
| | | 451 | Plans for trunk infrastructure maps | 50 |

| | | 4.5.2 | Schedules of works | 50 |
|-------------|------------|----------------|--|-------|
| | Edito | r's note - | - Extrinsic material | 51 |
| Part | 5 Ta | ables of | assessment | 54 |
| | 5.1 | Prelin | ninary | 54 |
| | 5.2 | | ing the tables | |
| | 5.3 | | gories of development and assessment | |
| | 0.0 | 5.3.1 | Process for determining the category of development and the category | |
| | | 0.0 | of assessment for assessable development | |
| | | 5.3.2 | Determining the category of development and categories of assessr | |
| | | | | |
| | | 5.3.3 | Determining the requirements for accepted development and | |
| | | | assessment benchmarks and other matters for assessable developr | ment |
| | | | | 56 |
| | 5.4 | Categ | gories of development and assessment—Material change of us | se56 |
| | 5.5 | Cate | gories of development and assessment—Reconfiguring a lot | . 102 |
| | 5.6 | | gories of development and assessment—Building work | |
| | 5.7 | • | gories of development and assessment—Operational work | |
| | 5.8 | | gories of development and assessment—Local plans | |
| | 5.9 | | gories of development and assessment—Overlays | |
| Dart | | | | |
| ган | | | | |
| | 6.1 6.2 | | ninary | |
| | 6.2 | | codes | |
| | | 6.2.1 | Low density residential zone code | |
| | | 6.2.2 | Low-medium density residential zone code | |
| | | 6.2.3 | Medium density residential zone code | |
| | | 6.2.4 6.2.5 | Character residential zone code | |
| | | 6.2.6 | | |
| | | 6.2.7 | Principal centre zone code | |
| | | 6.2.8 | Major centre zone code | |
| | | 6.2.9 | Local centre zone code | |
| | | 6.2.10 | Neighbourhood centre zone code | |
| | | 6.2.11 | Specialised centre zone code | |
| | | 6.2.12 | Recreation and open space zone code | 2/13 |
| | | 6.2.13 | Environmental management zone code | 250 |
| | | 6.2.14 | Conservation zone code | |
| | | 6.2.15 | Low impact industry zone code | |
| | | 6.2.16 | Medium impact industry zone code | |
| | | 6.2.17 | Waterfront and marine industry zone code | |
| | | 6.2.18 | Mixed use zone code | |
| | | 6.2.19 | Community facilities zone code | |
| | | 6.2.20 | Emerging community zone code | |
| | | 6.2.21 | Rural zone code | |
| Part | 7 10 | | ns | |
| Part | | - | | |
| rait | 8.1 | _ | | |
| | | | ninary | |
| | 8.2 | | ay codes | |
| | | 8.2.1 | Airport environs overlay code | |
| | | 8.2.2 | Bushfire hazard overlay code | |
| | | 8.2.3 | Coastal protection (erosion prone areas) overlay code | |
| | | 8.2.4 | Environmental significance overlay code | |
| | | 8.2.5 | Extractive resources overlay code | |
| | | 8.2.6 | Flood and storm tide hazard overlay code | |
| | | 8.2.7 | Heritage overlay code | |
| | | 8.2.8 | Landslide hazard overlay code | |
| | | 8.2.9 | Regional infrastructure corridors and substations overlay code | |
| | | 8.2.10 | Water resource catchments overlay code | . 333 |

| | 3 | 3.2.11 | Waterway corridors and wetlands overlay code | 335 |
|-------|---------|----------------|--|-------|
| Part | 9 De | velopn | nent codes | 338 |
| | 9.1 | Prelir | minary | 338 |
| | 9.2 | Use (| codes | |
| | | 9.2.1 | Extractive industry use code | |
| | - | 9.2.2 | Home-based business code | |
| | - | 9.2.3 | Telecommunications facilities, substations and utilities code | |
| | 9.3 | | r Development Codes | |
| | - | 9.3.1 9.3.2 | Healthy waters code | |
| | - | 9.3.3 | Landscape code | |
| | | 9.3.4 | Reconfiguring a lot code | |
| | | 9.3.5 | Transport, servicing, access and parking code | |
| Part | 10 Oth | ner pla | ns | |
| | edule 1 | • | Definitions | |
| | SC1.1 | Use | definitions | |
| | SC1.2 | | nistrative definitions | |
| Sche | edule 2 | 2 | Mapping | 405 |
| | SC2.1 | Map | index | |
| | SC2.2 | Strat | egic framework map | 407 |
| | SC2.3 | | maps | |
| | SC2.4 | Loca | l plan maps | 408 |
| | SC2.5 | Over | lay maps | 408 |
| | SC2.6 | Othe | r plans maps | 408 |
| Sche | edule 3 | 3 | Local government infrastructure plan mapping and | t |
| | su | port r | naterial | 410 |
| | SC3.1 | Planr | ning assumption tables | 410 |
| | SC3.2 | | dules of works | 430 |
| | SC3.3 | Loca | I government infrastructure plan maps | |
| Sche | edule 4 | 1 | Notations required under the <i>Planning Act 2016</i> | 452 |
| | SC4.1 | | tion of decisions affecting the planning scheme under sectio | |
| | SC4.2 | | tion of resolution(s) under Chapter 4, Part 2, Division 2 of the | e Act |
| | SC4.3 | | tion of registration for urban encroachment provisions under on 267 of the Act | |
| Sche | edule (| | Designation of premises for development | |
| | edule (| | Planning scheme policies | |
| OCIIC | SC6.1 | | ning scheme policy index | |
| | SC6.2 | Plani | ning Scheme Policy 1 – Environmental significance | 466 |
| | SC6.3 | | ning Scheme Policy 2 – Infrastructure works | |
| | SC6.4 | | ning Scheme Policy 3 – Flood, storm tide and drainage cons | |
| | 000 | | g Garlania i anay a minaga aana aramaga aana | |
| | SC6.5 | | ning Scheme Policy 4 – Landslide hazard | |
| | SC6.6 | | ning Scheme Policy 5 – Structure plans | |
| | SC6.7 | | ning Scheme Policy 6 – Environmental emissions | |
| Sche | edule 7 | | Heritage schedule | |
| | endix | | Index and glossary of abbreviations and acronyms | |
| | endix 2 | | Table of amendments | |
| | | | | |

TABLES

| Table 2.3.1—Delegated referral agency jurisdictions | . 18 |
|---|------|
| Table 4.2.1—Relationship between LGIP development categories, LGIP development types | |
| and uses | |
| Table 4.2.2—Population and employment assumptions summary | . 41 |
| Table 4.2.3—Development constraints | . 41 |
| Table 4.2.4—Residential dwellings and non-residential floor space assumptions summary | |
| Table 4.4.1—Key standards for the water supply network | |
| Table 4.4.2—Key standards for the sewerage network | |
| Table 4.4.3—Minimum public park land size and accessibility standards | |
| Table 4.4.4—Rate of provision for public parks | . 48 |
| Table 4.4.5—Land size and rate of provision for land for community facilities standards | |
| Table 4.4.6—Embellishment standards for public parks and land for community facilities | |
| Table 5.4.1—Low-density residential zone | |
| Table 5.4.2—Low-medium density residential zone | |
| Table 5.4.3—Medium density residential zone | |
| Table 5.4.4—Building height | |
| Table 5.4.5—Character residential zone | |
| Table 5.4.6—Tourist accommodation zone | |
| Table 5.4.7—Principal centre zone | |
| Table 5.4.8—Major centre zone | |
| Table 5.4.9—District centre zone | |
| Table 5.4.10—Local centre zone | |
| Table 5.4.11—Neighbourhood centre zone | |
| Table 5.4.12—Specialised centre zone | |
| Table 5.4.13—Recreation and open space zone | |
| Table 5.4.14—Environmental management zone | |
| Table 5.4.15—Conservation zone | |
| Table 5.4.16—Low impact industry zone | |
| Table 5.4.17—Medium impact industry zone | |
| Table 5.4.18—Waterfront and marine industry zone | |
| Table 5.4.19—Mixed use zone | |
| Table 5.4.20—Community facilities zone | |
| Table 5.4.21—Emerging community zone | |
| Table 5.4.22—Rural zone | |
| Table 5.5.1—Reconfiguring a lot | |
| Table 5.6.1—Building work | |
| Table 5.7.1—Operational work | 103 |
| Table 6.2.1.3.1—Benchmarks for development that is accepted subject to requirements and | |
| assessable development | |
| Table 6.2.2.3.1—Benchmarks for assessable development | |
| Table 6.2.3.3.1—Benchmarks for assessable development | |
| Table 6.2.3.3.2—Building height | |
| Table 6.2.4.3.1—Benchmarks for assessable development | |
| Table 6.2.5.3.1—Benchmarks for assessable development | |
| Table 6.2.6.3.1—Benchmarks for development that is accepted subject to requirements and | |
| assessable development | |
| Table 6.2.7.3.1—Benchmarks for development that is accepted subject to requirements and | |
| assessable development2 | |
| Table 6.2.8.3.1—Benchmarks for development that is accepted subject to requirements and | |
| assessable development2 | |
| Table 6.2.9.3.1—Benchmarks for development that is accepted subject to requirements and | |
| assessable development2 | 222 |
| Table 6.2.10.3.1—Benchmarks for development that is accepted subject to requirements a | |
| assessable development2 | |
| Table 6.2.13.3.1—Benchmarks for assessable development | |
| Table 6.2.14.3.1—Benchmarks for assessable development | |
| Table 6.2.15.3.1—Benchmarks for development that is accepted subject to requirements a | |
| assessable development | 255 |

| Table 6.2.16.3.1—Benchmarks for development that is accepted subject to requirements a | and |
|---|-----|
| assessable development | 260 |
| Table 6.2.17.3.1—Benchmarks for development that is accepted subject to requirements a | and |
| assessable development | 265 |
| assessable development | and |
| assessable developmentassessable development | 271 |
| Table 6.2.19.3.1—Benchmarks for development that is accepted subject to requirements a | and |
| assessable development | 276 |
| Table 6.2.20.3.1—Benchmarks for development that is accepted subject to requirements a | |
| assessable development | 284 |
| Table 6.2.21.3.1—Benchmarks for development that is accepted subject to requirements a | |
| assessable development | |
| Table 8.2.1.3.1—Benchmarks for development that is accepted subject to requirements ar | |
| assessable development | |
| Table 8.2.2.3.1—Benchmarks for assessable development | |
| Table 8.2.2.3.2—Low flammability plant species | |
| Table 8.2.3.3.1—Benchmarks for assessable development | |
| Table 8.2.4.3.1—Benchmarks for development that is accepted subject to requirements ar | |
| assessable development | 313 |
| Table 8.2.5.3.1—Benchmarks for assessable development | |
| Table 8.2.6.3.1—Benchmarks for assessable development | |
| Table 8.2.7.3.1—Benchmarks for assessable development | |
| Table 8.2.8.3.1—Benchmarks for assessable development | |
| Table 8.2.9.3.1—Benchmarks for assessable development | |
| Table 8.2.10.3.1—Benchmarks for assessable development | |
| Table 8.2.11.3.1—Benchmarks for assessable development | |
| Table 8.2.11.3.2—Minimum buffer distances and riparian vegetation requirements | |
| Table 9.2.2.3.1—Benchmarks for development that is accepted subject to requirements ar | |
| assessable development | |
| Table 9.2.3.4.1—Benchmarks for assessable development | |
| Table 9.3.1.3.1—Benchmarks for assessable development | |
| Table 9.3.1.3.2—Minor drainage system design storm event by road frontage classification | |
| zone | |
| Table 9.3.2.3.1—Benchmarks for development that is accepted subject to requirements ar | |
| assessable development | |
| Table 9.3.3.3.1—Benchmarks for assessable development | |
| Table 9.3.4.3.1—Benchmarks for assessable development | |
| Table 9.3.4.3.2—Lot size and dimensions | 381 |
| Table 9.3.5.3.1—Benchmarks for development that is accepted subject to requirements ar | |
| assessable development | |
| Table 9.3.5.3.2—Minimum on-site vehicle parking requirements | |
| Table SC1.1.3—Industry thresholds | |
| Table SC1.2.1—Index of administrative definitions | |
| Table SC2.1.1—Map index | |
| | |
| Table SC 3.1.2—Existing and projected employees | 412 |
| , , | 116 |
| network Table SC 3.1.4—Existing and projected residential dwellings | |
| | |
| Table SC 3.1.5—Existing and projected non-residential floor space (m ² GFA) | |
| Table SC 3.1.6—Existing and projected demand for the water supply network | |
| Table SC 3.1.8—Existing and projected demand for the stormwater network | |
| Table SC 3.1.9—Existing and projected demand for the transport network | 420 |
| Table SC 3.1.10—Existing and projected demand for the parks and land for community facilities network | 120 |
| Table SC 3.2.1—Water supply network schedule of works | |
| Table SC 3.2.1—Water supply network scriedule of works | |
| Table SC 3.2.3—Sewerage network schedule of works | |
| Table SC 3.2.4—Transport network schedule of works | |
| Table SC 3.2.5—Pransport network schedule of works | |

| Table SC4.1.1—Notation of decisions under section 89 of the Act | |
|--|-----|
| Table SC4.2.1—Notation of resolutions under Chapter 4, Part 2, Division 2 of the Act | |
| Table AP1.1—Abbreviations and acronyms | |
| Table AP2.1—Table of amendments | 474 |
| | |
| FIGURES | |
| HOUNES | |
| Figure 1.1.1—Local government planning scheme area and context | 10 |
| Figure 6.2.1.2.1—Precinct LDR1: large lot residential | |
| Figure 6.2.1.2.2—Precinct LDR2: park residential | |
| Figure 6.2.1.2.3—Precinct LDR3: Point Lookout residential | |
| Figure 6.2.1.2.4—Precinct LDR4: Kinross Road | |
| Figure 6.2.1.3.1—Detached building components | |
| Figure 6.2.1.3.2—Floor levels and building height | |
| Figure 6.2.1.3.3—Fences | |
| Figure 6.2.1.3.4—Kinross Road: road movement network | 133 |
| Figure 6.2.1.3.5—Kinross Road: pedestrian, cycle, public transport and parks network | 134 |
| Figure 6.2.2.2.1—Precinct LMDR1: South East Thornlands | 137 |
| Figure 6.2.2.2.2—Precinct LMDR2: Kinross Road | 139 |
| Figure 6.2.2.3.1—Overlooking | 143 |
| Figure 6.2.2.3.2—Fencing (1) | 143 |
| Figure 6.2.2.3.3—Fencing (2) | |
| Figure 6.2.2.3.4—South East Thornlands: road movement network | |
| Figure 6.2.2.3.5—South East Thornlands: pedestrian, cycle and public transport network. | |
| Figure 6.2.2.3.6—Kinross Road: road movement network | |
| Figure 6.2.2.3.7—Kinross Road: pedestrian, cycle, public transport and parks network | |
| Figure 6.2.3.2.1—Precinct MDR1: parkland living, Capalaba | |
| Figure 6.2.3.2.2—Precinct MDR2: Mount Cotton Road, Capalaba | |
| Figure 6.2.3.2.3—Precinct MDR3: Shore Street East, Cleveland | |
| Figure 6.2.3.2.4—Precinct MDR4: Cleveland | |
| Figure 6.2.3.2.5—Precinct MDR5: Esplanade, Redland Bay | |
| Figure 6.2.3.2.6—Precinct MDR6: South East Thornlands | |
| Figure 6.2.3.2.7—Precinct MDR7: Eprapah Creek, South East Thornlands | |
| Figure 6.2.3.2.8—Precinct MDR8: Kinross Road and Boundary Road | |
| Figure 6.2.3.2.9—Precinct MDR9: Kinross Road | |
| Figure 6.2.3.3.1—Height between adjoining development | |
| Figure 6.2.3.3.2—Overlooking | |
| Figure 6.2.3.3.3—Fencing (1) | |
| Figure 6.2.3.3.4—Fencing (2) | |
| Figure 6.2.3.3.5—South East Thornlands: road movement network | |
| Figure 6.2.3.3.6—South East Thornlands: pedestrian, cycle and public transport network. | |
| Figure 6.2.3.3.7—Kinross Road: road movement network | |
| Figure 6.2.3.3.8—Kinross Road: pedestrian, cycle, public transport and parks network | |
| Figure 6.2.4.3.1—Fencing (1) | |
| Figure 6.2.4.3.2—Fencing (2) | |
| Figure 6.2.5.3.1—Setbacks | |
| Figure 6.2.5.3.2—Overlooking | |
| Figure 6.2.5.3.3—Fencing (1) | |
| Figure 6.2.5.3.4—Fencing (2) Figure 6.2.6.3.1—Cleveland principal centre | |
| Figure 6.2.6.3.2—Capalaba principal centre | |
| Figure 6.2.6.3.3—Capaiada principal centre | 200 |
| Figure 6.2.6.3.4—Capalaba building heights | |
| Figure 6.2.10.3.1—Capalaba building rieignts | |
| Figure 6.2.10.3.4—Kinross Road: pedestrian, cycle, public transport and parks network | |
| Figure 6.2.12.3.1—Kinross Road: road movement network | |
| Figure 6.2.12.3.1—Kinross Road: road movement network Figure 6.2.12.3.2—Kinross Road: pedestrian, cycle, public transport and parks network | |
| Figure 6.2.19.3.1—Kinross Road: road movement network | |
| Figure 6.2.19.3.2—Kinross Road: road movement network Figure 6.2.19.3.2—Kinross Road: pedestrian, cycle, public transport and parks network | |
| gs. c s release reads pedeeditari, eyele, public transport and partic fletwork | _0_ |

| Figure 8.2.1.3.1—Mount Hardgrave VHF tower building restriction area | 298 |
|---|-----|
| Figure 8.2.1.3.2—Mount Hardgrave surveillance radar building restriction area | 299 |
| Figure 8.2.1.3.3—Birkdale satellite ground station building restriction area | 299 |
| Figure 8.2.9.3.1—Building orientation | 329 |
| Figure 8.2.9.3.2—Landscape buffer | 329 |
| Figure 8.2.9.3.3—Vegetation clearance to infrastructure | 330 |
| Figure 8.2.9.3.4—Earthworks near infrastructure | 331 |
| Figure 9.2.3.4.1—Landscape screening | 349 |
| | 355 |
| Figure 9.3.2.3.1—Kinross Road: integrated water management | 363 |
| Figure 9.3.3.3.1—Landscaping in car parking areas | 368 |
| | 378 |
| Figure 9.3.4.3.2—Integrated transmission corridor 2 | 378 |
| Figure 9.3.4.3.3—South East Thornlands: road movement network | 382 |
| Figure 9.3.4.3.4—South East Thornlands: pedestrian, cycle and public transport network. | 383 |
| Figure 9.3.4.3.5—Kinross Road: road movement network | 384 |
| Figure 9.3.4.3.6—Kinross Road: pedestrian, cycle, public transport and parks network | 385 |

Part 1 About the planning scheme

1.1 Introduction

- (1) The Redland planning scheme (planning scheme) has been prepared in accordance with the *Sustainable Planning Act 2009* (the SP Act) as a framework for managing development in a way that advances the purpose of the SP Act.
- (2) The planning scheme was amended for alignment with the *Planning Act 2016* (the Act) by the Minister's rules under section 293 of the Act (endorsed by Redland City Council on 6 July 2018) to commence on 8 October 2018.
- (3) In seeking to achieve this purpose, the planning scheme sets out Redland City Council's intention for the future development in the planning scheme area, over the next 25 years.
- (4) The planning scheme seeks to advance state and regional policies through more detailed local responses, taking into account the local context.
- (5) While the planning scheme has been prepared with a 2041 horizon, it will be reviewed periodically in accordance with the Act to ensure that it responds appropriately to the changes of the community at a local, regional and state level.
- (6) The planning scheme applies to the planning scheme area of Redland City Council including all premises, roads, internal waterways and local government tidal areas and interrelates with the surrounding local government areas illustrated in Figure 1.1.1.

Editor's note—State legislation may state that the planning scheme does not apply to certain areas, e.g. priority development areas.




Figure 1.1.1—Local government planning scheme area and context

1.2 Planning scheme components

- (1) The planning scheme comprises the following components:
 - (a) about the planning scheme;
 - (b) state planning provisions;
 - (c) the strategic framework;
 - (d) the local government infrastructure plan;
 - (e) tables of assessment;
 - (f) the following zones:
 - (i) Low density residential zone:
 - (A) precinct LDR1: large lot residential;
 - (B) precinct LDR2: park residential;
 - (C) precinct LDR3: Point Lookout residential;
 - (D) precinct LDR4: Kinross Road;
 - (E) precinct LDR5: canals and lakeside estates
 - (ii) Low-medium density residential zone:
 - (A) precinct LMDR1: South East Thornlands;
 - (B) precinct LMDR2: Kinross Road;
 - (iii) Medium density residential zone:
 - (A) precinct MDR1: parkland living, Capalaba;
 - (B) precinct MDR2: Mount Cotton Road, Capalaba;
 - (C) precinct MDR3: Shore Street East, Cleveland;
 - (D) precinct MDR4: Cleveland;
 - (E) precinct MDR5: Esplanade, Redland Bay;
 - (F) precinct MDR6: South East Thornlands;
 - (G) precinct MDR7: Eprapah Creek, South East Thornlands;
 - (H) precinct MDR8: Kinross Road and Boundary Road;
 - (I) precinct MDR9: Kinross Road
 - (iv) Character residential zone;
 - (v) Tourist accommodation zone;
 - (vi) Principal centre zone;
 - (vii) Major centre zone;
 - (viii) District centre zone;
 - (ix) Local centre zone;
 - (x) Neighbourhood centre zone;
 - (xi) Specialised centre zone;
 - (xii) Recreation and open space zone;
 - (xiii) Environmental management zone;
 - (xiv) Conservation zone;
 - (xv) Low impact industry zone;
 - (xvi) Medium impact industry zone;
 - (xvii) Waterfront and marine industry zone:
 - (xviii) Mixed use zone;
 - (xix) Community facilities zone:
 - (A) precinct CF1: cemeteries, crematoria and associated uses such as funeral parlours;
 - (B) precinct CF2: community facilities such as community uses, community care facilities and childcare centres;
 - (C) precinct CF3: educational establishments;
 - (D) precinct CF4: emergency services;
 - (E) precinct CF5: places of worship;
 - (F) precinct CF6: infrastructure, such as wastewater treatment plants, waste disposal facilities, pumping stations, electricity sub-stations, local government depots and roads;

- (G) precinct CF7: future transport/green space/trail corridors;
- (H) precinct CF8: Commonwealth facilities radio receivers; and
- (I) precinct CF9: passenger ferry terminals;
- (xx) Emerging community zone;
- (xxi) Rural zone;
- (g) there are no local plans;
- (h) the following overlays:
 - (i) Airport environs overlay code;
 - (ii) Bushfire hazard overlay code;
 - (iii) Coastal protection (erosion prone areas) overlay code;
 - (iv) Environmental significance overlay code;
 - (v) Extractive resources overlay code;
 - (vi) Flood and storm tide hazard overlay code;
 - (vii) Heritage overlay code;
 - (viii) Landslide hazard overlay code;
 - (ix) Regional infrastructure corridors and substations overlay code;
 - (x) Water resource catchments overlay code;
 - (xi) Waterway corridors and wetlands overlay code;
 - (xii) Transport noise corridor overlay (for information purpose only);
- (i) the following development codes:
 - (i) Use codes:
 - (A) Extractive industry use code;
 - (B) Home-based business use code;
 - (C) Telecommunications facilities, substations and utilities code;
 - (ii) Development codes:
 - (A) Healthy waters code;
 - (B) Infrastructure works code:
 - (C) Landscape code;
 - (D) Reconfiguring a lot code;
 - (E) Transport, servicing, access and parking code;
- (j) schedules and appendices.
- (2) The following planning scheme policies support the planning scheme.
 - (a) Planning Scheme Policy 1 Environmental significance;
 - (b) Planning Scheme Policy 2 Infrastructure works;
 - (c) Planning Scheme Policy 3 Flood and storm tide hazard;
 - (d) Planning Scheme Policy 4 Landslide hazard;
 - (e) Planning Scheme Policy 5 Structure plans; and
 - (f) Planning Scheme Policy 6 Environmental emissions.

1.3 Interpretation

1.3.1 Definitions

- (1) A term used in the planning scheme has the meaning assigned to that term by one of the following:
 - (a) the Planning Act 2016 (the Act);
 - (b) the *Planning Regulation 2017* (the Regulation), other than the regulated requirements;
 - (c) the definitions in Schedule 1 of the planning scheme;
 - (d) the Acts Interpretation Act 1954;
 - (e) the ordinary meaning where that term is not defined in any of the above.
- (2) In the event a term has been assigned a meaning in more than one of the instruments listed in sub-section 1.3.1(1), the meaning contained in the instrument highest on the list will prevail.
- (3) A reference in the planning scheme to any act includes any regulation or instrument made under it, and where amended or replaced, if the context permits, means the amended or replaced act.
- (4) A reference in the planning scheme to a specific resource document or standard, means the latest version of the resource document or standard.
- (5) A reference to a part, section, table or schedule is a reference to a part, section, table or schedule of the planning scheme.

Editor's note—The regulated requirements do not apply to this planning scheme.

1.3.2 Standard drawings, maps, notes, editor's notes and footnotes

- (1) Standard drawings contained in codes or schedules are part of the planning scheme.
- (2) Maps provide information to support the outcomes and are part of the planning scheme.
- (3) Notes are identified by the title 'note' and are part of the planning scheme.
- (4) Editor's notes and footnotes are extrinsic material, as per the *Acts Interpretation Act* 1954, and are identified by the title 'editor's note' and 'footnote' and are provided to assist in the interpretation of the planning scheme; they do not have the force of law.

Note—This is an example of a note.

Editor's note—This is an example of an editor's note.

Footnote¹—See example at bottom of page.

1.3.3 Punctuation

- (1) A word followed by ';' or ', and' is considered to be 'and'.
- (2) A word followed by "; or" means either or both options can apply.

1.3.4 Zones for roads, closed roads, waterways and reclaimed land

- (1) The following applies to a road, closed road, waterway or reclaimed land in the planning scheme area:
 - (a) if adjoined on both sides by land in the same zone—the road, closed road, waterway or reclaimed land is in the same zone as the adjoining land;
 - (b) if adjoined on one side by land in a zone and adjoined on the other side by land in another zone—the road, closed road, waterway or reclaimed land is in the same zone as the adjoining land when measured from a point equidistant from the adjoining boundaries;
 - (c) if the road, closed road, waterway or reclaimed land is adjoined on one side only by land in a zone—the entire waterway or reclaimed land is in the same zone as the adjoining land;

¹ Footnote—This is an example of a footnote.

(d) if the road, closed road, waterway or reclaimed land is covered by a zone then that zone applies.

Editor's note—The boundaries of the local government area are described by the maps referred to in the *Local Government Regulation 2012*.

1.4 Categories of development

- (1) The categories of development under the Act are:
 - (a) accepted development

Editor's note—A development approval is not required for development that is accepted development. Under section 44(6)(a) of the Act, if a categorising instrument does not apply a category of development to a particular development, the development is accepted development. Schedules 6 and 7 of the Regulation also prescribe development that a planning scheme cannot make assessable.

Editor's note—In this planning scheme, some development is categorised as accepted, subject to meeting certain requirements. These requirements are identified in the tables of assessment and in the relevant codes.

- (b) assessable development
 - (i) code assessment
 - (ii) impact assessment

Editor's note—A development approval is required for assessable development. Schedules 9, 10 and 14 of the Regulation also prescribe assessable development.

(c) prohibited development.

Editor's note—A development application may not be made for prohibited development. Schedule 10 of the Regulation prescribes prohibited development.

(2) The planning scheme states the category of development for certain types of development, and specifies the category of assessment for assessable development in the planning scheme area in Part 5.

Editor's note—Section 43 of the Act identifies that a categorising instrument categorises development and specifies categories of assessment, and may be a regulation or local categorising instrument. A local categorising instrument includes a planning scheme, a TLPI or a variation approval.

1.5 Hierarchy of assessment benchmarks

- (1) Where there is inconsistency between provisions within the planning scheme, the following rules apply:
 - (a) relevant assessment benchmarks specified in the Regulation prevail over the Planning Scheme to the extent of the inconsistency:
 - (b) the strategic framework prevails over all other elements to the extent of the inconsistency for impact assessment;
 - (c) overlays prevail over all other components (other than the matters mentioned in (a) and (b)) to the extent of the inconsistency;
 - (d) local plan codes prevail over zone codes, use codes and other development codes to the extent of the inconsistency;
 - (e) zone codes prevail over use codes and other development codes to the extent of the inconsistency;
 - (f) provisions of Part 10 may override any of the above.

1.6 Building work regulated under the planning scheme

- (1) Section 17(b) of the Regulation identifies that a local planning instrument must not be inconsistent with the effect of the building assessment provisions stated in the *Building* Act 1975
- (2) The building assessment provisions are listed in section 30 of the Building Act 1975.

Editor's note—The building assessment provisions are stated in section 30 of the *Building Act 1975* and are assessment benchmarks for the carrying out of building assessment work or building work that is accepted development subject to any requirements (see also section 31 of the *Building Act 1975*).

(3) This planning scheme, through Part 5, regulates building work in accordance with sections 32 and 33 of the *Building Act 1975*.

Editor's note—The Building Act 1975 permits planning schemes to:

- regulate, for the Building Code of Australia (BCA) or the Queensland Development Code (QDC), matters
 prescribed under a regulation under the Building Act 1975 (section 32). These include variations to provisions
 contained in parts MP1.1, MP1.2 and MP1.3 of the QDC such as heights of buildings related to obstruction and
 overshadowing, siting and design of buildings to provide visual privacy and adequate sight lines, on-site parking
 and outdoor living spaces. It may also regulate other matters, such as designating land liable to flooding,
 designating land as bushfire prone areas and transport noise corridors;
- deal with an aspect of, or matter related or incidental to building work prescribed under a regulation under section 32 of the Building Act 1975;
- specify alternative boundary clearances and site cover provisions for Class 1 and 10 structures under section 33
 of the Building Act 1975.

Refer to Schedule 9 of the Regulation to determine assessable development, the type of assessment and any referrals applying to the building work.

- (4) The building assessment provisions are contained in the following parts of this planning scheme:
 - (a) Table 5.6.1 Building work;
 - (b) Table 5.9.1 Assessment benchmarks for overlays;
 - (c) 6.2.1 Low density residential zone code;
 - (d) 8.2.2 Bushfire hazard overlay code;
 - (e) 8.2.3 Coastal protection (erosion prone areas) overlay code:
 - (f) 8.2.6 Flood and storm tide hazard overlay code; and
 - (g) 8.2.7 Heritage overlay code.

Editor's note—A decision in relation to building work that is assessable development under the planning scheme can only be issued as a preliminary approval. See section 83(b) of the *Building Act 1975*.

Editor's note—In a development application, the applicant may request preliminary approval for building work. The decision on that development application also be taken to be a referral agency's response under section 56 of the Act, for building work assessable against the *Building Act 1975*.

- (5) All parts of the Queensland Development Code MP1.1 and MP1.2 including performance criteria 4, 5, 7, 8 and 9 and the corresponding acceptable solutions apply to relevant development pursuant to Section 6 of the *Building Regulation 2021* (unless a relevant alternative provision applies.
- (6) Council has designated Transport Noise Corridors under section 246X of the *Building Act 1975*. Details about the land that is within the transport noise corridor and the levels of noise within the corridor are contained within the Transport Noise Corridor Overlay. This overlay is for information purposes only. Building work on land which is designated under the Transport Noise Corridor Overlay is assessable against the Queensland Development Code Part 4.4 Buildings in a Transport Noise Corridor.

1.7 Local government administrative matters

1.7.1 Southern Moreton Bay Islands

- (1) Where used in this planning scheme, the term "Southern Moreton Bay Islands" refers to the islands of Karragarra, Macleay, Perulpa, Lamb and Russell Islands.
- (2) To remove any doubt, the term does not include Coochiemudlo, Peel or North Stradbroke Islands.

1.7.2 Temporary uses

(1) For the purpose of the definition of 'temporary use' in Schedule 1, any sport, recreation, entertainment or cultural activity or 'not for profit' community activity which does not exceed 21 days in any 12 month period, with no one single period exceeding 10 days duration, is deemed to be temporary.

(2) To the extent the activities mentioned in (1) constitute development (as defined by the Act), they are accepted development for the purposes of this planning scheme.

Editor's note – Only temporary uses that meet the above provisions are considered accepted development. Editor's note—While such activities are accepted development for the purposes of the planning scheme, they may be regulated by local laws or other statutes.

1.7.3 Terms

- (1) The terms "urban area" and "urban purposes" are used in this planning scheme with the meaning defined in the Regulation.
- (2) To remove any doubt, the following zones (and any precincts within them) form part of the urban area:
 - (a) Low density residential zone;
 - (b) Low-medium density residential zone;
 - (c) Medium density residential zone;
 - (d) Character residential zone;
 - (e) Tourist accommodation zone;
 - (f) Principal centre zone;
 - (g) Major centre zone;
 - (h) District centre zone;
 - (i) Local centre zone:
 - (j) Neighbourhood centre zone;
 - (k) Specialised centre zone;
 - (I) Low impact industry zone;
 - (m) Medium impact industry zone;
 - (n) Waterfront and marine industry zone;
 - (o) Mixed use zone;
 - (p) Emerging community zone;
 - (q) Community facilities zone (if within the SEQ Regional Plan's urban footprint); and
 - (r) Recreation and open space zone (if within the SEQ Regional Plan's urban footprint).
- (3) To remove any doubt, the following zones (and any precincts within them) do not form part of the urban area:
 - (a) Environmental management zone;
 - (b) Conservation zone:
 - (c) Rural zone;
 - (d) Community facilities zone (if outside the SEQ Regional Plan's urban footprint);and
 - (e) Recreation and open space zone (if outside the SEQ Regional Plan's urban footprint).

This page is intentionally left blank

Part 2 State planning provisions

2.1 State planning policy

The Minister has identified that the state planning policy (April 2016) is integrated in the planning scheme in the following ways:

State interests in the state planning policy appropriately integrated All

State interests in the state planning policy not integrated None

State interests in the state planning policy not relevant to Redland City Council Strategic ports

2.2 Regional plan

The Minister has identified that the planning scheme, specifically the strategic framework, appropriately advances the South East Queensland Regional Plan 2009-2031 as it applies in the planning scheme area.

2.3 Referral agency delegations

Schedule 10 of the Regulation identifies referral agencies for certain aspects of development. The following referral agencies have delegated the following referral agency jurisdictions to Redland City Council.

Table 2.3.1—Delegated referral agency jurisdictions

| Column 1 | Column 2 | Column 3 |
|-----------------------|--------------------------|-----------------------|
| Application involving | Referral agency and type | Referral jurisdiction |
| nil | nil | nil |

Editor's note—For the above listed referral agency delegations the applicant is not required to refer the application to the referral agency listed under Schedule 10 of the Regulation because the local government will undertake this assessment role.

2.4 Regulated requirements

The Minister has identified that the Queensland Planning Provisions version 4.0 dated January 2016 are appropriately reflected in the planning scheme.

Additionally, the parts of the Regulated Requirements identified in sections 6 (1), 7 and 8 of the *Planning Regulation 2017* are reflected in this planning scheme.

This page is intentionally left blank.

Part 3 Strategic framework

3.1 Preliminary

- (1) The strategic framework sets the policy direction for the planning scheme and forms the basis for ensuring appropriate development occurs in the planning scheme area for the life of the planning scheme.
- (2) Mapping for the strategic framework is included in Schedule 2.
- (3) For the purpose of describing the policy direction for the planning scheme, the strategic framework is structured in the following way:
 - (a) the strategic intent;
 - (b) the following five themes that collectively represent the policy intent of the scheme:
 - (i) liveable communities and housing;
 - (ii) economic growth;
 - (iii) environment and heritage;
 - (iv) safety and resilience to hazards; and
 - (v) infrastructure;
 - (c) the strategic outcomes proposed for development in the planning scheme area for each theme.
- (4) Although each theme has its own section, the strategic framework in its entirety represents the policy intent for the planning scheme.

3.2 Strategic intent

3.2.1 Context

The City Plan supports the community's vision of a well-designed, vibrant city renowned for its natural, scenic and cultural values, its robust local economy and its active, resilient and connected community.

This strategic framework has a planning horizon of 2041, by which time the city's population will have grown to around 188,000. To meet this growth, around 20,000 new dwellings will have been built in the city and more than 24,000 new jobs created, mainly in the city's existing centres.

Growth and change provides the opportunity to improve liveability for people at all life stages and backgrounds, when balanced with protection of the significant natural and cultural assets valued by the Redlands and South East Queensland communities.

3.2.2 Liveable communities and housing

Growth between now and 2041 will occur in a way that contains urban development within the designated urban area. This will create an urban form in which people move around easily and can live near jobs and services. It will help support lifestyles that are healthy, more affordable, meet people's needs and offer varied opportunities for community involvement.

Containing the settlement pattern within the designated area will help minimise the extent to which people, development and infrastructure are exposed to natural hazards, including storm tide inundation, flooding and bushfire. It will also reduce pressure on the natural environment and it will make best use of the city's significant investment in infrastructure, supporting the long term financial sustainability of the city.

Redlands will offer housing diversity and affordability for residents through a choice of housing product and location. This will particularly address the housing requirements of an ageing demographic profile and young first home owners.

The suburbs of Alexandra Hills, Birkdale, Thorneside, Ormiston, Victoria Point, Redland Bay, Mount Cotton and Wellington Point will continue to accommodate mainly detached housing with a low density character. To provide for ageing in place, some new housing types will be needed so people can stay in the same neighbourhood as family composition changes. New housing types will also ensure affordable options are available.

Parts of Redlands will experience change, as development takes up opportunities for increased residential densities around key centres and public transport nodes, leveraging off investment in public transportation and community infrastructure. Areas are designated for such change through their zoning. Some areas are not designated for increased densities although they may be well served by infrastructure – this is because the planning scheme seeks to balance development with the protection of existing character, environmental values or other features of particular locations.

The city's principal and major centres at Cleveland, Capalaba and Victoria Point, as well as Toondah Harbour and Weinam Creek, will play an important role in providing housing and lifestyle choices. They are to be transformed as vibrant mixed use centres with day and night time activity. District centres at Birkdale, Alexandra Hills and Redland Bay, and areas zoned as low-medium or medium density residential around Thorneside and Wellington Point rail stations, will also support enhanced housing and lifestyle choices.

Editor's note—Toondah Harbour and Weinam Creek are designated priority development areas and are not subject to this planning scheme.

These opportunities will help create communities in which people do not have to rely as much on cars, and can enjoy neighbourhoods which are designed for walking and cycling. It will provide vibrant urban lifestyle options where people can live close to where they work, shop and dine while having access to open space and recreational opportunities.

Newly developing communities (sometimes called greenfield areas) will also help to expand housing choice. Areas zoned for new development include Kinross Road, South East Thornlands and Victoria Point. Within these areas, development occurs in a way that ensures natural values are protected, efficient use is made of land and infrastructure, and walkable, well connected residential communities with good access to public transportation, services and recreation facilities are created.

On North Stradbroke (Minjerribah) Island the communities of Dunwich, Amity and Point Lookout will experience further development of housing, local services and facilities within the zoned urban areas. Tourism visitation to North Stradbroke Island will be greatly enhanced with the completion of the Toondah Harbour development, and other economic opportunities will also begin to emerge.

Editor's note—Parts of North Stradbroke Island (Minjerribah) are subject to State lead planning investigations as part of an Indigenous land use agreement between the Queensland State Government and the Quandamooka people. Future planning and development policy for these parts of North Stradbroke Island will be influenced by the outcomes of these investigations and may require future amendments to City Plan.

The Southern Moreton Bay Island communities of Russell, Macleay, Lamb and Karragarra islands, together with Coochiemudlo Island, will remain dependent on the mainland for higher level goods and services. However, opportunities exist for island-based activities which support diversification of the local economy and employment growth, but which remain focussed on meeting the needs of island residents and visitors.

3.2.3 Economic growth

Redlands is poised to grow its economy. The planning scheme is a key instrument to engender confidence for the first home buyer, through to investors in major development and infrastructure projects. This is achieved through its strong policy framework, regulatory efficiency and focus on key drivers of good development in line with the city's vision.

Centres are the primary places where people will work and do business. Centres have a hierarchy of functions so that both the private and public sectors can invest with confidence. Centres are expected to accommodate a mix of uses, including, community services, employment, retail, cultural and arts, education and health facilities so they evolve to be much more than shopping centres. Residential and tourist accommodation is also expected in principal, major and district centres. All centres are designed to be readily accessible by

public and active transport including walking and cycling and as well-designed places for casual and structured community interaction.

The highest level of day and night time activity and greatest mix of uses are encouraged at Cleveland and Capalaba, as the city's principal centres. These centres are the focus of public transport services within Redlands. Victoria Point (a major centre) also supports mixed use development which is activated at night. The city's district and local centres are important hubs of economic and community life within their catchment areas, both on the mainland and on the islands.

As well, Redlands has a specialised centre based on the Cleveland hospital and other major health care providers, where specialist and general health services, health based education and training and related activities will cluster.

Other precincts provide opportunities for industry and employment generating activities that cannot be accommodated in centres. These include the Cleveland and Capalaba industrial parks, the Redlands Business Park and industry zoned land at Redland Bay, marine industry areas at Beveridge Road in Thornlands and on North Stradbroke Island, and low impact and service industry areas in Capalaba and along Shore Street, Cleveland and on Macleay Island. Land within these areas is to be used efficiently to accommodate economic activity and employment growth.

A special purpose precinct may be established on the Birkdale Commonwealth land, possibly containing a mix of:

- clean, export-oriented industries;
- training and tertiary education facilities; and
- tourism, recreation, open space and sporting activities.

An opportunity also exists west of Taylor Road in Sheldon for the establishment of a node of educational and recreational facilities near Sheldon College.

Each of the city's important economic hubs will be managed for its intended economic function and will be protected from encroaching sensitive land uses which may compromise or reduce its productivity. Tourism and primary industries will continue to play a significant economic role in the future of Redlands. Tourism will celebrate regionally and internationally significant natural features like Moreton Bay and North Stradbroke Island, the high scenic amenity of rural and bushland landscapes, and native fauna species including the koala.

Tourism infrastructure will be focussed on providing a range of short stay accommodation options on the islands, in rural areas and in centres, and providing places for outdoor recreation and events. However, new tourist facilities will need to ensure they do not significantly detract from the important natural qualities, character and amenity that underpin Redlands' attractiveness.

In rural areas, niche horticulture, livestock breeding and poultry farming enterprises will continue, while activities that have a nexus with, and add value to, rural activities will be supported, including farm- and nature-based tourism and recreation.

Key extractive resource areas and their haul routes will be protected from development that may reduce their current or future use and productivity.

Home-based businesses provide further micro-employment opportunities throughout the city.

3.2.4 Environment and heritage

Redlands' character and identity is in large part shaped by its natural setting, extending north and east from the Mount Cotton escarpment to the coastal plains, foreshores, waters and islands of southern Moreton Bay.

Highly scenic natural and productive rural landscapes support resilient fauna and flora communities. Throughout the city, recreation and wildlife corridors connect people, places, habitat areas, waterways, wetlands and foreshore areas. Development will be carefully managed to protect significant habitats, wildlife corridors, ecological functions and scenic landscapes. While occurring as intended under the relevant zone, development is to be undertaken in a manner that avoids or minimises and mitigates (and in some cases offsets) impacts.

Both within and outside urban areas, development will be managed to reduce risk to deterioration of water quality and natural hydrological regimes in waterways, wetlands and supply catchments, and to support healthy marine ecosystems in southern Moreton Bay.

The connection between the Redlands' community and its history is displayed through its valued heritage places. As well as containing a number of places of State heritage significance, Redlands has many sites of local significance for the community. Those of non-indigenous significance are identified in the planning scheme to better manage the impact of future development on their heritage values.

The unique cultural, spiritual and historic associations of the traditional owners of land and waters in the Redlands is acknowledged and respected.

3.2.5 Safety and resilience to hazards

Bushfire, flooding, landslide and coastal erosion and inundation are natural hazards which, if unmanaged, can affect the future safety of the Redlands community, and its public and private assets. The level of risk is expected to be heightened through the impacts of climate change.

As well as natural hazards, people and the natural environment can be at risk from hazardous commercial and industrial activities and from air, water and land pollution. Industries and major sporting facilities can also be the source of significant noise, lighting and other nuisance.

Development will be managed to protect community health and safety, and avoid unacceptable risk or impacts.

3.2.6 Infrastructure

The provision of safe, efficient and effective infrastructure underpins the social, economic and environmental prosperity of the Redlands.

The efficient and effective provision of infrastructure will be a critical outcome of new development. Increasing infrastructure demands across multiple growth fronts is financially unsustainable for government. Likewise, the private sector and households are reluctant to carry the true costs of providing the services communities need. A planned settlement pattern is necessary to minimise private and public sector costs and to optimise community accessibility to services.

Infrastructure corridors and sites also need to be protected from encroaching sensitive or conflicting uses which may affect their ongoing safe and efficient operation.

3.3 Theme: liveable communities and housing

3.3.1 Strategic outcomes

3.3.1.1 General

- (1) Redlands is a bayside, sub-tropical city made up of a diverse range of mainland and island communities structured around a hierarchy of activity centres, and framed by the scenic natural landscapes of Moreton Bay, major waterways and habitat corridors and the rural and natural hinterland.
- (2) New development is responsive to the sub-tropical climate by providing natural shade, cooling and lighting, indoor and outdoor living spaces, and public places and streets that are comfortable and safe for pedestrians and cyclists.

- (3) Affordable housing is available throughout the city for a diverse and changing community, including people of all ages and abilities: including families, single people, single-parent households, people with special needs and the aged. This is achieved by providing housing types in accordance with the intentions of the relevant zone.
- (4) Housing and residential areas are designed to support home-based businesses which are compatible with the prevailing level of residential amenity.
- (5) Urban areas are served by an extensive network of treed streetscapes, community spaces, vegetated corridors, parkland and sporting facilities. These support community health and well being, active lifestyles, community interaction, and a wide range of recreational activities.
- (6) A network of public transport, roads and walking and cycling paths provide a convenient level of access to places of employment, education, recreation and other community services.
- (7) Development facilitates access to Moreton Bay and other natural areas through a highly connected network of open space, walking paths and cycling routes.
- (8) Development maintains waterway corridors and habitat areas as green breaks within the urban area.
- (9) The pattern of urban development:
 - (a) maximises accessibility to jobs and services;
 - (b) supports the viability of public transport services;
 - (c) maximises the utilisation of and investment in infrastructure networks;
 - (d) avoids further expansion into areas of natural hazard;
 - (e) protects values of national, state or local environmental significance;
 - (f) avoids encroachment on natural economic resources like agricultural land, water and key extractive resources;
 - (g) protects and provides certainty for primary industries and those investing in the rural economy; and
 - (h) maintains the scenic and recreational values of the Redlands' natural, rural and coastal landscapes.

3.3.1.2 Housing choices in the medium density and low-medium density residential zones

- (1) Localities that are the focus for growth and change through a mix of lot sizes and housing forms are included in the medium density and low-medium density residential zones.
- (2) Medium rise development generally occurs close to the principal centres, with lower rise housing in other parts of the low-medium density and medium density residential zones.
- (3) Development creates an attractive streetscape and a sensitive transition between older and new forms of housing.
- (4) Siting and design of development minimises or mitigates impacts on natural site attributes including habitat, natural drainage lines and topography.
- (5) New development is well connected to the surrounding area, providing a high level of permeability by walking and cycling and accessibility to public transport services.
- (6) New development is provided with public spaces and facilities which cater for increasing recreational demands.

3.3.1.3 Housing in the low density and character residential zones

- (1) The character of the city's low density residential zoned areas remains largely unchanged, and consists predominantly of detached housing.
- (2) Existing lot sizes are retained on Southern Moreton Bay Island communities.
- (3) Lot sizes in the large lot (LDR1), park residential (LDR2) and Kinross Road (LDR4) precincts are consistent with the very low density to semi-rural bushland character of these areas.
- (4) Other parts of the low density residential zone contain housing on a mix of lot sizes suited to detached housing.
- (5) Housing in the large lot (LDR1), park residential (LDR2) and Kinross Road (LDR4) precincts is exclusively in the form of detached housing on larger lots within a bushland

- setting. Development does not detract from the retention of native vegetation and habitat values in these areas.
- (6) Although within the designated urban area, land in the park residential (LDR2) precinct provides a transition between suburban and rural areas of the Redlands. This land is not provided with the full range or same standard of urban services, such as wastewater networks, public transport and roads.
- (7) Housing in the Point Lookout (LDR3) precinct is designed to maintain the distinctive character of the locality.

3.3.1.4 Newly developing communities

- (1) New communities are established at Kinross Road, Thornlands, South-East Thornlands, Victoria Point and the area around Double Jump Road which is included in the emerging community zone.
- (2) In these areas, land is used efficiently and development provides a mix of lot sizes and housing forms, including detached housing on a mix of lot sizes and attached housing within well-structured and walkable neighbourhoods.
- (3) Neighbourhoods are designed to integrate with surrounding transport and open space networks to form connected, convenient and safe systems.
- (4) Development facilitates the retention or enhancement of significant waterway and habitat corridors and other areas of environmental significance.
- (5) Development makes provision for local services and social infrastructure to meet community needs, including public open space and recreational facilities, schools and child care facilities and neighbourhood centres.
- (6) Provision is made for public transport services from an early stage of the development of these areas.
- (7) Development does not proceed until odour impact from nearby poultry farms has been reduced to levels that are consistent with a reasonable level of residential amenity.
- (8) Unless included within the priority infrastructure area, development does not proceed until all local and trunk infrastructure requirements (both state and local) can be met by the development proponents, and an agreed funding mechanism established.
- (9) The Southern Redland Bay area has been identified as a possible option for longer term, future urban growth. Substantial investigations will be required of physical constraints and values, including koala habitat, ecological functions, natural hazards, mosquito risk, scenic quality and infrastructure requirements and costs and alternative growth strategies before the suitability of this area for development can be determined.
- (10) The area bounded by Taylor Road, Woodlands Drive and Springacre Road within the Thornlands area has been identified as a possible option for longer term, future urban growth. Substantial investigations will be required of physical constraints and values, including koala habitat, ecological functions, natural hazards, scenic quality and infrastructure requirements and costs and alternative growth strategies before the suitability of this area for development can be determined.
- (11) Future development on North Stradbroke Island should recognise and reflect indigenous land use values and the economic and social needs of the indigenous community.

3.4 Theme: economic development

3.4.1 Strategic outcomes

3.4.1.1 Centres hierarchy

- (1) Redlands' settlement pattern is structured around a hierarchy of multi-purpose activity centres which provide:
 - (a) community meeting places;
 - (b) hubs of community services and facilities;
 - (c) shopping areas;
 - (d) locations for education and employment;
 - (e) settings for leisure and entertainment activities;

- (f) housing and visitor accommodation; and
- (g) access to public transport services.
- (2) The form, size and mix of uses are appropriate to the function and scale of the centres.
- (3) Centres are designed to:
 - (a) create safe and attractive environments that support community interaction in streets and public spaces;
 - strengthen sub tropical character and create attractive and engaging streetscapes through building scale, building elements, awnings and extensive street planting;
 - (c) provide easy access to and within centres by public transport, walking and cycling;
 - (d) prioritise pedestrians over cars;
 - reinforce active street frontages along primary streets and pedestrian connections; and
 - (f) establish an appropriate transition of built heights from surrounding residential neighbourhoods.
- (4) A hierarchy of centres is maintained. Development does not expand the centre function beyond its designated level. The hierarchy consists of:
 - (a) principal centres at Cleveland and Capalaba;
 - (b) a major centre at Victoria Point;
 - (c) district centres at Birkdale, Alexandra Hills and Redland Bay;
 - (d) local centres located throughout the urban area; and
 - (e) neighbourhood centres also located throughout the urban area.

3.4.1.2 Principal centre zone

- (1) The principal centres at Cleveland and Capalaba serve catchments in the order of 50,000 people, and:
 - (a) contain the highest-order and largest concentrations of shopping, offices, community services and facilities, and cultural, and entertainment activities;
 - (b) contain tertiary and other specialist education and training facilities;
 - (c) accommodate day and night time activities;
 - (d) contain the highest buildings in the city;
 - (e) contain the high density housing;
 - (f) remain highly accessible by public transport, walking and cycling; and
 - (g) include major transport interchanges at central locations.
- (2) The principal centres are revitalised through streetscape and urban design treatments which express a distinctive bayside and sub-tropical character.

Cleveland

- (3) Cleveland continues to act as the administrative centre of the Redlands. It is the preferred location for major local or state government offices and the highest order community, cultural and entertainment facilities.
- (4) Cleveland strengthens its retail functions and accommodates an increasing variety of cultural, education and entertainment activities, including those that support a night time economy including cinemas and restaurants.
- (5) Cleveland is reinvigorated through a large amount of new residential development providing a range of accommodation for both residents and visitors, with a particular focus on the rail station.
- (6) Cleveland's location and connections to Raby Bay Harbour and Toondah Harbour, make it the major gateway to the bay and island communities, and reinforces its key role in the city.
- (7) Cleveland is focussed around active, pedestrian-friendly streets, particularly along Bloomfield and Middle Streets. Public spaces on Bloomfield Street (including a new town square) form the heart of the centre.
- (8) Built form reinforces Cleveland's important role in the city, and generally increases in height towards the rail station and Raby Bay harbour.

(9) Development creates pedestrian-focussed, safe and attractive environments at street level.

Capalaba

- (10) Development within the Capalaba principal centre builds on its role as the primary retail centre for the city, whilst diversifying the range of land uses to include further commercial, community entertainment and residential development.
- (11) The busway station is integrated into the centre's built form and has strong pedestrian connections to other parts of the centre.
- (12) Development at Capalaba Park and Capalaba Central establishes activation along street frontages and creates an east-west pedestrian spine linking these shopping centres to each other and nearby parkland.
- (13) A core for Capalaba is established around town space created on Redland Bay Road, creating the focal point of the east west pedestrian spine.
- (14) Built form reinforces Capalaba's important role in the city, with greatest height in the centre core and decreasing towards the edges of the centre.
- (15) Development provides for greater permeability for pedestrians and creates pedestrianfocussed, safe and attractive environments at street level, particularly around the core public space and east west pedestrian spine.

3.4.1.3 Major centre zone

- (1) Victoria Point primarily serves the communities of Victoria Point, Redland Bay, Thornlands and the Southern Moreton Bay Islands.
- (2) The major centre is subordinate to, and does not compromise the principal centres.
- (3) Victoria Point evolves to contain a greater mix of uses including in-centre residential development.
- (4) Development provides for greater permeability for pedestrians and creates pedestrianfocussed, safe and attractive environments at street level.

3.4.1.4 District centre zone

- (1) District centres at Birkdale, Alexandra Hills and Redland Bay provide for the weekly shopping needs of catchments which are in the order of 15,000 people, and may include full line supermarkets, speciality stores, offices, dining, entertainment and community services.
- (2) District centres are subordinate to and do not compromise the major and principal centres.

3.4.1.5 Local centre zone

- (1) Local centres at Wellington Point, Mount Cotton, and Colburn Avenue, Victoria Point provide services and convenience shopping needs for the surrounding suburbs. The catchments for Mount Cotton and Colburn Avenue, Victoria Point are in the order of 5,000 people. The catchment for Wellington Point is in the order of 10,000 people.
- (2) The establishment of full-line supermarkets does not occur in local centres on the mainland.
- (3) Local centres on North Stradbroke and the Southern Moreton Bay Islands include the Dunwich, Point Lookout, Russell Island, Macleay Island and Lamb Island centres. These centres provide services and convenience shopping needs for the island community and tourists.
- (4) Local centres are subordinate to and do not compromise higher order centres.

3.4.1.6 Neighbourhood centre zone

- (1) Neighbourhood centres provide a range of convenience retail to meet the day-to-day needs of residents in the immediate walkable neighbourhood.
- (2) Neighbourhood centres are subordinate to and do not compromise higher order centres.

3.4.1.7 Specialised centre zone – Redlands Health and Wellness precinct

- (1) A specialised centre based on the Cleveland Hospital and other major health care services is developed as a regional hub for specialist medical and general health services, medical research and education and industry activities associated with the scientific or medical fields.
- (2) Development increases the depth and range of health care services and associated activities, and does not compromise ongoing hospital operations.
- (3) Infrastructure and movement networks are provided and enhance the functioning of the precinct.

3.4.1.8 Out-of-centre development

- (1) Development of office, showroom or shopping uses do not occur outside of designated centres or the mixed use zone.
- (2) Large format retailing (showrooms, hardware and trade supplies, bulky goods or category based retailing) occurs in centres or in the mixed use zone.
- (3) Small scale cafes and restaurants may establish in the medium density residential zone and the tourist accommodation zone. Shops providing services to tourists may also establish in the tourist accommodation zone.
- (4) Non-residential uses only occur in residential zones where they are for a community purpose, are stand-alone and small scale, do not significantly detract from residential amenity and do not compromise the role of any centre.
- (5) On the Southern Moreton Bay Islands, flexibility is provided to establish a limited range of additional small scale non residential uses which provide services to the local community or tourists, provided they do not significantly detract from residential amenity or the role of any centre.

3.4.1.9 Industry and mixed use zones

- (1) The primary industry and mixed use areas include:
 - (a) mixed use zoned areas providing the focus for large format, showroom based retailing, along Shore Street, Cleveland and Redland Bay Road, Capalaba and, in the future, in the emerging community zoned area fronting Redland Bay Road, Victoria Point;
 - (b) Cleveland industrial park accommodating a mix of manufacturing, processing, distribution, transport and storage uses;
 - (c) Capalaba industrial enterprise park accommodating a mix of low impact and service industries:
 - (d) Redlands business park at Redland Bay accommodating a mix of manufacturing, processing, distribution, transport and storage uses serving the southern parts of the city; and
 - (e) the marine enterprise precincts at Beveridge Road, Thornlands and on North Stradbroke Island, accommodating boat construction, sales and general marine services including boat repair, servicing and dry dock storage facilities.
- (2) Land within these and other smaller scale industry zoned areas is used efficiently. Development assists in consolidating the use of vacant and underutilised land.
- (3) Development within industry zoned areas is limited to industrial activity and uses which directly support those industries or workers. Large format retailing (showrooms, bulky goods, big box or category based) does not occur in these areas.
- (4) Mixed use zoned land accommodates a mix of service and low impact activities together with large format, showroom based retailing. It does not accommodate supermarkets, discount department stores or department stores. Shopping or office uses are limited to small scale supporting or convenience services.
- (5) Mixed use and industry zoned land is protected from the encroachment of sensitive and incompatible activities that may adversely affect the operation of uses expected in these zones.
- (6) Development within mixed use and industry zoned land minimises impacts on the environment and nearby sensitive land uses.

(7) Development establishes a high quality appearance, especially along major road frontages.

3.4.1.10 Rural zone

- (1) Redlands has a strong and diverse rural economy with a mix of agricultural and horticultural uses, animal husbandry, and value-adding and complementary activities associated with rural production. A wide range of activities, including composting operations, biodigesters, cropping (including forestry and horticulture), intensive horticulture and wholesale nurseries, aquaculture and intensive animal industries (including poultry farms and niche livestock) may occur on rural zoned land.
- (2) Industry uses occurring in non urban areas are those which are directly related to farming activities or natural resources, or which require separation from urban areas.
- (3) Development which facilitates outdoor recreation or tourism (including accommodation, dining, "farm-door" sales and function venues) occurs provided that it does not significantly disturb the landscape character or rural amenity, and is not likely to be impacted upon by extractive resource areas, existing or approved poultry farms and other incompatible uses.
- (4) Tourist- and recreation-related development generally has a limited building footprint and does not involve significant modification of the natural landform. Short-stay accommodation may occur in the form of bed and breakfasts, farm stay facilities, ecotourist cabins and camping, as well as larger scale accommodation facilities.
- (5) The siting of tourism, recreation, and rural industries does not negatively impact on the productivity of adjoining land.
- (6) Home-based businesses occur at a scale that is consistent with the amenity and character of the surrounding area.
- (7) In order to protect the landscape character, rural and semi rural amenity, biodiversity values and opportunities for primary production, further fragmentation of rural land is avoided. All rural land is protected from fragmentation, regardless of whether it is identified as agricultural land class A or B.
- (8) Intensive animal industries, intensive horticulture and other larger scale and higher impacting activities are protected from encroachment by sensitive land uses.
- (9) Intensive animal industries, intensive horticulture and other larger scale and higher impacting activities are not located where they would adversely impact on urban areas and minimise impacts on tourist and recreation facilities established on rural land.
- (10) Development does not significantly impact on the amenity of small rural lifestyle lots which are used primarily for residential purposes.
- (11) Intensive animal industries are generally limited to the poultry industry, smaller scale niche livestock facilities or aquaculture.
- (12) Development avoids or mitigates impacts on the natural environment, and maintains a connected network of habitat areas and ecological corridors.
- (13) Land west of Taylor Road proximate to Sheldon College could accommodate tertiary education and training facilities, recreation facilities and ancillary accommodation and services.

3.4.1.11 Mineral and extractive resources

- (1) The Redlands' mineral resources, regionally significant extractive resource areas (designated as key resource areas) and the identified locally significant extractive resources, and their associated buffer areas and haulage routes, are protected from encroachment by sensitive land uses that might prevent or constrain current or future operations. These resources include:
 - (a) Hillview Road, Mount Cotton Key Resource Area 71;
 - (b) West Mount Cotton Road, Sheldon Key Resource Area 72;
 - (c) Mount Cotton Road, Sheldon;
 - (d) German Church Road, Redland Bay; and
 - (e) the sand resources of North Stradbroke Island.

- (2) Extractive resource operations mentioned in (1) are managed to minimise off site impacts associated with water quality, noise, dust, blasting, vibration, safety or other cause.
- (3) Extractive resource operations mentioned in (1) are managed to minimise impacts on scenic amenity and the natural environment.
- (4) Elsewhere, extractive resource operations only occur where compatible with the intentions of the relevant zone and overlays applying to the site, and do not significantly impact scenic amenity, the natural environment or the safety and amenity of the surrounding area.

3.4.1.12 Tourism

- (1) The islands of Moreton Bay (North Stradbroke and Southern Moreton Bay Islands) have a strong and sustainable tourism economy, with a range of tourist accommodation and facilities. These include resorts as well as low key tourism accommodation like camping, eco-tourist cabins and farm stays.
- (2) Tourist- and recreation-related development on the islands generally has a limited building footprint and does not involve significant modification of the natural landform.
- (3) The islands' centres accommodate visitor services, entertainment and accommodation facilities beyond that which would normally be associated with a local or neighbourhood centre.
- (5) Development (whether on the islands or on the mainland) is compatible with the local setting, and does not detract from the natural habitat, landscape character, scenic amenity and indigenous cultural values which enhance the Redlands' attractiveness as a tourist destination.
- (6) Development supports the establishment of the Moreton Bay Cycleway linking a range of tourist attractions along the coast, as well as linked recreation trails (walking, cycling or bridle) through the non urban parts of the mainland.

3.4.1.13 Birkdale special enterprise area

(1) A new special enterprise area may establish at Birkdale, utilising surplus Commonwealth land (currently the communications facility site). This precinct may focus on clean industries, in association with tertiary education and training facilities and tourism, recreation, open space and sporting activities. Development does not occur prior to site based investigations and feasibility assessments which establish an appropriate role and layout, and ensure the protection of significant ecological and heritage values on the land.

3.5 Theme: environment and heritage

3.5.1 Strategic outcomes

3.5.1.1 The natural environment

- (1) The Redlands' natural areas facilitate the conservation of biodiversity and habitat for wildlife (including the koala), and the protection of ecological processes and functions. Areas of national, state and local significance are identified in the environmental significance and waterway corridors and wetlands overlays.
- (2) Viable and resilient wildlife corridors link habitat areas and facilitate the movement and migration of native fauna throughout the Redlands and beyond. Corridors connect terrestrial and aquatic environments (including waterways, wetlands and along the foreshore) and significant habitat. Ecological corridors are primarily protected by the environmental significance and waterway corridors and wetlands overlays as well as the conservation, environmental management and recreation and open space zones. However, other land may also perform corridor functions that are to be protected.
- (3) Development occurs as intended under the relevant zone, but is undertaken in a manner that avoids or minimises and mitigates impacts on matters of national, state or local significance. Where development results in a significant residual impact on important habitat, the loss may need to be offset.

- (4) The Redlands' natural areas provide a range of outdoor recreational opportunities promoting healthy lifestyles, and continue to contribute to the character and lifestyle enjoyed by residents and visitors.
- (5) Development avoids or minimises impacts on natural coastal values and functions.
- (6) Coastal-dependent development including marine industry and ferry terminals are consolidated in existing locations.
- (7) Development does not impede public access to and along Moreton Bay and its foreshores.
- (8) The environmental values of the city's waterways are protected or enhanced, and stormwater run-off does not adversely impact on the quality of receiving waters, including waterways, wetlands and Moreton Bay.
- (9) Development minimises disturbances to natural topography and natural drainage paths, and does not adversely impact on the natural environment as a result of altered water flows.

3.5.1.2 Landscape and scenic amenity

- (1) The Redlands' landscapes and landforms provide a high level of scenic amenity, contribute to local character and identity and are of cultural significance. Important features to be protected, include:
 - (a) the coastal landscapes of Moreton Bay: coastal foreshores, headlands, estuaries and wetlands including Eighteen Mile Swamp on North Stradbroke Island, Wellington Point, Cleveland Point, Victoria Point, Point O'Halloran (Victoria Point), Melaleuca Wetlands (Coochiemudlo Island), Geoff Skinner Reserve (Wellington Point), Black Swamp (Cleveland) and the natural wetlands of the Southern Moreton Bay Islands;
 - (b) the green backdrop to Moreton Bay provided by bushland on the islands;
 - (c) the bushland landscapes of Venmans National Park and surrounds that form part of the Koala Coast and provide an inter-urban break between Redland City and Logan City;
 - (d) the scenic outlook from vantage points along Mount Cotton Road and Woodlands Drive looking across Eprapah Creek and east to Moreton Bay across a rural landscape; and
 - (e) natural waterways that break up the urban form like Hilliards Creek, Eprapah Creek, Coolnwynpin Creek and Moogurrapum Creek together with Tingalpa Creek that contributes to an inter-urban break between Redland City and Brisbane City.
- (2) Development on the islands and in non urban parts of the Redlands is designed to minimise significant visual changes to its natural and productive rural landscape setting.

3.5.1.3 Cultural heritage

- (1) Places of local heritage significance are protected and used in a way that is compatible with their values.
- (2) Development does not obscure or detract from the heritage value of places of local heritage significance.
- (3) The unique cultural, spiritual and historic associations of the traditional owners of land and waters in the Redlands are acknowledged and valued. Development does not diminish places or values of cultural significance to the traditional owners.

Editor's note—State heritage places are regulated under the *Queensland Heritage Act 1992*. Aboriginal cultural heritage is protected under the *Aboriginal Cultural Heritage Act 2003*. In addition, the management and conservation of natural and cultural resources on North Stradbroke/Minjerribah Island is undertaken as a shared responsibility in accordance with the Indigenous Land Use Agreement (ILUA). The responsibilities of the Quandamooka people as traditional owners and the public responsibilities of Redland City Council co-exist through formal and informal agreements and aim to achieve open communication, responsible decision-making and respectful governance. Applicants ought to undertake appropriate consultation with the relevant parties.

3.6 Theme: safety and resilience to hazards

3.6.1 Strategic outcomes

3.6.1.1 All hazards

- (1) Development does not materially increase the extent or severity of natural hazards or their impacts.
- (2) Exposure of people and property to hazards is avoided or the risks are mitigated to an acceptable or tolerable level.
- (3) Activities involving the manufacture or bulk storage of hazardous material are not located in hazard areas.
- (4) The establishment of community activities and infrastructure and services that require continuous operation during natural hazard events in hazard areas is avoided wherever possible.
- (5) Development does not reduce the functions of landforms or vegetation in providing protection against natural hazards.
- (6) The cost to the public of measures to mitigate the risks of natural hazards is minimised.

3.6.1.2 Storm tide and flooding inundation hazard

- (1) In urban areas (other than the emerging community zone), development mitigates the impacts of the storm tide or flood hazard so that risk is minimised.
- (2) In other areas, development avoids intensifying the use of land within areas affected by the defined storm tide or flood events.
- (3) Development in drainage constrained areas on the Southern Moreton Bay Islands avoids or minimises the impacts of overland flow paths and seepage from high water tables.

3.6.1.3 Erosion prone land

- (1) Development does not occur within erosion prone areas unless it is coastal-dependent development, is temporary, readily relocatable or able to be abandoned, cannot be feasibly located elsewhere or does not extend closer to the erosion hazard than existing buildings and infrastructure on or adjacent to the site.
- (2) The number of lots within an erosion prone area is not increased.
- (3) Where development occurs, it mitigates the coastal erosion risk through private erosion control works.

3.6.1.4 Bushfire and landslide hazard

- (1) The establishment or intensification of development involving the accommodation or congregation of vulnerable sectors of the community is avoided in areas of bushfire hazard.
- (2) Development within or near bushfire and landslide hazard areas incorporates appropriate siting, design and management practices to reduce risk to an acceptable level.

3.6.1.5 Safety and emissions

- (1) Development that is likely to generate off-site adverse impacts is adequately separated from sensitive land uses and natural receiving environments, and is protected from encroachment by sensitive land uses. Such development may include:
 - (a) wastewater treatment and disposal facilities;
 - (b) solid waste management sites;
 - (c) industrial development;
 - (d) extractive industry:
 - (e) poultry farming and other intensive animal industries;
 - (f) some intensive horticultural activities; and
 - (g) motor sport facilities.

- (2) Development with the potential to cause harm or nuisance as a result of air, noise or odour emissions is appropriately located, designed and managed to minimise impacts upon sensitive land uses and natural receiving environments.
- (3) Development that has the potential to cause land or water contamination is located, designed and managed to minimise environmental and community health risks.
- (4) Development involving the use, storage and disposal of hazardous materials and hazardous chemicals, dangerous goods and flammable or combustible substances is located, designed and managed to minimise the health and safety risks to communities.

3.7 Theme: infrastructure

3.7.1 Strategic outcomes

3.7.1.1 Infrastructure generally

- (1) Transport, parkland, community facilities, potable water, wastewater, stormwater, waste management, energy and telecommunications infrastructure is provided to meet the needs of the Redlands community.
- (2) Urban growth occurs at a time and in locations that facilitate the orderly and cost effective delivery of the full range of infrastructure and services required by the community. Urban development does not extend beyond the land zoned for urban purposes.
- (3) Development is undertaken in a way that minimises user demands on, and optimises available capacity and established investment in, infrastructure networks.
- (4) Infrastructure networks are designed to minimise adverse impacts on public health and safety, the visual character and amenity of the community, and the natural environment.
- (5) Whole of life costs, including both establishment and ongoing operation and maintenance costs, are minimised.
- (6) Development does not occur outside the priority infrastructure area (PIA) unless the full spectrum of urban infrastructure can be provided in an efficient and timely manner, without reducing the standard or delaying the provision of infrastructure to areas within the PIA.
- (7) Development supplies non-trunk infrastructure networks that connect to external networks in a manner that maintains the overall safety and efficiency of the Redlands infrastructure networks.
- (8) Infrastructure corridors and sites for transport, water supply and water cycle management, waste, energy and telecommunications are protected from development and hazards that would undermine their safe, efficient and unencumbered operation or expansion. Key infrastructure corridors and sites include:
 - (a) transport corridors (or potential transport corridors) including the Northern Arterial, Capalaba Bypass and Kinross Road to South Street routes;
 - (b) North Stradbroke Island aquifer;
 - (c) Leslie Harrison Dam;
 - (d) water reservoirs at Alexandra Hills, Mount Cotton, Redland Bay, Dunwich, Amity and Point Lookout;
 - (e) water treatment plants at Capalaba, and North Stradbroke Island;
 - (f) trunk water supply and sewer network including the eastern pipeline interconnector that links the Redlands to the regional water network;
 - (g) wastewater treatment plants at Capalaba, Cleveland, Thorneside, Victoria Point, Mount Cotton, Dunwich and Point Lookout;
 - (h) electrical substations and transmission corridors; and
 - (i) Redwaste's waste management facilities.
- (9) Infrastructure corridors and sites are co-located wherever practicable to minimise impacts on landscapes, the natural environment and communities.

3.7.1.2 Total water cycle management

- (1) Water resources are managed as a total water cycle system. Water supply, drainage, stormwater and wastewater infrastructure systems are integrated.
- (2) Water consumption demand is managed through the use of appropriate technologies.
- (3) Development is designed to be water-sensitive by:
 - (a) minimising water losses during distribution;
 - (b) maximising opportunities for water capture and re-use;
 - (c) minimising alteration of natural flows and maintaining the natural hydrologic behaviour of catchments; and
 - (d) maintaining water quality and the health of natural waterways.
- (4) The flood management functions of open space are maintained.
- (5) The quality and capacity of water in water supply catchments are protected.
- (6) Potable water supplies and wastewater are fit for purpose.
- (7) Where they exist, on-site wastewater systems maintain human health and safety, the amenity of the immediate locality and minimise adverse impacts on water quality and the natural environment.
- (8) Stormwater infrastructure provides multiple functions including the collection, storage, treatment and discharge of surface water, managing the impacts of flooding on aquatic ecosystems and built environments, the provision of accessible and functional open space and urban amenity, and the maintenance or enhancement of ecological processes.
- (9) Development minimises and manages the disturbance to acid sulfate soils so that the release of acid and metal contaminants does not occur.

3.7.1.3 Integrated transport network

Editor's note—In addition to the planning scheme measures, the Redland Transport Plan contains strategies aimed at delivering integrated road, rail, bus and ferry transport networks and services to facilitate seamless travel by a variety of transportation modes

- (1) The Redlands has a sustainable and integrated transport network that provides for the safe, efficient and convenient movement of people and goods, connecting communities to activity centres and other employment areas.
- (2) The settlement pattern facilitates improved accessibility to public transport and reduced car dependency.
- (3) Major employment and trip generators are located in accessible locations along existing or planned transport networks to support efficient freight movements to the regional transport network and promote use of public transport.
- (4) Development facilitates improvements to public transport services and facilities, including the extension of the eastern busway to Capalaba, the establishment of bus priority measures between Capalaba, Cleveland, Victoria Point and the mainland ferry terminals, as well as more localised bus infrastructure and bus priority measures.
- (5) Within centres and residential areas, development prioritises accessibility by public transport, walking and cycling over the private vehicle.
- (6) The Redlands has a safe, attractive and direct active transport network that promotes walking and cycling as a viable transport option. Development is designed to provide a high level of accessibility, safety, convenience and comfort for pedestrians and cyclists, including appropriate end of trip facilities.
- (7) Development facilitates planned extensions to the principal cycle network, including the coastal Moreton Bay Cycleway.
- (8) Opportunities to upgrade ferry infrastructure are maximised, including the provision of modal interchanges, car parking and a network of walking and cycling paths and end of trip facilities.
- (9) The Redlands strategic road network is designed and managed as an efficient multimodal movement network that integrates private vehicle and freight movement with more efficient and sustainable public transport and walking and cycling networks.
- (10) Strategic road networks safely and efficiently connect the principal centres and major industrial areas with broader regional transport corridors.

- (11) Development occurs at a level that is commensurate with the capacity of the strategic road network, and provides access in a manner that protects the safety and efficiency of the network.
- (12) Development does not prejudice any planned upgrading of the strategic road network, including the ability to incorporate public transport and walking and cycling networks.
- (13) The Redlands local road network is designed and managed as a low speed and highly permeable network that supports accessibility to local destinations and promotes walking and cycling.
- (14) Transport networks are delivered to support newly developing communities and establish a high level of connectivity to surrounding areas.
- (15) The location and design of transport infrastructure minimises impacts on residential amenity, the natural environment and scenic values.
- (16) Transport noise impacts are managed by the siting and design of development. The need for acoustic screening is minimised, and where they are used acoustic walls are designed to mitigate visual impacts.

3.7.1.4 Energy and telecommunications

- (1) Communities, businesses and visitors to the Redlands have access to a reliable and safe energy supply.
- (2) Energy generation and distribution infrastructure is separated from sensitive land uses and receiving environments in order to minimise adverse impacts.
- (3) Development is encouraged to incorporate energy efficient design and renewable energy technology.
- (4) Development of stand-alone renewable energy generation infrastructure occurs in locations where impacts on the amenity of residential areas, ecological values or scenic values can be minimised and successfully mitigated.
- (5) The community is provided with high quality telecommunication infrastructure including high speed internet access to promote social connections, working from home and access to a range of on-line services.
- (6) Electricity and telecommunications infrastructure is designed and located to minimise impacts on the surrounding area.

3.7.1.5 Waste management

- (1) Waste management infrastructure is provided and managed to maintain the health, wellbeing and amenity of the community and the natural environment, and to minimise visual impacts.
- (2) The generation of energy from waste management infrastructure is maximised in the Redlands.
- (3) Waste management measures during the construction of development maximises opportunities for reuse, recycling and energy recovery.
- (4) Development provides for the safe and efficient storage and collection of waste and recyclable materials, commensurate with the type and amount of waste generated.

3.7.1.6 Social infrastructure

Editor's note—Social infrastructure refers to the community facilities, services and networks which help individuals, families, groups and communities meet their social needs, maximise their potential for development, and enhance community wellbeing.

- (1) Residents and visitors in the Redlands have access to a network of well located social infrastructure that meets community needs and promotes a rich and active community life.
- (2) Community services and facilities and a range of civic spaces are concentrated in the Redlands' centres, so that centres become hubs for community life and interaction.
- (3) Social infrastructure is provided in a timely, cost effective and efficient manner.
- (4) Social infrastructure is designed to be multi-purpose, flexible and adaptable to respond to the changing and emerging needs of the community.
- (5) Newly developing areas are provided with appropriate social infrastructure from the initial stages of development.

- (6) A network of open space provides the setting for a diverse range of recreation activities and experiences to support active and healthy lifestyles, provide opportunities for community interaction and enhance the quality of the urban environment.
- (7) Development facilitates an open space network that is interconnected and highly accessible from surrounding communities by walking and cycling.
- (8) Social infrastructure, including sporting and other facilities associated with a high level of activity, are located and designed to minimise impacts on the amenity of the surrounding areas.

This page is intentionally left blank

Part 4 Local government infrastructure plan

4.1 Preliminary

- (1) This local government infrastructure plan has been prepared in accordance with the requirements of the *Sustainable Planning Act 2009*.
- (2) The purpose of the local government infrastructure plan is to:
 - (a) integrate infrastructure planning with the land use planning identified in the planning scheme:
 - (b) provide transparency regarding a local government's intentions for the provision of trunk infrastructure;
 - (c) enable a local government to estimate the cost of infrastructure provision to assist its long term financial planning;
 - (d) ensure that trunk infrastructure is planned and provided in an efficient and orderly manner;
 - (e) provide a basis for the imposition of conditions about infrastructure on development approvals.
- (3) The local government infrastructure plan:
 - (f) states in Section 4.2 (planning assumptions) the assumptions about future growth and urban development including the assumptions of demand for each trunk infrastructure network;
 - (g) identifies in Section 4.3 (priority infrastructure area) the prioritised area to accommodate urban growth up to 2027;
 - (h) states in Section 4.4 (desired standards of service) for each trunk infrastructure network the desired standard of performance;
 - (i) identifies in Section 4.5 (plans for trunk infrastructure) the existing and future trunk infrastructure for the following networks:
 - (i) water supply;
 - (ii) sewerage;
 - (iii) stormwater;
 - (iv) transport;
 - (v) parks and land for community facilities.
- (4) provides a list of supporting documents that assist in the interpretation of the local government infrastructure plan in the Editor's note – Extrinsic material at the end of Part 4.

4.2 Planning assumptions

- (1) The planning assumptions state the assumptions about:
 - (a) population and employment growth;
 - (b) the type, scale, location and timing of development including the demand for each trunk infrastructure network.
- (2) The planning assumptions together with the desired standards of service form a basis for the planning of the trunk infrastructure networks and the determination of the priority infrastructure area.
- (3) The planning assumptions have been prepared for:
 - (a) the base date (2016), ultimate development and the following projection years to accord with future Australian Bureau of Statistics census years:
 - (i) mid 2021;
 - (ii) mid 2026;
 - (iii) mid 2031;
 - (b) the LGIP development types in column 2 that include the uses in column 3 of Table 4.2.2—Population and employment assumptions summary;

(c) the projection areas identified on Local Government Infrastructure Plan Map LGIP-01 in Schedule 3—Local government infrastructure plan mapping and tables.

Table 3.7.1.61—Relationship between LGIP development categories, LGIP development types and uses

| Column 1 LGIP development category | Column 2 LGIP development type | Column 3 Uses |
|--|--------------------------------------|----------------------------------|
| Residential | Attached dwelling | Community residence |
| development | | Dual occupancy |
| | | Dwelling unit |
| | | Multiple dwelling |
| | | Nature-based tourism |
| | | Relocatable home park |
| | | Residential care facility |
| | | Resort complex |
| | | Retirement facility |
| | | Rooming accommodation |
| | | Short-term accommodation |
| | | Tourist park |
| | Detached dwelling | Caretaker's accommodation |
| | | Dwelling house |
| | | Home-based business |
| | | Rural workers' accommodation |
| Non-residential | Commercial | Office |
| development | Community purpose | Cemetery |
| | | Childcare centre |
| | | Community care centre |
| | | Community use Crematorium |
| | | Detention facility |
| | | Emergency services |
| | | Educational establishment |
| | | Funeral parlour |
| | | Health care services |
| | | Hospital Park |
| | | Place of worship |
| | Industry | High impact industry |
| | | Low impact industry |
| | | Marine industry |
| | | Medium impact industry |
| | | Port service |
| | | Research and technology industry |
| | | Rural industry |

| Column 1 | Column 2 | Column 3 |
|------------------|------------------|--|
| LGIP development | LGIP development | Uses |
| category | type | Operation of |
| | | Special industry |
| | | Transport depot |
| | 0.1 | Warehouse |
| | Other | Air service |
| | | Animal husbandry |
| | | Animal keeping |
| | | Aquaculture |
| | | Cropping |
| | | Environment facility |
| | | Extractive industry |
| | | Indoor sport and recreation |
| | | Intensive animal husbandry |
| | | Intensive horticulture |
| | | Landing |
| | | Major electricity infrastructure |
| | | Major sport, recreation and entertainment facility |
| | | Motor sport facility |
| | | Permanent plantation |
| | | Roadside stall |
| | | Substation |
| | | Telecommunications facility |
| | | Utility installation |
| | | Wholesale nursery |
| | | Winery |
| | Retail | Adult store |
| | | Agricultural supplies store |
| | | Bar |
| | | Brothel |
| | | Car wash |
| | | Club |
| | | Bulk landscape supplies |
| | | Food and drink outlet |
| | | Function facility |
| | | Garden centre |
| | | Hardware and trade supplies |
| | | Hotel |
| | | Nightclub entertainment facility |
| | | Market |
| | | WIGHNOT |

| Column 1 | Column 2 | Column 3 |
|------------------|------------------|--------------------|
| LGIP development | LGIP development | Uses |
| category | type | |
| | | Outdoor sales |
| | | Parking station |
| | | Sales office |
| | | Service industry |
| | | Service station |
| | | Shop |
| | | Shopping centre |
| | | Showroom |
| | | Theatre |
| | | Tourist attraction |
| | | Veterinary service |

(4) Details of the methodology used to prepare the planning assumptions are stated in the extrinsic material.

4.2.1 Population and employment growth

(1) A summary of the assumptions about population and employment growth for the planning scheme area is stated in Table 4.2.2Table 4.2.2—Population and employment assumptions summary.

Table 4.2.2—Population and employment assumptions summary

| Column 1 Description | Column 2 Assumptions | | | | |
|-------------------------|----------------------|---------|---------|---------|----------------------|
| - | Base date (2016) | 2021 | 2026 | 2031 | Ultimate development |
| Population | 153,666 | 163,418 | 174,346 | 180,923 | 188,413 |
| Employment | 37,554 | 39,909 | 42,654 | 45,294 | 50,599 |

- (2) Detailed assumptions about growth for each projection area and LGIP development type category are identified in the following tables in Schedule 3 Local government infrastructure plan mapping and tables:
 - (a) for population, Table SC3.1.1—Existing and projected population;
 - (b) for employment, Table SC3.1.2—Existing and projected employees.

4.2.2 Development

(1) The developable area is land zoned for urban purposes not affected by the development constraints stated in Table 4.2.3—Development constraints.

Table 4.2.3—Development constraints

| Column 1 Development constraint | Column 2 Applicable components |
|---|--|
| Coastal protection (erosion prone areas) overlay | Erosion prone areas |
| Environmental significance overlay | Matter of state environmental significance areas Matter of local environmental significance areas |
| Flood and storm tide hazard overlay | Drainage constrained land* Defined storm tide event* Defined flood event* Note—* except where the land is zoned for residential, commercial or industrial purposes. |
| Landslide hazard overlay | Very high hazard High hazard |
| Regional infrastructure corridors and substations overlay | Water supply pipeline buffer Water quality facility buffer |
| Waterway corridors and wetlands overlay | Waterway corridors and wetlands |

- (2) The planned density for future development is stated in Table SC 3.1.3—Planned density and demand generation rate for a trunk infrastructure network in Schedule 3—Local government infrastructure plan mapping and tables.
- (3) A summary of the assumptions about future residential and non-residential development for the planning scheme area is stated in Table 4.2.4—Residential dwellings and non-residential floor space assumptions summary.

Table 4.2.4—Residential dwellings and non-residential floor space assumptions summary

| Column 1 Description | Column 2 Assumptions | | | | |
|--------------------------------------|----------------------|-----------|-----------|-----------|----------------------|
| | Base date (2016) | 2021 | 2026 | 2031 | Ultimate development |
| Residential dwellings | 53,838 | 58,192 | 63,272 | 71,879 | 76,883 |
| Non-residential floor space (m² GFA) | 2,827,943 | 2,977,978 | 3,159,356 | 3,340,403 | 3,692,591 |

- (4) Detailed assumptions about future development for each projection area and LGIP development type are identified in the following tables in Schedule 3 Local government infrastructure plan mapping and tables:
 - (a) for residential development, Table SC 3.1.4—Existing and projected residential dwellings;
 - (b) for non-residential development, Table SC 3.1.5—Existing and projected non-residential floor space.

4.2.3 Infrastructure demand

- (1) The demand generation rate for a trunk infrastructure network is stated in Column 4 of Table SC 3.1.3 in Schedule 3 Local government infrastructure plan mapping and tables.
- (2) A summary of the projected infrastructure demand for each service catchment is stated in:
 - (a) for the water supply network, Table SC 3.1.6—Existing and projected demand for the water supply network;
 - (b) for the sewerage network, Table SC 3.1.7—Existing and projected demand for the sewerage network;
 - (c) for the stormwater network, Table SC 3.1.8—Existing and projected demand for the stormwater network;
 - (d) for the transport network, Table SC 3.1.9—Existing and projected demand for the transport network;
 - (e) for the parks and land for community facilities network, Table SC 3.1.10— Existing and projected demand for the parks and land for community facilities network.

4.3 Priority infrastructure area

- (1) The priority infrastructure area identifies the area prioritised for the provision of trunk infrastructure to service the existing and assumed future urban development up to 2027.
- (2) The priority infrastructure area is identified on Local Government Infrastructure Plan Map LGIP-01—Priority infrastructure area and projection areas map.

4.4 Desired standards of service

- (1) This section states the key standards of performance for a trunk infrastructure network.
- (2) Details of the standard of service for a trunk infrastructure network are identified in the extrinsic material.

4.4.1 Water supply network

- (1) The desired standard of service for the water supply network is to:
 - ensure drinking water complies with the National Health and Medical Research Council Australian Drinking Water Guidelines 2004 drinking water guidelines for colour, turbidity and microbiology;
 - (b) convey potable water from the South East Queensland Water Grid supply points to premises in accordance with the *Water Act 2000* and *Water Supply (Safety and Reliability) Act 2008*:
 - (c) minimise non-revenue water loss:
 - (d) design the water supply network in accordance with:
 - (i) the South East Queensland Water Supply and Sewerage Design and Construction Code 2013:
 - (ii) the key standards stated in Table 4.4.1—Key standards for the water supply network.

Table 4.4.1—Key standards for the water supply network

| Column 1 Description of standard | Column 2 Standard |
|--|--|
| Average day demand | 215 L/EP/day plus 15L/EP/day non-revenue water |
| Minimum service pressure – Operating conditions (PH) | 22m at the property boundary |

| Column 1 Description of standard | Column 2 Standard |
|----------------------------------|--|
| Maximum service pressure | 55m at the property boundary |
| Fire flow (Urban) | Detached Res (<= 3 stories): 15Ls for 2hrs w background demand |
| | Multi storey Res (=> 4 levels): 30L/s for 4 hours w background demand |
| | Commercial/Industrial buildings: 30L/s for 4 hours w background demand |
| | Risk Hazard Buildings – assessed on needs basis |
| Fire flow | Rural Residential only: 7.5L/s for 2 hours |
| (Rural and Small Communities) | Rural Commercial: 15L/s for 2 hours |

4.4.2 Sewerage network

- (1) The desired standard of service for the sewerage network is to:
 - (a) provide a reliable network that collects, stores, treats and releases sewage from premises;
 - (b) design the sewerage network in accordance with:
 - (i) the South East Queensland Water Supply and Sewerage Design and Construction Code 2013;
 - (ii) the key standards stated in Table 4.4.2—Key standards for the sewerage network.

Table 4.4.2—Key standards for the sewerage network

| Column 1 Description of Standard | Column 2 Standard |
|---------------------------------------|--------------------------------------|
| Average dry weather flow (ADWF) | 210L/EP/day |
| Peak dry weather flow (PDWF) | C2 x ADWF where C2 = 4.7x (EP)-0.105 |
| Peak wet weather flow (PWWF) for RIGS | 5 x ADWF |
| Minimum velocity | 0.75m/s |
| Maximum velocity | 3m/s |
| Preferred velocity | 1.0-1.5m/s |

4.4.3 Stormwater network

- (1) The desired standard of service for the stormwater network is to:
 - (a) collect and convey stormwater flows for both major flood events (100yr ARI) and minor flood events from existing and future land use in a manner that protects life and does not cause nuisance or inundation of habitable rooms;
 - (b) design the stormwater network to comply with Planning Scheme Policy 2 Infrastructure Works;
 - (c) design stormwater quality treatment devices to comply with Planning Scheme Policy 2 Infrastructure Works;

- (d) design road crossing structures to provide an appropriate level of flood immunity in accordance with Planning Scheme Policy 2 Infrastructure Works and any other applicable codes or standards in a local planning instrument;
- (e) meet the water quality objectives for receiving waters at all times;
- (f) maintain environmental flows post development.

4.4.4 Transport network

4.4.4.1 Roads

- (1) The desired standard of service for the trunk road network is to:
 - (a) provide a functional urban and rural hierarchy of roads that supports settlement patterns, commercial and economic activities, and freight movement;
 - (b) plan and design the network to ensure the operation of a trunk road or intersection is no worse than level of service C;
 - (c) design the local road network to comply with Council's adopted standards identified in Planning Scheme Policy 2 Infrastructure Works;
 - (d) design road crossing structures to provide an appropriate level of flood immunity in accordance with Council's adopted standards identified in Planning Scheme Policy 2 – Infrastructure Works;
 - (e) transport corridors are planned to provide for future capacity needs.

Editor's Note— Level of service C has been adopted as the minimum required level of service for major collector and arterial road infrastructure in urban conditions. Level of service C reflects volume to capacity ratio in the range of 0.55 to 0.70. This level of service has been used in the assessment of trunk road network deficiencies and the identification of required network improvements.

4.4.4.2 Cycleways

- (1) The desired standard of service for the cycleway network is to:
 - (a) provide a cycleway and shared path network that is safe, attractive and convenient, which links residential areas to major activity nodes, employment centres and public transport interchanges, thereby encouraging walking and cycling as acceptable travel alternatives;
 - (b) design the cycleway network to comply with Council's adopted standards identified in Planning Scheme Policy 2 Infrastructure Works;
 - (c) ensure a minimum width of:
 - (d) for the Moreton Bay Cycleway, 3 metres;
 - (e) for on-road trunk cycle lanes, 1.5 metres;
 - (f) for other trunk cycleways or shared paths, 2.5 metres;
 - (g) provide lighting along paths to meet Council's adopted standards identified in Planning Scheme Policy 2 Infrastructure Works to ensure visibility, safety and security:
 - (h) design concrete or sealed cycleways or shared paths to provide an appropriate level of flood immunity in accordance with Council's adopted standards identified in Planning Scheme Policy 2 Infrastructure Works;
 - (i) ensure the grade on shared paths and exclusive cycleways are kept to a minimum but are not less than 0.4%. Grades greater than 8% are undesirable over an extended path length:
 - ensure sealed shoulders intended for bicycle lanes are continuous through intersections.

4.4.4.3 Public transport (bus stops)

- (1) The desired standard of service for the public transport (bus stops) network is to:
 - (a) provide public transport (bus stops) infrastructure to support future mode share in accordance with the Planning Scheme Part 3 Strategic framework Theme: liveable communities and housing, Part 9 Development codes Transport, servicing, access and parking code, and Zone codes;
 - (b) provide bus stops including bus stations, bays, shelters, seating and transport information in accordance with the Department of Transport and Main Roads' Public Transport Infrastructure Manual 2016;
 - (c) provide a public transport stop within approximately 400m of each dwelling in an urban area;

- (d) provide an electrical connection to all new bus stops;
- (e) gutter mesh is required for all new bus stops;
- (f) ensure public transport infrastructure complies with the Disability Standards for Accessible Public Transport 2002 (Transport Standards).

4.4.5 Public parks and land for community facilities network

- (1) The desired standard of service for public parks and land for community facilities network is to:
 - (a) provide a connected and accessible network of public parks, recreational facilities and community purpose land that meet the needs of residents through the implementation of the Redland Open Space Strategy 2026;
 - (b) design the public parks and land for community facilities network to comply with Council's adopted standards identified in Planning Scheme Policy 2 – Infrastructure Works;
 - (c) new public parks will not be acceptable if they:
 - (i) have an overland drainage function:
 - (ii) predominately lie below the defined flood event level;
 - (iii) are wholly below 2.4m AHD;
 - (iv) have road frontage of less than 50% of the perimeter;
 - (v) are contaminated land;
 - (vi) are adjacent or close to noxious or noisy activities;
 - (vii) are less than 100m wide;
 - (viii) have a gradient greater than 20% (recreation parks);
 - (ix) comprise less than 60% flat to gentle slope (sports parks);
 - (x) are the common property common property for a community titles scheme under the *Body Corporate and Community Management Act* 1997; or
 - (xi) are constrained by environmental protection through a planning instrument.
 - (d) ensure public parks and land for community facilities meet the following standards:
 - (i) minimum public park land size and accessibility standards stated in Table 4.4.3—Minimum public park land size and accessibility standards;

Table 4.4.3—Minimum public park land size and accessibility standards

| Column 1 Park type | Column 2 Minimum public park land size (ha) | Column 3 Accessibility standard (km) |
|---------------------------------------|---|--------------------------------------|
| Recreation park T1 – Destination | 5.0 – 20.0 ha | 5.0 – 10.0 km |
| Recreation park T2 - Community | 2.0 – 10.0 ha | 2.5 – 5.0 km |
| Recreation park T3 – Neighbourhood | 0.5 – 2.0 ha | 0.5 – 0.8 km |
| Recreation park T4 – Meeting place | Location specific | 0.5 km |
| Recreation park T5 – Civic | Location specific | 0.5 km |

| Sport park 5.0 – 20.0 ha 5.0 – 10 |
|-----------------------------------|
|-----------------------------------|

(ii) rate of provision for public parks stated in Table 4.4.4—Rate of provision for public parks;

Table 4.4.4—Rate of provision for public parks

| Column 1 | Column 2 |
|------------------------------------|--|
| Park type | Rate of provision (ha per 1,000 persons) |
| Recreation park T1 – Destination | 0.25 |
| Recreation park T2 - Community | 1.2 |
| Recreation park T3 – Neighbourhood | 1.2 |
| Sport park | 1.65 |

(iii) land size and rate of provision for land for community facilities stated in Table 4.4.5—Land size and rate of provision for land for community facilities standards;

Table 4.4.5—Land size and rate of provision for land for community facilities standards

| Column 1 | Column 2 | Column 3 | Column 4 |
|-----------|--------------------------------|--|----------------|
| Hierarchy | Community facility | Rate of provision (facility per persons) | Land size (ha) |
| Local | Community meeting space | 1:10,000 | 0.3 |
| | Multi-purpose community centre | 1:30,000 | 1 |
| District | Branch library | 1:35,000 | 0.5 |
| | Arts and cultural space | 1:50,000 | 0.5 |
| Regional | Swimming pool | 1:80,000 | 1 |

(iv) embellishment standards for public parks and land for community facilities identified in Table 4.4.6—Embellishment standards for public parks and land for community facilities.

Table 4.4.6—Embellishment standards for public parks and land for community facilities

| Column 1 | Colur | Column 2 | | | | Column 3 | Column 4 |
|----------------------|-------|-----------------|----|----|----|---------------|--------------------|
| Embellishment type | Recre | Recreation park | | | | Sport park | Land for community |
| | T1 | T2 | Т3 | T4 | T5 | 7 | facilities |
| Barbecues (electric) | ✓ | ✓ | | ✓ | | | |
| Bicycle racks | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

| Column 1 | Colum | n 2 | | | | Column 3 | Column 4 |
|--|-----------------|---|---------------------|----|----------|------------|--------------------|
| Embellishment type | Recreation park | | | | | Sport park | Land for community |
| | T1 | T2 | Т3 | T4 | Т5 | | facilities |
| Bins | ✓ | ✓ | | ✓ | ✓ | | |
| Bus parking and turnaround | ✓ | | | | | ✓ | |
| Car parking | √ | √ | | 1 | | √ | |
| Community Garden | | | ✓ | | | | |
| Community sport infrastructure | | ✓ | | | | | |
| Cultural – historic | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Dog off-leash park | | One in each catchment | ✓ | | | | |
| Fencing or bollards and lock rail | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Festivals and events space | festiva | will be at least I and event spa ervice catchma | ace in | | ✓ | | |
| Fields / Courts | | | | | | √ | |
| Fields / Courts lighting | | | | | | ✓ | |
| Footpaths (see also Paths) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Goal posts / Line marking | | | | | | ✓ | |
| Internal roads | ✓ | | | | | ✓ | |
| Irrigation | ✓ | ✓ | | | | ✓ | |
| Kick-about space | ✓ | ✓ | ✓ | | | | |
| Landscaping | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Lighting | ✓ | ✓ | If requi- red | | ✓ | ✓ | |
| Natural heritage | importa | all park types ant natural her vill be provided | itage item | | | | |
| Paths (see also Footpaths) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Physical Activity Stations—dynamic or static | | ✓ | | | | | |
| Playspace–primary school level | ✓ | ✓ | | | ✓ | ✓ | |
| Playspace—secondary school level | ✓ | ✓ | ✓ | | ✓ | | |
| Playspace-toddler | ✓ | ✓ | ✓ | | ✓ | | |
| Public toilet | ✓ | ✓ | | | ✓ | ✓ | |
| Ramp park | | ✓ | | | | | |
| Seating and tables | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Shade | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Signage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

| Column 1 | Colum | Column 2 | | | | Column 3 | Column 4 |
|--------------------|-----------------|---|----|----|---------------|--------------------|------------|
| Embellishment type | Recreation park | | | | Sport park | Land for community | |
| | T1 | T2 | Т3 | T4 | Т5 | - Fann | facilities |
| Spectator seating | | | | | | ✓ | |
| Storage facilities | | | | | | ✓ | |
| Water connection | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Wedding space | | A limited number of event spaces will be provided | | | | | |

4.5 Plans for trunk infrastructure

(1) The plans for trunk infrastructure identify the trunk infrastructure networks intended to service the existing and assumed future urban development at the desired standard of service up to 2027.

4.5.1 Plans for trunk infrastructure maps

- (1) The existing and future trunk infrastructure networks are shown on the following maps in Schedule 2—Mapping:
 - (a) Local Government Infrastructure Plan Map LGIP-02 Plan for trunk water supply infrastructure;
 - (b) Local Government Infrastructure Plan Map LGIP-03 Plan for trunk sewerage infrastructure:
 - (c) Local Government Infrastructure Plan Map LGIP-04 Plan for trunk stormwater infrastructure:
 - (d) Local Government Infrastructure Plan Map LGIP-05 Plan for trunk transport infrastructure:
 - (e) Local Government Infrastructure Plan Map LGIP-06 Plan for trunk parks and land for community facilities infrastructure.
- (2) The State infrastructure forming part of transport trunk infrastructure network has been identified using information provided by the relevant State infrastructure supplier.

4.5.2 Schedules of works

- (1) Details of the existing and future trunk infrastructure networks are identified in the electronic Excel schedule of works model which can be viewed here: https://www.redland.gld.gov.au/.
- (2) The future trunk infrastructure is identified in the following tables in section SC3.2 Schedules of works in Schedule 3—Local government infrastructure plan mapping and tables:
 - (a) for the water supply network, Table SC 3.2.1—Water supply network schedule of works:
 - (b) for the sewerage network, Table SC 3.2.2—Sewerage network schedule of works;
 - (c) for the stormwater network, Table SC 3.2.3—Stormwater network schedule of works:
 - (d) for the transport network, Table SC 3.2.4—Transport network schedule of works;
 - (e) for the parks and land for community facilities network, Table SC 3.2.5—Parks and land for community facilities network schedule of works.

Editor's note — Extrinsic material

The below table identifies the documents that assist in the interpretation of the local government infrastructure plan and are extrinsic material under the *Statutory Instruments Act* 1992.

List of extrinsic material

| Column 1 Title of document | Column 2 Date | Column 3 Author |
|---|------------------|----------------------------|
| Background report on the planning assumptions for the Redland City Council Local Government Infrastructure Plan | March 2017 | Redland City Council |
| Population, Dwelling and Employment Forecasts Redland City Council | May 2016 | Urbis |
| Redland City Land Supply Review | November 2012 | Urbis |
| Redland Water: Water Supply Master Plan 2016 | October 2016 | Redland Water |
| Redland Water: Sewer Network Master Plan 2016 | August 2016 | Redland Water |
| Redland City Council Road Infrastructure Planning: Traffic Forecasts and Assessments 2014 | October 2014 | Veitch Lister Consulting |
| Redlands Transport Plan 2016: Cycling and Pedestrian Strategy Technical Report | May 2004 | Redland City Council |
| Redland Open Space Strategy 2026 | December 2012 | Redland City Council |
| Community Facilities Infrastructure Report 2013 | September 2013 | Redland City Council |
| Redland Sport Land Demand Study 2016 | August 2016 | Redland City Council |
| Extrinsic Material Report: Stormwater Network 2017 | February 2017 | Redland City Council |
| Kinross Road Structure Plan: Stormwater Infrastructure Concept Plan | June 2011 | ENGENY Water Management |
| Lower Tingalpa Creek Stormwater Infrastructure Plan | May 2013 | ENGENY Water Management |

| Column 1 Title of document | Column 2 Date | Column 3 Author |
|---|--------------------|----------------------------------|
| Native Dog Creek and Torquay Creek – Southern Redland Bay Catchment (Part 22): Integrated Waterways Planning Report | May 2010 | ENGENY Water Management |
| SE Thornlands Structure Plan: Stormwater Infrastructure Concept Plan | October 2010 | ENGENY Water Management |
| Stormwater Infrastructure Plan for Cleveland CBD Catchment | May 2013 | ENGENY Water Management |
| Stormwater Quality Infrastructure Plan for Upper Eprapah Creek Catchment: Water Quality Analysis | May 2013 | ENGENY Water Management |
| Weinam Creek Stormwater Quality Infrastructure Plan | May 2013 | ENGENY Water Management |
| Redland City Council local infrastructure plan land value unit rates (letter) | 4 November 2015 | Harvey, Ehlers and Associates |
| Technical Note 1 - Trunk Infrastructure Costing Methodology Redland City Council Local Government Infrastructure Plan | 12 April 2017 | Redland City Council |

This page is intentionally left blank

Part 5 Tables of assessment

5.1 Preliminary

The tables in this part identify the category of development, and the category of assessment and assessment benchmarks for assessable development in the planning scheme area.

5.2 Reading the tables

The tables identify the following:

- (1) The category of development that is prohibited, accepted or requires code or impact assessment.
- (2) The category of assessment code or impact for assessable development in:
 - (a) a zone and, where used, a precinct of a zone:
 - (b) a local plan and a precinct of a local plan, where used;
 - (c) an overlay where used.
- (3) The assessment benchmarks for development, including:
 - (a) whether a zone code or specific provisions in the zone code apply (shown in the 'assessment benchmarks' column);
 - (b) if there is a local plan, whether a local plan code or specific provisions in the local plan code apply (shown in the 'assessment benchmarks' column);
 - (c) if there is an overlay:
 - (i) whether an overlay code applies (shown in Table 5.10.1); or
 - (ii) whether the assessment benchmarks as shown on the overlay map (noted in the 'assessment benchmarks' column) apply;
 - (d) any other applicable code(s) (shown in the 'assessment benchmarks' column).
- (4) Any variation to the category of development and assessment (shown as an 'if' in the 'categories of development and assessment' column) that applies to the development.

Note—Development will only be taken to be prohibited development under the planning scheme if it is identified in Schedule 10 of the Regulation.

Editor's note—Examples of matters that can vary the category of assessment are gross floor area, height, numbers of people or precinct provisions.

5.3 Categories of development and assessment

5.3.1 Process for determining the category of development and the category of assessment for assessable development

The process for determining a category of development and category of assessment is:

- (1) For a material change of use, establish the use by reference to the use definitions in Schedule 1.
- (2) For all development, identify the following:
 - (a) the zone or zone precinct that applies to the premises, by reference to the zone map in Schedule 2;
 - (b) if a local plan or local plan precinct applies to the premises, by reference to the local plan map in Schedule 2;
 - (c) if an overlay applies to the premises, by reference to the overlay map in Schedule 2.
- (3) Determine if the development is accepted development under Schedules 6 and 7 of the Regulation, or is assessable or prohibited development under Schedule 10 of the Regulation.

Editor's note— Schedule 6 of the Regulation prescribes development a planning scheme cannot categorise as assessable. Schedule 7 of the Regulation identifies development the State makes accepted. Some development in Schedule 7 may still be made assessable under this planning scheme.

- (4) Otherwise, determine the initial category of assessment by reference to the tables in:
 - (a) section 5.4 Categories of development and assessment—Material change of use:
 - (b) section 5.5 Categories of development and assessment—Reconfiguring a lot;
 - (c) section 5.6 Categories of development and assessment—Building work;
 - (d) section 5.7 Categories of development and assessment—Operational work.
- (5) A precinct of a zone may change the categories of development or assessment and this will be shown in the 'categories of development and assessment' column of the tables in sections 5.4, 5.5, 5.6 and 5.7.
- (6) If a local plan applies, refer to the table(s) in section 5.8 Categories of development and assessment—Local plans, to determine if the local plan changes the category of development or assessment for the zone.
- (7) If a precinct of a local plan changes the category of assessment this is to be shown in the 'categories of development and assessment' column of the table(s) in section 5.8.
- (8) If an overlay applies refer to section 5.9 Categories of development and assessment— Overlays, to determine if the overlay further changes the category of assessment.

5.3.2 Determining the category of development and categories of assessment

- (1) A material change of use is assessable development requiring impact assessment:
 - (a) unless the table of assessment states otherwise;
 - (b) if a use is not listed or defined;
 - (c) unless otherwise prescribed in the Act or the Regulation.
- (2) Reconfiguring a lot is assessable development requiring code assessment unless the tables of assessment state otherwise or unless otherwise prescribed in the Act or the Regulation.
- (3) Building work and operational work are accepted development, unless the tables of assessment state otherwise or unless otherwise prescribed in the Act or the Regulation.
- (4) Where an aspect of development is proposed on premises included in more than one zone, local plan or overlay, the category of development or assessment for that aspect is the highest category under each of the applicable zones, local plans or overlays.
- (5) Where development is proposed on premises partly affected by an overlay, the categories of development or assessment for the overlay only relates to the part of the premises affected by the overlay.
- (6) For the purposes of Schedule 6, Part 2 Material change of use section 2 of the Regulation, an overlay does not apply to the premises if the development meets the acceptable outcomes that form the requirements for accepted development in the relevant overlay code.
- (7) If development is identified as having a different category of development or category of assessment under a zone than under a local plan or an overlay, the highest category of development or assessment applies as follows:
 - (a) accepted development subject to requirements prevails over accepted development;
 - (b) code assessment prevails over accepted development subject to requirements and accepted development;
 - (c) impact assessment prevails over code assessment, accepted development subject to requirements and accepted development.
- (8) Provisions of Part 10 may override any of the above.
- (9) The Regulation prescribes development that the planning scheme cannot make assessable in Schedule 6.

Editor's note—Schedule 7 of the Regulation also identifies development the State makes accepted. Some development in that schedule may still be made assessable under this planning scheme.

(10) Despite all of the above, if development is listed as prohibited development under Schedule 10 of the Regulation, a development application can not be made.

Note—Development is to be taken to be prohibited development under the planning scheme only if it is identified in Schedule 10 of the Regulation.

5.3.3 Determining the requirements for accepted development and assessment benchmarks and other matters for assessable development

- (1) Accepted development does not require a development approval and is not subject to assessment benchmarks. However, certain requirements may apply to some types of development for it to be accepted development. Where nominated in the tables of assessment, accepted development must comply with the requirements identified as acceptable outcomes in the relevant parts of the applicable code(s).
- (2) Accepted development that does not comply with one or more of the nominated acceptable outcomes in the relevant parts of the applicable code(s) becomes code assessable development, unless otherwise specified.
- (3) The following rules apply in determining assessment benchmarks for each category of assessment.
- (4) Code assessable development:
 - is to be assessed against all the assessment benchmarks identified in the assessment benchmarks column;
 - (b) that occurs as a result of development becoming code assessable pursuant to sub-section 5.3.3(2), must:
 - be assessed against the assessment benchmarks for the development application, limited to the subject matter of the required acceptable outcomes that were not complied with or were not capable of being complied with under sub-section 5.3.3(2);
 - (ii) comply with all required acceptable outcomes identified in sub-section 5.3.3(1), other than those mentioned in sub-section 5.3.3(2);
 - (c) that complies with:
 - (i) the purpose and overall outcomes of the code complies with the code:
 - (ii) the performance or acceptable outcomes complies with the purpose and overall outcomes of the code;
 - (d) is to be assessed against any assessment benchmarks for the development identified in section 26 of the Regulation.

Editor's note—Section 27 of the Regulation also identifies the matters that code assessment must have regard to.

- (5) Impact assessable development:
 - (a) is to be assessed against the identified assessment benchmarks in the assessment benchmarks column;
 - (b) assessment is to have regard to the whole of the planning scheme, to the extent relevant:
 - (c) is to be assessed against any assessment benchmarks for the development identified in section 30 of the Regulation.

Note—The first row of each table of assessment is to be checked to confirm if there are assessment benchmarks that commonly apply to general scenarios in the zone, local plan or overlay.

Editor's note—Section 31 of the Regulation identifies the matters that impact assessment must have regard to.

5.4 Categories of development and assessment—Material change of use

The following tables identify the categories of development and assessment for development in a zone for making a material change of use.

Table 5.4.1—Low density residential zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | | |
|---|--|--|--|--|
| Park | Accepted | | | |
| Sales office Landing Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | | | |
| Substation | Accepted | | | |
| Utility installation | If provided by a public sector entity | | | |
| Telecommunications | Accepted | | | |
| facility | If aerial cabling for broadband purposes | | | |
| | Accepted | | | |
| | If not accepted subject to requirements | | | |
| Dwelling house | Accepted subject to requirements Editor's note—Dwelling houses not complying with the relevant acceptable outcomes will require a concurrence agency referral to Council under Schedule 9 of the Regulation. | | | |
| | If in precincts LDR1, LDR2, LDR3, LDR4 or LDR5. | Low density residential zone code | | |
| | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | | | |
| | Editor's note—Dual occupancies that do not comply with any relevant acceptable outcomes of the Queensland Development Code MP1.3 will require a concurrence agency referral to Council under Schedule 9 of the Regulation. | | | |
| Dual Occupancy | If: (1) not in precincts LDR1, LDR2 or LDR4; and (2) building height is 8.5m or less; and (3) density does not exceed 1 dwelling per 400m² of site area | Low density residential zone code | | |
| | Code assessment | | | |
| | If not in precincts LDR1, LDR2 or LDR4 and not accepted subject to requirements | Low density residential zone code | | |
| Home-based business Editor's note – a home- based business must operate from an existing | Accepted subject to requirements Editor's note—Unless otherwise specified, developments will become code assessable whoutcome. However, it will only be assessable to outcome (refer section 5.3.3 (2)). | hen not complying with an acceptable | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | | | |
|---|---|--|--|--|--|
| place of residence and be subordinate to the residential use of the premises | | Home-based business code | | | |
| | Code assessment | | | | |
| Community care centre Community use | If total gross floor area of the proposed use and any existing community care centre or community use does not exceed 250m ² | Low density residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | | |
| Impact assessment | | | | | |
| Any other use not listed | in this table. | | | | |
| Any use listed in this table and not meeting the description listed in the categories of development and assessment column. Any other undefined use. | | The planning scheme | | | |

Table 5.4.2—Low-medium density residential zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | | |
|--|--|--|--|--|
| Dwelling house | Accepted | | | |
| Park | | | | |
| Sales office | | | | |
| Landing | | | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | | | |
| Substation | Accepted | | | |
| Utility installation | If provided by a public sector entity | | | |
| Telecommunications | Accepted | | | |
| facility | If aerial cabling for broadband purposes | | | |
| | Accepted subject to requirements | | | |
| Dual occupancy | Editor's note—Dual occupancies that do not comply with any relevant acceptable outcomes of the Queensland Development Code MP1.3 will require a concurrence agency referral to Council under Schedule 9 of the Regulation. | | | |
| | | Low-medium density residential zone code | | |
| Home-based business Editor's note – a home-based business must operate from an existing | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | | | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code | | |
| | On do consequent | | | |
| | Code assessment | | | |
| | Code assessment | Low-medium density residential zone code | | |
| | Code assessment | | | |
| Multiple dwelling | Code assessment | residential zone code | | |
| Multiple dwelling Residential care | Code assessment | residential zone code Healthy waters code Infrastructure works code Landscape code | | |
| Residential care facility | | residential zone code Healthy waters code Infrastructure works code | | |
| Residential care facility Retirement facility | If building height is 8.5m or less | residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | |
| Residential care facility | | residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | | |
|--|---|---|--|--|
| Community care centre Community use | If total gross floor area of the proposed use and any existing community care centre or community use does not exceed 250m ² | Low-medium density residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | |
| Impact assessment | | | | |
| Any other use not listed in this table. Any use listed in this table and not meeting the description listed in the categories of development and assessment column. Any other undefined use. | | The planning scheme | | |

Table 5.4.3—Medium density residential zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | | | |
|--|--|--|--|--|--|
| Dwelling house | Accepted | | | | |
| Park | | | | | |
| Sales office | | | | | |
| Landing | | | | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | | | | |
| | Accepted subject to requirements | | | | |
| Dual occupancy | Editor's note—Dual occupancies that do not comply with any relevant acceptable outcomes of the Queensland Development Code MP1.3 will require a concurrence agency referral to Council under Schedule 9 of the Regulation. | | | | |
| | If not in precincts MDR1, MDR2, MDR3, MDR4 and MDR5 | Medium density residential zone code | | | |
| Substation | Accepted | | | | |
| Utility installation | If provided by a public sector entity | | | | |
| Telecommunications | Accepted | | | | |
| facility | If aerial cabling for broadband purposes | | | | |
| | Accepted | | | | |
| Food and drink outlet | If a tenancy change from an existing food and drink outlet, office or shop, and not involving any external building work | | | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | | |
|--|---|--|--|--|
| | Code assessment | | | |
| | If not accepted and: (1) form part of a residential development; (2) the use is located on the ground floor; and (3) total gross floor area of the proposed use and any existing food and drink outlet does not exceed 250m² | Medium density residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | |
| Home-based business Editor's note – a home- based business must operate from an existing | outcome. However, it will only be assessable against the corresponding perform | | | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code | | |
| | Code assessment | | | |
| Multiple dwelling Residential care facility Retirement facility Rooming accommodation Short term accommodation | If building height does not exceed that detailed in Table 5.4.4 Building height | Medium density residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Editor's note – Council has developed a Multiple Dwelling Design Guide to assist applicants in achieving high standard design outcomes for multiple dwellings. It is recommended that this document is used as a reference document to support the assessment benchmarks in this planning scheme. | | |
| | Code assessment | | | |
| Community care centre Community use | If total gross floor area of the proposed use and any existing community care centre or community use does not exceed 250m ² | Medium density residential zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | |
| Impact assessment | | | | |
| Any other use not listed | in this table. | The planning scheme | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| Any use listed in this table and not meeting the description listed in the categories of development and assessment column. | | |
| Any other undefined use. | | |

Table 5.4.4—Building height

| Area | | Maximum Building Height (m) |
|--|--------------------------------------|-----------------------------|
| MDR1 | Parkland living, Capalaba | 22m |
| MDR2 | Mount Cotton Road, Capalaba | 19m |
| MDR3 | Shore Street East, Cleveland | 22m |
| MDR4 | Cleveland | 19m |
| MDR5 | Esplanade, Redland Bay | 19m |
| MDR7 | Eprapah Creek, South East Thornlands | 16m |
| MDR8 | Kinross and Boundary Road | 8.5m |
| Elsewhere in the zone (including MDR6 South East Thornlands and MDR9 Kinross Road) | | 13m |

Table 5.4.5—Character residential zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Cropping | Accepted | |
| Dwelling house | | |
| Park | | |
| Sales office | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Substation | Accepted | |
| Utility installation | If provided by a public sector entity | |
| Telecommunications facility | Accepted | |
| | If aerial cabling for broadband purposes | |
| | Code assessment | |
| Dual occupancy | | Character residential zone code |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| | | Healthy waters code |
| | | Infrastructure works code |
| | | Landscape code |
| | | Transport, servicing, access and parking code |
| Home-based | Accepted subject to requirements | |
| business Editor's note – a home- based business must operate from an existing | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code |
| Childcare centre | Code assessment | |
| Community care centre | | |
| Community use | | Character residential zone |
| Food and drink | | code |
| outlet | | Healthy waters code |
| Nature based tourism | | Infrastructure works code |
| Office | | Landscape code |
| Outdoor sport and recreation | | Transport, servicing, access and parking code |
| Roadside stall | | |
| Impact assessment | | |
| Any other use not listed | in this table. | |
| listed in the categories of column. | ole and not meeting the description of development and assessment | The planning scheme |
| Any other undefined use | 9. | |

Table 5.4.6—Tourist accommodation zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | |
|--|---|---|--|
| Dwelling house | Accepted | | |
| Park Sales office Landing Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | | |
| Substation | Accepted | | |
| Utility installation | If provided by a public sector entity | | |
| Telecommunications | Accepted | | |
| Telecommunications facility | If aerial cabling for broadband purposes | | |
| | Accepted | | |
| | If a tenancy change from an existing food and drink outlet, office or shop, and not involving any external building work. | | |
| | Code assessment | | |
| Food and drink outlet Office Shop | If not accepted and: (1) part of a short term | Tourist accommodation zone | |
| | accommodation development; (2) the use is located on the ground floor; and (3) total gross floor area of the proposed use and any existing food and drink outlet, office or shop does not exceed 250m² | code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | |
| | accommodation development; (2) the use is located on the ground floor; and (3) total gross floor area of the proposed use and any existing food and drink outlet, office or shop does not | code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access | |
| | accommodation development; (2) the use is located on the ground floor; and (3) total gross floor area of the proposed use and any existing food and drink outlet, office or shop does not exceed 250m ² | code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code omply with any relevant acceptable de MP1.3 will require a concurrence | |
| Shop | accommodation development; (2) the use is located on the ground floor; and (3) total gross floor area of the proposed use and any existing food and drink outlet, office or shop does not exceed 250m² Accepted subject to requirements Editor's note—Dual occupancies that do not coutcomes of the Queensland Development Co | code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code omply with any relevant acceptable de MP1.3 will require a concurrence the Regulation. Tourist accommodation zone code elopment that is accepted subject to the not complying with an acceptable | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| Caretaker's | Code assessment | |
| residence Dwelling unit Multiple dwelling Relocatable home park Resort complex Rooming accommodation Short term accommodation Tourist park | If building height does not exceed 14m | Tourist accommodation zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Code assessment | |
| Community care centre Community use | If total gross floor area of the proposed use and any existing community care centre or community use does not exceed 250m ² | Tourist accommodation zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Code assessment | |
| Hotel | If on the same site as the Point Lookout Hotel | Tourist accommodation zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | ole and not meeting the description of development and assessment | The planning scheme |

Table 5.4.7—Principal centre zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--------------|--|--|
| Park | Accepted | |
| Sales office | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|---|
| Landing Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity infrastructure | Accepted | |
| Substation Utility installation | If undertaken by a public sector entity | |
| | Accepted | |
| Community use Food and drink outlet Market Theatre | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | |
| | Accepted | |
| | If 25m in height or less | |
| | Code assessment | |
| Telecommunications facility | If not accepted | Principal centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Telecommunications facilities, substations and utilities code |
| | Accepted subject to requirements | |
| | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Adult store | If: (1) change of use within an existing building and involving only minor building work; (2) not located in an adult store sensitive use area. | Principal centre zone code |
| | Code assessment | |
| | If: (1) not accepted subject to requirements; | Principal centre zone code Healthy waters code Infrastructure works code Landscaping code |

| Use | Categories of development and assessment (2) building height does not exceed the height shown on figure 6.2.6.3.3 or figure 6.2.6.3.4; and (3) not located in an adult store sensitive use area. | Assessment benchmarks for assessable development and requirements for accepted development Transport, servicing, access and parking code |
|--|--|---|
| Bar Caretaker's accommodation Childcare centre Club Community care centre Community | Accepted subject to requirements Editor's note—Unless otherwise specified, dev requirements will become code assessable whoutcome. However, it will only be assessable a outcome (refer section 5.3.3 (2)). If a change of use within an existing building and involving only minor building work | nen not complying with an acceptable |
| residence | Code assessment | |
| Community use Dwelling unit Educational establishment | | |
| Emergency services Food and drink outlet Function facility Health care services Hospital Hotel Indoor sport and recreation Market Multiple dwelling Nightclub entertainment facility Office Place of worship Residential care facility Retirement facility Rooming accommodation Service industry Shop Shopping centre Short term accommodation Showroom Theatre | If: (1) not accepted subject to requirements; and (2) building height does not exceed the height shown on Figure 6.2.6.3.3 or Figure 6.2.6.3.4 | Principal centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|---|
| Veterinary service | | |
| Home-based business Editor's note – a home- based business must operate from an existing | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code |
| Car wash | Code assessment | |
| Funeral Parlour Hardware and Trade Supplies Port service Service station Parking station Resort complex | If building height does not exceed the height shown on Figure 6.2.6.3.3 or Figure 6.2.6.3.4 | Principal centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | ole and not meeting the description of development and assessment | The planning scheme |

Table 5.4.8—Major centre zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Park | Accepted | |
| Sales office | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity | Accepted | |
| infrastructure Substation Utility installation | If undertaken by a public sector entity | |
| | Accepted | |
| | If 25m in height or less | |
| | Code assessment | |
| | | Major centre zone code |
| | | Healthy waters code |
| Telecommunications | | Infrastructure works code |
| facility | If not opposited | Landscape code |
| | If not accepted | Transport, servicing, access and parking code |
| | | Telecommunications facilities, substations and utilities code |
| | Accepted subject to requirements | |
| | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| | If: | |
| Adult store | (1) change of use within an existing building and involving only minor building work;(2) not located in an adult store sensitive use area. | Major centre zone code |
| | Code assessment | |
| | If: (1) not accepted subject to requirements; | Major centre zone code Healthy waters code Infrastructure works code |
| | (2) building height does not exceed 17m; and(3) not located in an adult store sensitive use area. | Landscaping code Transport, servicing, access and parking code |
| Bar | Accepted subject to requirements | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|-----------------------------|--|--|
| Caretaker's | Editor's note—Unless otherwise specified, dev | |
| accommodation | requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance | |
| Childcare centre | outcome (refer section 5.3.3 (2)). | |
| Club | | |
| Community care centre | If a change of use within an existing | |
| Community | building and involving only minor building work | Major centre zone code |
| residence | 3 | |
| Community use | Code assessment | T |
| Dwelling unit | | |
| Educational | | |
| establishment | | |
| Emergency services | | |
| Food and drink outlet | | |
| Function facility | | |
| Health care services | | |
| Hospital | | |
| Hotel | | |
| Indoor sport and recreation | | Major centre zone code Healthy waters code |
| Market | If not accepted subject to | Infrastructure works code |
| Multiple dwelling | requirements and building height does not exceed 17m | Landscape code |
| Nightclub | does not exceed 17111 | Transport, servicing, access |
| entertainment facility | | and parking code |
| Office | | |
| Place of worship | | |
| Rooming | | |
| accommodation | | |
| Service industry | | |
| Short term accommodation | | |
| Showroom | | |
| Theatre | | |
| Veterinary service | | |
| | Accepted subject to requirements | |
| Shop Shopping centre | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| | Ifa change of use within an existing building and involving only minor building work. | Major centre zone code |
| | Code assessment | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|---|
| | If not accepted subject to requirements and building height does not exceed 17m. | Major centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Home-based business Editor's note – a home- based business must operate from an existing | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to development will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code |
| Car wash | Code assessment | |
| Funeral Parlour Hardware and Trade Supplies Service station Parking station Residential care facility Resort complex Retirement facility | If building height does not exceed 17m | Major centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | ole and not meeting the description of development and assessment | The planning scheme |

Table 5.4.9—District centre zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Park | Accepted | |
| Sales office | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | |
|---|---|--|--|
| Major electricity | Accepted | | |
| infrastructure Substation Utility installation | If undertaken by a public sector entity | | |
| | Accepted | | |
| | If 25m in height or less | | |
| | Code assessment | | |
| Telecommunications facility | If not accepted | District centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Telecommunications facilities, substations and utilities code | |
| | Accepted subject to requirements | | |
| Adult store | Editor's note—Unless otherwise specified, dev requirements will become code assessable whoutcome. However, it will only be assessable a outcome (refer section 5.3.3 (2)). If: (1) change of use within an existing building and involving only minor building work; (2) not located in an adult store sensitive use area. | nen not complying with an acceptable | |
| | Code assessment | | |
| | If: (1) not accepted subject to requirements; (2) building height does not exceed 17m; and (3) not located in an adult store sensitive use area. | District centre zone code Healthy waters code Infrastructure works code Landscaping code Transport, servicing, access and parking code | |
| Bar | Accepted subject to requirements | | |
| Caretaker's accommodation Childcare centre Club | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | | |
| Community care centre Community | If a change of use within an existing building and involving only minor building work | District centre zone code | |
| residence | Code assessment | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| Community use | | |
| Dwelling unit | | |
| Educational | | |
| establishment | | |
| Emergency services | | |
| Food and drink outlet | | |
| Function facility | | |
| Health care services | | District centre zone code |
| Hotel | If not accepted subject to | Healthy waters code |
| Indoor sport and recreation | requirements and building height does not exceed 17m | Infrastructure works code Landscape code |
| Market | | Transport, servicing, access |
| Nightclub entertainment facility | | and parking code |
| Office | | |
| Place of worship | | |
| Service industry | | |
| Showroom | | |
| Theatre | | |
| Veterinary service | | |
| | Accepted subject to requirements | |
| | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Shop | If a change of use within an existing building and involving only minor building work. | District centre zone code |
| Shopping centre | Code assessment | |
| | | District centre zone code |
| | If not accepted subject to | Healthy waters code |
| | requirements and building height | Infrastructure works code |
| | does not exceed 17m. | Landscape code |
| | | Transport, servicing, access and parking code |
| Home-based | Accepted subject to requirements | |
| business Editor's note – a home- based business must operate from an existing | Editor's note—Unless otherwise specified, development that is accepted subtrequirements will become code assessable when not complying with an accoutcome. However, it will only be assessable against the corresponding perfoutcome (refer section 5.3.3 (2)). | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code |
| | Code assessment | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| Funeral Parlour | | |
| Hardware and Trade Supplies | | |
| Service station | | District centre zone code |
| Multiple dwelling | | Healthy waters code |
| Parking station | If building height does not exceed | Infrastructure works code |
| Residential care facility | 17m | Landscape code |
| Retirement facility | | Transport, servicing, access |
| Rooming accommodation | | and parking code |
| Short term accommodation | | |
| Impact assessment | | |
| Any other use not listed in this table. | | |
| Any use listed in this table and not meeting the description listed in the categories of development and assessment column. | | The planning scheme |
| Any other undefined use | 9. | |

Table 5.4.10—Local centre zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Park | Accepted | |
| Sales office | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity | Accepted | |
| Substation Utility installation | If undertaken by a public sector entity | |
| Cumity motamation | | |
| | Accepted | |
| | Accepted If 25m in height or less | |
| Telecommunications facility | | |

| Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|
| | Landscape code Transport, servicing, access and parking code Telecommunications facilities, substations and utilities code |
| Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| If: (1) change of use within an existing building and involving only minor building work; (2) not located in an adult store sensitive use area. | Local centre zone code |
| Code assessment | |
| If: (1) not accepted subject to requirements; (2) building height does not exceed 10.5m; and (3) not located in an adult store sensitive use area. | Local centre zone code Healthy waters code Infrastructure works code Landscaping code Transport, servicing, access and parking code |
| Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| If a change of use within an existing building and involving only minor building work | Local centre zone code |
| Code assessment | |
| If not accepted subject to requirements and building height does not exceed 10.5m | Local centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Accepted subject to requirements Editor's note—Unless otherwise specified, derequirements will become code assessable whoutcome. However, it will only be assessable performance outcome (refer section 5.3.3 (2)) If: (1) change of use within an existing building and involving only minor building work; (2) not located in an adult store sensitive use area. Code assessment If: (1) not accepted subject to requirements; (2) building height does not exceed 10.5m; and (3) not located in an adult store sensitive use area. Accepted subject to requirements Editor's note—Unless otherwise specified, derequirements will become code assessable whoutcome. However, it will only be assessable whoutcome. However, it will not be a fini |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|---|
| Veterinary service | | |
| | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Shop Shopping centre Showroom | If: (1) a change of use within an existing building and involving only minor building work; and (2) proposed gross floor area does not exceed 1,000m² | Local centre zone code |
| | Code assessment | |
| | If not accepted subject to requirements and: (1) building height does not exceed 10.5m; and (2) proposed gross floor area does not exceed 1,000m² | Local centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Home-based business Editor's note – a home- based business must operate from an existing | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject requirements will become code assessable when not complying with an accepta outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| place of residence and be subordinate to the residential use of the premises | | Home-based business code |
| Car wash | Code assessment | |
| Service station Multiple dwelling Parking station Port service Residential care facility Retirement facility Rooming accommodation Short term accommodation | If building height does not exceed 10.5m | Local centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | le and not meeting the description f development and assessment | The planning scheme |

Table 5.4.11—Neighbourhood centre zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | |
|--|--|--|--|
| Park | Accepted | | |
| Sales office | | | |
| Landing | | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | | |
| Major electricity | Accepted | | |
| infrastructure Substation Utility installation | If undertaken by a public sector entity | | |
| | Accepted | | |
| | If 25m in height or less | | |
| | Code assessment | | |
| | | Neighbourhood centre zone code | |
| Telecommunications | | Healthy waters code | |
| facility | | Infrastructure works code | |
| | If not accepted | Landscape code | |
| | | Transport, servicing, access and parking code | |
| | | Telecommunications facilities, substations and utilities code | |
| Bar | Accepted subject to requirement | s | |
| Caretaker's accommodation Childcare centre | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | | |
| Club Community care centre | If a change of use within an existing building and involving only minor building work | Neighbourhood centre zone code | |
| Community residence | Code assessment | | |
| Community use Dwelling unit | K | Neighbourhood centre zone | |
| Emergency services | If not accepted subject to requirements and building height | code | |
| Food and drink outlet | does not exceed: | Healthy waters code | |
| Health care services | (1) 14m in the Kinross Road | Infrastructure works code | |
| Office | neighbourhood centre; and | Landscape code | |
| Service industry Veterinary service | (2) 10.5m in other neighbourhood centres | Transport, servicing, access and parking code | |
| Shop | Accepted subject to requirements | | |
| Shopping centre | Editor's note—Unless otherwise specified, d requirements will become code assessable | evelopment that is accepted subject to | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|---|
| | outcome. However, it will only be assessable performance outcome (refer section 5.3.3 (2) | |
| | If: (1) a change of use within an existing building and involving only minor building work; and (2) proposed gross floor area does not exceed 500m² | Neighbourhood centre zone code |
| | Code assessment | |
| | If not accepted subject to requirements and: (1) building height does not exceed: (a) 14m in the Kinross Road neighbourhood centre; and (b) 10.5m in other neighbourhood centres (1) proposed gross floor area does not exceed 500m² | Neighbourhood centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Home-based business Editor's note – a home-based business must operate from an existing place of residence and be subordinate to the | Accepted subject to requirements Editor's note—Unless otherwise specified, de requirements will become code assessable voutcome. However, it will only be assessable performance outcome (refer section 5.3.3 (2)) | evelopment that is accepted subject to when not complying with an acceptable against the corresponding |
| residential use of the premises | | Home-based business code |
| Service station | Code assessment | |
| Multiple dwelling Residential care facility Retirement facility Rooming accommodation Short term accommodation | If building height does not exceed: (1) 14m in the Kinross Road neighbourhood centre; and (2) 10.5m in other neighbourhood centres | Neighbourhood centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | this table. and not meeting the description development and assessment | The planning scheme |

Table 5.4.12—Specialised centre zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|---|
| Park | Accepted | |
| Sales office Telecommunications facility | | |
| Landing Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity infrastructure | Accepted | |
| Substation Utility installation | If undertaken by a public sector entity | |
| | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is acrequirements will become code assessable when not complying woutcome. However, it will only be assessable against the correspondent performance outcome (refer section 5.3.3 (2)). | |
| Community care centre | If a change of use within an existing building and involving only minor building work | Specialised centre zone code |
| Emergency services Health care services | Code assessment | |
| Hospital | If not accepted subject to requirements | Specialised centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Caretaker's accommodation Dwelling unit | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| | | Specialised centre zone code |
| Educational | Code assessment | |
| establishment Childcare centre | | |
| Community residence Community use Crematorium | | Specialised centre zone code Healthy waters code Infrastructure works code |
| Food and drink outlet Funeral parlour Low impact industry Office | | Landscape code Transport, servicing, access and parking code |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|---|
| Parking station Place of worship Research and technology industry Residential care facility Rooming accommodation Service industry Shop Short term accommodation | | |
| | Code assessment | |
| Medium impact industry | If a change of use within an existing building and involving only minor building work | Specialised centre zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | n this table. e and not meeting the description development and assessment | The planning scheme |

Table 5.4.13—Recreation and open space zone

Note—Reference in this table to a "resolution of Redland City Council" means a formal resolution dealing with the management and development of land under its control, and may include a park plan, land management plan or similar. Reference to "Council land" means land which is owned by Council or for which Council has management responsibility.

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Landing | Accepted | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Park | | |
| Telecommunications facility | | |
| | Accepted | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| Major electricity infrastructure Substation Utility installation | If undertaken by a public sector entity | |
| | Accepted | |
| Caretaker's accommodation Community care centre Community use Environment facility | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | |
| Indoor sport and | Code assessment | |
| recreation Market Nature-based tourism Theatre Outdoor sport and recreation | If not accepted | Recreation and open space zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Accepted | |
| Club | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | |
| Food and drink outlet | Code assessment | |
| | If not accepted and total gross floor area of the proposed and any existing club or food and drink outlet on the site does not exceed 150m ² | Recreation and open space zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Accepted | |
| Tourist park | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| | Code assessment | |
| | | Recreation and open space zone code |
| | If on North Stradbroke Island and not accepted | Healthy waters code |
| | | Infrastructure works code |
| | | Landscape code |
| | | Transport, servicing, access and parking code |
| Impact assessment | | |
| Any other use not listed in this table. | | |
| Any use listed in this table and not meeting the description listed in the categories of development and assessment column. | | The planning scheme |
| Any other undefined use. | | |

Table 5.4.14—Environmental management zone

Note—Reference in this table to a "resolution of Redland City Council" means a formal resolution dealing with the management and development of land under its control, and may include a park plan, land management plan or similar. Reference to "Council land" means land which is owned by Council or for which Council has management responsibility.

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| Landing | Accepted | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act Park | | |
| Club | Accepted | |
| Community care centre Community use Environment facility Food and drink outlet Nature based tourism Outdoor sport and recreation | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | |
| | Accepted | |
| Dwelling house Caretaker's accommodation Dwelling unit | If no more than one dwelling of any kind on the lot Note—A dwelling house containing a secondary dwelling will still be taken to be one dwelling for the purposes of this assessment trigger | |
| Home-based business | Accepted subject to requirements | S |
| Editor's note – a home-based business must operate from an existing place of residence and be subordinate to the | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptabe outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| residential use of the premises | | Home-based business code |
| Impact assessment | | |
| Any other use not listed in | n this table. | |
| listed in the categories of column. | e and not meeting the description development and assessment | The planning scheme |
| Any other undefined use. | | |

Table 5.4.15—Conservation zone

Note—Reference in this table to a "resolution of Redland City Council" means a formal resolution dealing with the management and development of land under its control, and may include a park plan, land management plan or similar. Reference to "Council land" means land which is owned by Council or for which Council has management responsibility.

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | |
|---|---|---|--|
| Landing | Accepted | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act Park Outstation | | | |
| | Accepted | | |
| Utility installation | If undertaken by a public sector entity | | |
| | Accepted | | |
| Community care centre Community use | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | | |
| Environment facility Nature-based tourism | Code assessment | | |
| Outdoor sport and recreation | If: (1) not accepted; and (2) not on the Southern Moreton Bay Islands or North Stradbroke Island | Conservation zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | |
| | Accepted | | |
| Club Food and drink outlet | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council | | |
| FOOG AND GINK OUTIET | Code assessment | | |
| | If: (1) not accepted; (2) not on the Southern Moreton Bay Islands or North Stradbroke Island; and | Conservation zone code Healthy waters code Infrastructure works code Landscape code | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|---|
| | (3) not accepted and total gross floor area of the proposed and any existing club or food and drink outlet on the site does not exceed 150m ² | Transport, servicing, access and parking code |
| Home-based business | Accepted subject to requirements | |
| Editor's note – a home-based business must operate from an existing place of residence and be subordinate to the residential use of the | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| premises | | Home-based business code |
| | Code assessment | |
| Caretaker's accommodation Dwelling unit | If: (1) no more than one dwelling of any kind on the lot; and (2) not on the Southern Moreton Bay Islands Note—A dwelling house containing a secondary dwelling will still be taken to be one dwelling for the purposes of this assessment trigger | Conservation zone code |
| | Code assessment | |
| Short-term accommodation Tourist park | If: (1) undertaken by Redland City Council; or (2) undertaken on Council land and in accordance with a resolution of Redland City Council. | Conservation zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| | n this table. e and not meeting the description development and assessment | The planning scheme |

Table 5.4.16—Low impact industry zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Park | Accepted | |
| Telecommunications facility | | |
| Landing Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity infrastructure | Accepted | |
| Substation Utility installation | If undertaken by a public sector entity | |
| Agricultural supplies store | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Emergency services Outdoor sales Garden centre | If a change of use within an existing building and involving only minor building work | Low impact industry zone code |
| Low impact industry | Code assessment | |
| Research and technology industry Service industry | | Low impact industry zone code Healthy waters code |
| Veterinary service Warehouse | If not accepted subject to requirements | Infrastructure works code Landscape code |
| | | Transport, servicing, access and parking code |
| | Accepted subject to requirement | s |
| Caretaker's accommodation Dwelling unit | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Dwelling unit | | Low impact industry zone code |
| Food and drink outlet | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| FOOU AND WINK OUTIET | If a change of use within an | Low impact industry zone |
| | existing building and involving only minor building work. | code |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| | If not accepted subject to requirements and total gross floor area of the proposed and any existing food and drink outlet on the site does not exceed 150m ² | Low impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Code assessment | |
| Adult Store | If not located in an adult store sensitive use area. | Low impact industry zone code Healthy waters code Infrastructure works code Landscaping code Transport, servicing, access and parking code |
| Brothel | Code assessment | |
| Bulk landscape supplies Car wash Crematorium Indoor sport and recreation Funeral parlour Parking station Service station Transport depot | | Low impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Code assessment | |
| Hardware and trade supplies | If not involving a showroom or sales area for the general public with a gross floor area of more than 200m ² | Low impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| Any other use not listed in Any use listed in this table | this table. and not meeting the description development and assessment | The planning scheme |

Table 5.4.17—Medium impact industry zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|---|
| Park | Accepted | |
| Telecommunications facility | | |
| Landing Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| | Accepted | |
| | If undertaken by a public sector entity | |
| | Code assessment | |
| Major electricity | | Medium impact industry zone code |
| Substation | | Healthy waters code |
| Utility installation | | Infrastructure works code |
| | If not accepted | Landscape code |
| | | Transport, servicing, access and parking code |
| | | Telecommunications facilities, substations and utilities code |
| Agricultural supplies store Bulk landscape supplies | Accepted subject to requirement Editor's note—Unless otherwise specified, or requirements will become code assessable acceptable outcome. However, it will only be corresponding performance outcome (refer to the context of the conte | development that is accepted subject to when not complying with an e assessable against the |
| Emergency services | If a change of use within an | |
| Low impact industry | existing building and involving | |
| Marine industry Medium impact | only minor building work | |
| industry | Code assessment | |
| Research and technology industry | | Medium impact industry zone code |
| Renewable energy | If not accepted subject to | Healthy waters code |
| facilities | requirements | Infrastructure works code |
| Service industry Transport depot | | Landscape code Transport servicing access |
| Warehouse | | Transport, servicing, access and parking code |
| | Accepted subject to requirements | |
| Caretaker's accommodation Dwelling unit | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| 2oming anni | | Medium impact industry zone code |

| Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refere section 6.3.3 (2)). If a change of use within an existing building and involving only minor building work only minor building work only minor building work of requirements and total gross floor area of the proposed and any existing food and drink outlet on the site does not exceed 150m² Medium impact industry zone code area of the proposed and any existing food and drink outlet on the site does not exceed 150m² Medium impact industry zone code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscaping code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscaping code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Transport, servicing, acces | Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|-----------------------------|---|--|
| existing building and involving only minor building work Code assessment Food and drink outlet Code assessment | | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the | |
| If not accepted subject to requirements and total gross floor area of the proposed and any existing food and drink outlet on the site does not exceed 150m² Medium impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Healthy waters code Healthy waters code Infrastructure works code Healthy waters code Infrastructure works code Landscaping code Transport, servicing, access and parking code Transport, servicing, access and parking code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Healthy waters code Infrastructure works code Healthy waters code Infrastructure works code Infrastructure works code Healthy waters code Healthy waters code Infrastructure works code Healthy waters Healthy waters Healthy waters Healthy waters Healthy waters Healthy waters Healthy wat | | existing building and involving | |
| If not accepted subject to requirements and total gross floor area of the proposed and any existing food and drink outlet on the site does not exceed 150m² Code assessment Code assessment | Food and drink outlet | Code assessment | |
| area of the proposed and any existing food and drink outlet on the site does not exceed 150m² Infrastructure works code Landscape code Transport, servicing, access and parking code Code assessment | | If not accepted subject to | code |
| existing food and drink outlet on the site does not exceed 150m² landscape code Transport, servicing, access and parking code Code assessment | | | • |
| the site does not exceed 150m² Transport, servicing, access and parking code Code assessment If not located in an adult store sensitive use area. Code assessment Medium impact industry zone code | | | |
| Adult store Code assessment | | · · | , |
| Adult store If not located in an adult store sensitive use area. If not located in an adult store sensitive use area. Code assessment | | | |
| Adult store If not located in an adult store sensitive use area. If not located in an adult store sensitive use area. Code assessment | | Code assessment | |
| If not located in an adult store sensitive use area. Infrastructure works code Landscaping code Transport, servicing, access and parking code Code assessment Medium impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Medium impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Medium impact industry zone code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing, access and parking code Infrastructure works code Landscape code Transport, servicing access and parking code Infrastructure works code Landscape code Transport, servicing access and parking code Infrastructure works code Landscape code Transport, servicing access and parking code Infrastructure works code Landscape code Transport, servicing access and parking code Infrastructure works code Landscape code Transport, servicing access and parking code Infrastructure works code Landscape code Transport, servicing access and parking code Infrastructure works code Landscape code Infrastructure works code Infrastructure works code Infrastructure works code Infrastructure works code Infrast | | | |
| Sensitive use area. Infrastructure works code Landscaping code Transport, servicing, access and parking code | Adult store | | • |
| Code assessment | | | |
| Brothel Car wash Crematorium Funeral parlour Service station Code assessment Medium impact industry zone code Landscape code Transport, servicing, access and parking code Healthy waters code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Infrastructure works code Landscape code Transport, servicing, access and parking code Impact assessment | | | , • |
| Brothel Car wash Crematorium Funeral parlour Service station Code assessment Code assessment Code assessment Code assessment Code assessment Code assessment Medium impact industry zone code Infrastructure works code Landscape code Transport, servicing, access and parking code Medium impact industry zone code Healthy waters code Infrastructure works code Infrastructure works code Infrastructure works code Infrastructure works code Landscape code Transport, servicing, access and parking code Impact assessment | | | |
| Car wash Crematorium Funeral parlour Service station Code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Code assessment If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Code Healthy waters code Infrastructure works code Infrastructure works code Landscape code Transport, servicing, access and parking code Impact assessment | | Code assessment | |
| Funeral parlour Service station Code assessment Hardware and trade supplies If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Infrastructure works code Landscape code Transport, servicing, access and parking code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code Impact assessment | | | |
| Funeral parlour Service station Landscape code Transport, servicing, access and parking code Code assessment Hardware and trade supplies If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Landscape code Transport, servicing, access and parking code Landscape code Transport, servicing, access and parking code Impact assessment | Crematorium | | |
| Transport, servicing, access and parking code Code assessment Hardware and trade supplies If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Transport, servicing, access and parking code Medium impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | Funeral parlour | | |
| Code assessment Hardware and trade supplies If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Code assessment Medium impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | Service station | | · |
| Hardware and trade supplies If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Medium impact industry zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | | |
| Hardware and trade supplies If not involving a showroom or sales area for the general public with a gross floor area of more than 200m² Impact assessment Code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code | | Code assessment | |
| sales area for the general public with a gross floor area of more than 200m² Infrastructure works code Landscape code Transport, servicing, access and parking code Impact assessment | | Marking above a state | code |
| with a gross floor area of more than 200m² with a gross floor area of more Landscape code Transport, servicing, access and parking code Impact assessment | | | • |
| Transport, servicing, access and parking code Impact assessment | | with a gross floor area of more | |
| Impact assessment and parking code | | than 200m ² | , |
| | | | |
| | Impact assessment | | |
| Any other use not listed in this table. The planning scheme | Any other use not listed in | this table. | The planning scheme |

| Use | | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|--|
| Any use listed in this table and not meeting the description listed in the categories of development and assessment column. | | | |
| Any other undefined use. | | | |

Table 5.4.18—Waterfront and marine industry zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | |
|--|--|--|--|
| Park | Accepted | | |
| Telecommunications facility | | | |
| Landing | | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | | |
| | Accepted | | |
| | If undertaken by a public sector entity | | |
| | Code assessment | | |
| Major electricity infrastructure | | Waterfront and marine industry zone code | |
| Substation | If not accepted | Healthy waters code | |
| Utility installation | | Infrastructure works code | |
| | | Landscape code | |
| | | Transport, servicing, access and parking code | |
| | | Telecommunications facilities, substations and utilities code | |
| | Accepted subject to requirements | | |
| Emergency services Low impact industry | Editor's note—Unless otherwise specified, development that is accepted requirements will become code assessable when not complying with an outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | | |
| Marine industry Port service Research and | If a change of use within an existing building and involving only minor building work | | |
| technology industry | Code assessment | | |
| Service industry | If not accepted subject to requirements | Waterfront and marine industry zone code Healthy waters code | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|---|--|
| | | Infrastructure works code |
| | | Landscape code |
| | | Transport, servicing, access and parking code |
| | Accepted subject to requirement | s |
| Caretaker's accommodation Dwelling unit | Editor's note—Unless otherwise specified, d requirements will become code assessable to outcome. However, it will only be assessable performance outcome (refer section 5.3.3 (2) | when not complying with an acceptable against the corresponding |
| Dweiling unit | | Waterfront and marine industry zone code |
| Car wash | Code assessment | |
| Club | | |
| Community use Environment facility | | Waterfront and marine industry zone code |
| Food and drink outlet | | Healthy waters code |
| Medium impact | | Infrastructure works code |
| industry Service station | | Landscape code |
| Transport depot | | Transport, servicing, access |
| Warehouse | | and parking code |
| Impact assessment | <u>'</u> | 1 |
| Any other use not listed in this table. | | |
| Any use listed in this table and not meeting the description listed in the categories of development and assessment column. | | The planning scheme |
| Any other undefined use. | | |

Table 5.4.19—Mixed use zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Park | Accepted | |
| Sales office Telecommunications facility | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| | Accepted | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Major electricity infrastructure Substation Utility installation | If undertaken by a public sector entity | |
| | Accepted subject to requirement Editor's note—Unless otherwise specified, d requirements will become code assessable acceptable outcome. However, it will only be corresponding performance outcome (refer s | evelopment that is accepted subject to when not complying with an assessable against the |
| Adult store | If: (1) change of use within an existing building and involving only minor building work; (2) not located in an adult store sensitive use area. | Mixed use zone code |
| | Code assessment | |
| | If: (1) not accepted subject to requirements; (2) not located in an adult store sensitive use area. | Mixed use zone code Healthy waters code Infrastructure works code Landscaping code Transport, servicing, access and parking code |
| Agricultural supplies | Agricultural supplies | |
| store Bulk landscape supplies Emergency services | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Garden centre Hardware and trade supplies | If change of use within an existing building and involving only minor building work | Mixed use zone code |
| Indoor sport and | Code assessment | |
| recreation Low impact industry Outdoor sales Place of worship Service industry Showroom Veterinary service Warehouse | If not accepted subject to requirements | Mixed use zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Caretaker's accommodation Dwelling unit Accepted subject to requirements Editor's note—Unless otherwise specified, development that is acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | | evelopment that is accepted subject to when not complying with an assessable against the |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| | | Mixed use zone code |
| Brothel | Code assessment | |
| Car wash | | |
| Childcare centre | | Mixed use zone code |
| Club | | Healthy waters code |
| Community use | | Infrastructure works code |
| Funeral parlour Market | | Landscape code |
| Parking station | | Transport, servicing, access and parking code |
| Service station | | and parking code |
| | Code assessment | |
| | | Mixed use zone code |
| | If total areas floor areas of the | Healthy waters code |
| Food and drink outlet | If total gross floor area of the proposed and any existing food and drink outlet on the site does not exceed 250m ² | Infrastructure works code |
| | | Landscape code |
| | | Transport, servicing, access and parking code |
| | Code assessment | |
| | | Mixed use zone code |
| | If total gross floor area of the proposed and any existing shop | Healthy waters code |
| Shop | | Infrastructure works code |
| | on the site does not exceed | Landscape code |
| | 500m ² | Transport, servicing, access and parking code |
| Impact assessment | | |
| Any other use not listed in this table. | | |
| column. | | The planning scheme |
| Any other undefined use. | | |

Table 5.4.20—Community facilities zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|-----------------------------|--|--|
| Park | Accepted | |
| Telecommunications facility | | |
| Landing | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity infrastructure | Accepted | |
| Substation Utility installation | If undertaken by a public sector entity | |
| | Accepted | |
| Club | If undertaken by Redland City Council | |
| Indoor sport and | Code assessment | |
| recreation Market | | Community facilities zone code |
| Theatre Outdoor sport and | If: (1) not accepted; and | Healthy waters code |
| recreation | (2) in precincts CF2, CF3 or | Infrastructure works code |
| | CF5 | Landscape code Transport, servicing, access and parking code |
| | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Cemetery Crematorium | If: (1) in precinct CF1; and (2) a change of use within an existing building and involving only minor building work | Community facilities zone code |
| Funeral parlour | Code assessment | |
| | | Community facilities zone code |
| | If not accepted subject to | Healthy waters code |
| | requirements | Infrastructure works code |
| | | Landscape code Transport, servicing, access |
| | | and parking code |
| Emergency services | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| | | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|---|
| | (2) a change of use within an existing building and involving only minor building work | |
| | Code assessment | |
| | If not accepted subject to requirements | Community facilities zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Childcare centre Community care centre Community use | If: (1) in precincts CF2, CF3, CF4 or CF5; and (2) a change of use within an existing building and involving only minor building work | Community facilities zone code |
| Community residence | Code assessment | |
| Health care services | If not accepted subject to requirements | Community facilities zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Accepted | |
| Low impact industry Marine industry Medium impact industry | If: (1) undertaken by a public sector entity; and (2) In precincts CF6, CF7 or CF9 | |
| Parking station Port service Service industry Transport depot | Code assessment | |
| | If not accepted | Community facilities zone code Healthy waters code Infrastructure works code Landscape code |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|--|
| | | Transport, servicing, access and parking code |
| Home-based business | Accepted subject to requirement | |
| Editor's note – a home-based business must operate from an existing place of residence and be subordinate to the residential use of the | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| premises | | Home-based business code |
| Caretaker's accommodation Dwelling unit | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| Dwelling unit | | Community facilities zone code |
| Educational | Code assessment | |
| establishment Place of worship | | Community facilities zone code |
| Rooming accommodation | If in precincts CF2, CF3, CF4 or | Healthy waters code |
| Residential care | CF5 | Infrastructure works code |
| facility Retirement facility | | Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| Any other use not listed in this table. Any use listed in this table and not meeting the description listed in the categories of development and assessment column. Any other undefined use. | | The planning scheme |

Table 5.4.21—Emerging community zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| Animal husbandry | Accepted | |
| Park | | |
| Sales office | | |
| Telecommunications facility | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity infrastructure | Accepted | |
| Substation | If undertaken by a public sector | |
| Utility installation | entity | |
| | Accepted | |
| Dwelling house | If no more than one dwelling of | |
| Caretaker's | any kind on the lot | |
| accommodation | Note—A dwelling house containing a | |
| Dwelling unit | secondary dwelling will still be taken to be one dwelling for the purposes of this assessment trigger. | |
| 0 | Accepted | |
| Cropping | If not forestry for wood production | |
| | Accepted | |
| | If not a cattery or kennel | |
| | Code assessment | |
| Animal keeping | | Emerging community zone code |
| | | Healthy waters code |
| | If a cattery or kennel | Infrastructure works code |
| | | Landscape code |
| | | Transport, servicing, access and parking code |
| Home-based business | Accepted subject to requirements | |
| Editor's note – a home-based business must operate from an existing place of residence and be subordinate to the residential use of the | bor's note – a home-based ness must operate from existing place of residence be subordinate to the existing place of the subordinate to the existence of the sub | |
| premises. | | Home-based business code |
| | Accepted subject to requirement | s |
| Roadside stall | Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|---|
| | | Emerging community zone code |
| | Code-assessment | |
| Community care centre Community use | | Emerging community zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| Any other use not listed in this table. Any use listed in this table and not meeting the description listed in the categories of development and assessment column. Any other undefined use. | | The planning scheme |

Table 5.4.22—Rural zone

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| Animal husbandry | Accepted | |
| Dwelling house | | |
| Environment facility | | |
| Park | | |
| Sales office | | |
| Telecommunications facility | | |
| Landing | | |
| Editor's note—Landings are regulated as prescribed tidal works under the Coastal Protection and Management Act | | |
| Major electricity | Accepted | |
| infrastructure | If undertaken by a public sector | |
| Substation | entity | |
| Utility installation | | |
| | Accepted | |
| Cropping | If not forestry for wood production | |
| | Editor's note—Forestry for wood production is dealt with in the Regulation. | |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|---|--|
| | Accepted | |
| | If not a cattery or kennel | |
| | Code assessment | |
| Animal keeping | If a cattery or kennel | Rural zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| | Accepted | |
| Caretaker's accommodation Dwelling unit | If no more than one dwelling house and either: • One caretaker's accommodation; or • One dwelling unit on the lot Note—A dwelling house containing a secondary dwelling will still be taken to be one dwelling for the purposes of this assessment trigger | |
| | Code | |
| Caretaker's accommodation Dwelling unit | Code assessment if not accepted | Rural zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Home-based business | Accepted subject to requirement | s |
| Editor's note – a home-based business must operate from an existing place of residence and be subordinate to the residential use of the premises. | Editor's note—Unless otherwise specified, or requirements will become code assessable outcome. However, it will only be assessable performance outcome (refer section 5.3.3 (2) | when not complying with an acceptable e against the corresponding |
| promises. | A | |
| Roadside stall | Accepted subject to requirement Editor's note—Unless otherwise specified, or requirements will become code assessable outcome. However, it will only be assessable performance outcome (refer section 5.3.3 (2) | levelopment that is accepted subject to when not complying with an acceptable e against the corresponding |
| | | Rural zone code |

| Use | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---------------------------------|---|--|
| Agricultural supplies store | Code assessment | 1 |
| Aquaculture | | |
| Bulk landscape supplies | | |
| Community care centre | | |
| Community use | | |
| Emergency services | | |
| Food and drink outlet | | Rural zone code |
| Function facility | | Healthy waters code |
| Garden centre | | Infrastructure works code Landscape code |
| Outdoor sport and recreation | | Transport, servicing, access |
| Nature-based tourism | | and parking code |
| Rural industry | | |
| Rural workers' | | |
| accommodation | | |
| Tourist park Veterinary service | | |
| Wholesale nursery | | |
| Winery | | |
| - | Code assessment | |
| | | Rural zone code |
| | | Healthy waters code |
| Intensive horticulture | If not a mushroom farm | Infrastructure works code |
| | | Landscape code |
| | | Transport, servicing, access and parking code |
| | Code assessment | |
| Short-term accommodation | If not more than 10 rooms or units capable of separate occupation | Rural zone code Healthy waters code Infrastructure works code Landscape code Transport, servicing, access and parking code |
| Impact assessment | | |
| Any other use not listed in | n this table. | |
| Any use listed in this table | e and not meeting the description development and assessment | The planning scheme |
| Any other undefined use. | | |

Editor's note—The above categories of development and assessment apply unless otherwise prescribed in the Regulation.

5.5 Categories of development and assessment— Reconfiguring a lot

The following table identifies the categories of development and assessment for reconfiguring a lot.

Table 5.5.1—Reconfiguring a lot

| Zone | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|---|--|
| Conservation | Impact assessment | |
| Environmental management | If not being undertaken by Redland City Council | The planning scheme |
| Emorging community | Impact assessment | |
| Emerging community | If creating any lot less than 10ha | The planning scheme |
| Tourist | Impact assessment | |
| accommodation zone Character residential zone | All | The planning scheme |
| Rural | Impact assessment | |
| Kurai | All | The planning scheme |
| Code assessment | | |
| | | Reconfiguring a lot code |
| Any other reconfiguring a | lot not listed in this table. | The relevant zone code |
| Any reconfiguring a lot lis | ted in this table and not meeting the | Healthy waters code Infrastructure works code |
| description listed in the ca | ategories of development and | Landscape code |
| assessingnt column. | | Transport, servicing, access and parking code |

Editor's note—The above categories of development and assessment apply unless otherwise prescribed in the Regulation.

5.6 Categories of development and assessment—Building work

The following table identifies the categories of development and assessment for building work regulated under the planning scheme.

Editor's note—Certain overlays may trigger requirements for assessment of some building work against the planning scheme.

Table 5.6.1—Building work

| Zone | | gories of development and ssment | Assessment benchmarks for assessable development and requirements for accepted development |
|------------------------------|--|---|---|
| | Acce | pted | |
| | | accepted subject to rements | |
| Low density residential zone | Editor' accept Sched Asses Table Editor' | 6.2.1.3.1 for further clarification. s note—Some of the acceptable outco | uses not complying with the relevant noce agency referral to Council under de assessable Building Work oplication. Refer to the editor's notes in |
| | If: (1) (2) | a dwelling house in precincts LDR1, LDR2, LDR3, LDR4 or LDR5; or a dual occupancy in precinct LDR5. | Low density residential zone code |
| Accepted developmen | t | | |
| Any other building work | not list | ed in this table. | |

Editor's note—The above categories of development assessment apply unless otherwise prescribed in the Regulation.

5.7 Categories of development and assessment— Operational work

The following table identifies the categories of development and assessment for operational work.

Table 5.7.1—Operational work

| Zone | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---------------------------|--|--|
| Driveway Crossover | | |
| | Accepted | |
| | If undertaken by Redland City Council | |
| All zones | Accepted subject to requirements Editor's note—Unless otherwise specified, development that is accepted subject to requirements will become code assessable when not complying with an acceptable outcome. However, it will only be assessable against the corresponding performance outcome (refer section 5.3.3 (2)). | |
| | All | Transport, servicing, access and parking code |
| Excavation and Filling | | |

| If carried out by Redland City Council; or If the proposed filling or excavation: (1) does not involve: a) excavation of 100m³ or more at or below 5m AHD; or b) filling of 500m³ with an average depth of 0.5m or more on land below 5m AHD; and (2) does not exceed a depth of 750mm on its own or when combined with any previous excavation or filling; and |
|--|
| Council; or If the proposed filling or excavation: (1) does not involve: a) excavation of 100m³ or more at or below 5m AHD; or b) filling of 500m³ with an average depth of 0.5m or more on land below 5m AHD; and (2) does not exceed a depth of 750mm on its own or when combined with any previous |
| (3) is not located in an area mapped by any of the following overlays: a) Flood or Storm Tide Hazard Overlay (Flood Prone Area sub-category only); or b) Coastal Protection (Erosion Prone Area) Overlay; or c) Waterway Corridors and Wetlands Overlay; or d) Environmental |
| Significance Overlay. Code assessment |
| If not accepted Healthy waters code Infrastructure works code |
| Accepted |
| If undertaken by Redland City Council |
| Code assessment |
| If not accepted Healthy waters code Infrastructure works code |
| orks associated with reconfiguration of a lot |

| Zone | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|-----------|--|---|
| | Code assessment | |
| All zones | All | Healthy waters code Infrastructure works code Transport, servicing, access and parking code |
| Accontad | | |

Accepted

Any other operational work not listed in this table.

Any operational work listed in this table and not meeting the description listed in the categories of development and assessment column.

Editor's note—The above categories of development and assessment apply unless otherwise prescribed in the Regulation.

5.8 Categories of development and assessment—Local plans

There are no local plans in the planning scheme.

5.9 Categories of development and assessment—Overlays

The following table identifies where an overlay changes the categories of development and assessment from that stated in a zone and the relevant assessment benchmarks.

Table 5.9.1—Assessment benchmarks for overlays

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development | |
|---|---|---|--|
| Airport environs overlay | | | |
| Any material change of use, reconfiguring a lot or operational work within: (1) the airport's operational airspace shown on overlay Map OM-001 or (2) aviation facilities' buffers area shown on overlay Map OM-002 | No change to categories of development and assessment | Airport environs overlay code where the development is accepted subject to requirements or assessable under the relevant table of assessment for the relevant zone | |
| Bushfire hazard overlay | Bushfire hazard overlay | | |
| Any material change of use | No change to categories of development and assessment | Bushfire hazard overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. | |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| Reconfiguration of a lot | No change to categories of development and assessment | Bushfire hazard overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Coastal protection (erosion p | orone areas) overlay | |
| If on land shown on the overlay map as erosion prone, material change of use or building work for: (1) dual occupancy; (2) dwelling house; or (3) community residence | Code assessment | Coastal protection (erosion prone areas) overlay code |
| Any other material change of use | No change to categories of development and assessment | Coastal protection (erosion prone areas) overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot | No change to categories of development and assessment | Coastal protection (erosion prone areas) overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Operational work | No change to categories of development and assessment | Coastal protection (erosion prone areas) overlay code where the development is assessable under the table of assessment for operational work |
| Heritage overlay | | |
| Material change of use | No change to categories of development and assessment | Heritage overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Building work, where involving the partial or total demolition or relocation of a local heritage place | Impact assessment | Heritage overlay code |
| Any building work involving: | Code assessment | Heritage overlay code |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|---|--|
| (1) interior or exterior alterations to a local heritage place; (2) extensions to a local heritage place; (3) erecting a new or separate building on a local heritage place. | | |
| Operational work where involving a change to landscaping, fencing or natural features of land referred to in the citation for a local heritage place | Code assessment | Heritage overlay code |
| Reconfiguration of a lot | No change to categories of development and assessment | Heritage overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Environmental significance of | overlay | |
| Any material change of use | No change to categories of development and assessment | Environmental significance overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot | No change to categories of development and assessment | Environmental significance overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Operational work involving clearing of native vegetation Note—Clearing for purposes mentioned in part 1 of Schedule 21 of the Regulation is not made assessable by this planning scheme. Essential management, as defined in the Regulation, is also not made assessable by this planning scheme. | Accepted if clearing within: (1) the conservation and recreation and open space zone and the clearing is undertaken by Redland City Council or on Council land in accordance with a Council resolution | |
| Editor's note—"Urban area" is defined under the Regulation. Refer also to section 1.7.3 of this planning scheme. Editor's note— Referral or approval under the <i>Planning Act 2016</i> and | Accepted subject to requirements if clearing is within: (1) the rural zone on land that contains a dwelling house and the | Environmental significance overlay code |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--------------------------------------|---|--|
| Water Act 2000 may also be required. | combined area of the proposed clearing and any clearing previously undertaken since commencement of the first version of this planning scheme exceeds 500m² and does not exceed 2500m². | |
| | Code assessable, if not accepted or accepted subject to requirements, if clearing within: | |
| | (1) the emerging community, environmental management, low-medium density residential, medium density residential or tourist accommodation zones; or | |
| | (2) within the conservation and recreation and open space zones; or (3) any other zone within the urban area and the combined area of the proposed clearing and any clearing previously undertaken since the | Environmental significance overlay code |
| | commencement of the first version of this planning scheme exceeds 500m²; or (4) within the community facilities zone (if outside the urban area) and the combined area of the proposed clearing and any clearing previously | |
| | undertaken since the commencement of the first version of this planning scheme exceeds 2,500m²; or (5) within the rural zone and the combined area of the proposed clearing and any clearing previously | |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|--|--|
| | undertaken since the commencement of the first version of this planning scheme exceeds 2,500m ² | |
| Any other operational work | No change to categories of development and assessment | Environmental significance overlay code where the development is assessable under the table of assessment for operational work |
| Extractive resources overlay | | |
| Any material change of use | No change to categories of development and assessment | Extractive resources overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot | No change to categories of development and assessment | Extractive resources overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Flood and storm tide hazard overlay | | |
| If on land shown on the overlay map as drainage constrained, material change of use or building work for: (1) dwelling house; or (2) community residence Editor's note—This may affect assessment categories for dwellings in the character residential or environmental management zones on the Southern Moreton Bay Islands. | Code assessment | Flood and storm tide hazard overlay code |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|---|---|---|
| Any other material change of use | No change to categories of development and assessment | Flood and storm tide hazard overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot. | No change to categories of development and assessment | Flood and storm tide hazard overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Operational Works | No change to categories of development and assessment | Flood and storm tide hazard overlay code where the development is assessable under the table of assessment for operational works |
| Landslide hazard overlay | | |
| Any material change of use | No change to categories of development and assessment | Landslide hazard overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot | No change to categories of development and assessment | Landslide hazard overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Operational work | No change to categories of development and assessment | Landslide hazard overlay code where the development is assessable under the table of assessment for operational work Note—This overlay code is not applicable to accepted subject to requirements development. |
| Regional infrastructure corridors and substations overlay | | |
| Any material change of use | No change to categories of development and assessment | Regional infrastructure corridors and substations overlay code where the development is assessable under the table of |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|------------------------------|---|--|
| | | assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot | No change to categories of development and assessment | Regional infrastructure corridors and substations overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Operational work | No change to categories of development and assessment | Regional infrastructure corridors and substations overlay code where the development is assessable under the table of assessment for operational work Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Water resource catchments | overlay | |
| Any material change of use | No change to categories of development and assessment | Water resource catchments overlay code where the development is assessable under the table of assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Any reconfiguration of a lot | No change to categories of development and assessment | Water resource catchments overlay code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Any operational works | No change to categories of development and assessment | Water resource catchments overlay code where the development is assessable under the table of assessment for operational works |
| Waterway corridors and wet | lands overlay | |
| Any material change of use | No change to assessment categories | Waterway corridors and wetlands overlay code where the development is assessable under the table of |

| Development | Categories of development and assessment | Assessment benchmarks for assessable development and requirements for accepted development |
|--|--|---|
| | | assessment for the relevant zone Note—This overlay code is not applicable to development that is accepted subject to requirements. |
| Reconfiguration of a lot | No change to categories of development and assessment | Waterway corridors and wetlands code where the development is assessable under the table of assessment for reconfiguration of a lot |
| Operational work involving clearing of native vegetation Note–Clearing for purposes mentioned in part 1 of Schedule 21 of the Regulation is not made assessable by this planning scheme. Essential management, as defined in the Regulation, is also not made assessable by this planning scheme. Editor's note (1) –"Urban area" is defined under the Regulation. Refer also to section 1.7.3 of this planning scheme. Editor's note (2) – Referral or approval under the <i>Planning Act 2016</i> and <i>Water Act 2000</i> may also be required. | Code assessable if clearing vegetation in an area that is also within the environmental significance overlay. Note – While a clearing threshold may apply in some parts of the environmental significance overlay, this trigger for code assessment means that if the land is also in the waterway corridors and wetlands overlay, any clearing will become assessable. | Waterway corridors and wetlands code Environmental significance overlay code |
| Any other operational work | No change to categories of development and assessment | Waterway corridors and wetlands code where the development is assessable under the table of assessment for operational work Note—This overlay code is not applicable to development that is accepted subject to requirements. |

Note—The Transport noise corridor overlay is contained in the planning scheme for information purposes only. The transport noise overlay identifies land affected by transport noise in accordance with Chapter 8B of the *Building Act 1975*. In these areas building work will be assessable against the Queensland Development Code Part 4.4 – Buildings in a Transport Noise Corridor.

Part 6 Zones

6.1 Preliminary

- (1) Zones organise the planning scheme area in a way that facilitates the location of preferred or acceptable land uses.
- (2) Zones are mapped and included in Schedule 2.
- (3) The categories of development and assessment for development in a zone are in Part 5.
- (4) Assessment benchmarks for zones are contained in a zone code.
- (5) A precinct may be identified for part of a zone.
- (6) Precinct provisions are contained in the zone code.
- (7) Each zone code identifies the following:
 - (a) the purpose of the code;
 - (b) the overall outcomes that achieve the purpose of the code;
 - (c) the performance outcomes that achieve the overall outcomes and the purpose of the code:
 - (d) the acceptable outcomes that achieve the performance and overall outcomes and the purpose of the code;
 - (e) the performance and acceptable outcomes for the precinct.
- (8) The following are the zone codes for the planning scheme:
 - (a) Low density residential zone;
 - (b) Low-medium density residential zone;
 - (c) Medium density residential zone;
 - (d) Character residential zone;
 - (e) Tourist accommodation zone;
 - (f) Principal centre zone;
 - (g) Major centre zone;
 - (h) District centre zone;
 - (i) Local centre zone;
 - (j) Neighbourhood centre zone;
 - (k) Specialised centre zone:
 - (I) Recreation and open space zone;
 - (m) Environmental management zone;
 - (n) Conservation zone;
 - (o) Low impact industry zone;
 - (p) Medium impact industry zone;
 - (q) Waterfront and marine industry zone;
 - (r) Mixed use zone;
 - (s) Community facilities zone;
 - (t) Emerging community zone;
 - (u) Rural zone.

6.2 Zone codes

6.2.1 Low density residential zone code

6.2.1.1 Application

This code applies to development:

- (1) within the low density residential zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the low density residential zone code by the tables of assessment in part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.1.2 Purpose

- (1) The purpose of the low density residential zone code is to provide for residential areas with a high level of amenity and characterised by dwelling houses on a range of lot sizes which achieve a general sense of openness and low density streetscapes.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - the low density residential zone consists predominantly of dwelling houses with some dual occupancies (other than in the LDR1 large lot, LDR2 park residential and LDR4 Kinross Road precincts within this zone);
 - (b) development maintains a low density streetscape character;
 - (c) where not within a particular precinct, lot sizes are not reduced below 400m²,unless the resultant lots are consistent with the density and character of the surrounding established neighbourhood;
 - (d) where not within a particular precinct, the density of dual occupancy development is not to exceed one dwelling per 400m² of site area, unless the resultant development is consistent with the density and character of the surrounding established neighbourhood;
 - uses which provide a community service function, such as a community use may be established where they are small scale, do not significantly detract from residential amenity, do not compromise the role of any centre and are located on a collector or higher order road;
 - (f) shops, offices and food and drink outlets are not established;
 - (g) buildings are of a house-like scale;
 - (h) Home-based businesses are undertaken where they do not detract from the residential amenity of the area; and
 - (i) development creates a safe, comfortable and convenient pedestrian environment within and external to the site, and facilitates a high level of accessibility and permeability for pedestrians and cyclists.

- (3) The purpose of the zone will also be achieved through the following additional overall outcomes for particular precincts:
 - (a) Precinct LDR1: large lot residential:
 - (i) the precinct retains a very low density residential character;
 - (ii) retention of habitat within the precinct is maximised;
 - (iii) housing forms are limited to dwelling houses; and
 - (iv) lot sizes are not reduced below 2,000m², unless the resultant lots are consistent with the density and character of the surrounding established neighbourhood.




Figure 6.2.1.2.1—Precinct LDR1: large lot residential

- (b) Precinct LDR2: park residential:
 - the precinct retains a semi-rural, bushland character, providing a transition between urban and rural land uses;
 - (ii) retention of habitat within the precinct is maximised;
 - (iii)
 - housing forms are limited to dwelling houses, and lot sizes are not reduced below 6,000m², unless the resultant lots are (iv) consistent with the density and character of the surrounding established neighbourhood;.




Figure 6.2.1.2.2—Precinct LDR2: park residential

- (c) Precinct LDR3: Point Lookout residential:
 - (i) development minimises disturbance of the natural ground form and vegetation;
 - (ii) an open, low density residential environment is maintained; and
 - (iii) architectural styles and elements prevent buildings from dominating the natural landscape and the surrounding streetscape and reduce the visual impact of the built form.




Figure 6.2.1.2.3—Precinct LDR3: Point Lookout residential

- (d) Precinct LDR4: Kinross Road:
 - (i) the precinct retains a very low density residential character;
 - (ii) retention of habitat within the precinct is maximised;
 - (iii) development assists in the safe movement of koalas;

Editor's note—Applicants should be aware that the provisions of the *Planning Regulation 2017*, Schedules 10 (part 10) and 11 also apply to development in this area.

- (iv) housing forms are limited to dwelling houses;
- (v) lot sizes are not reduced below 1,600m², unless the resultant lots are consistent with the density and character of the surrounding established neighbourhood;
- (vi) transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles:
- (vii) development on land fronting Boundary Road is designed to:
 - (A) rely on access from the internal street network with no access from Boundary Road;
 - (B) provide convenient pedestrian access from internal streets to Boundary Road; and
 - (C) facilitate landscaping and acoustic treatment of Boundary Road.




Figure 6.2.1.2.4—Precinct LDR4: Kinross Road

- (e) Precinct LDR5: Canal and Lakeside Estates:
 - (i) Development is setback from revetment walls to maintain structural integrity, enable unrestricted access for maintenance and reduce any impacts associated with the construction, maintenance, structural deterioration or failure of revetment walls;
 - (ii) View lines and vistas of waterways and canals are maintained for neighbouring properties; and
 - (iii) Design does not detract from the amenity or character of the area and is complementary to the built form, waterway or landscape setting of the location.




Figure 6.2.1.2.5 – Precinct LDR5: Canal and Lakeside Estates

6.2.1.3 Low density residential zone code – Specific benchmarks for assessment

Table 6.2.1.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|--|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Dual occupancies | | |
| PO1 | AO1.1 | |
| Housing in the precinct LDR1 large lot or precinct LDR2 park residential or precinct LDR4 Kinross Road is limited to dwelling houses. | Dual occupancies are not established in precinct LDR1 large lot or precinct LDR2 park residential or precinct LDR4 Kinross Road. | |
| PO2 | AO2.1 | |
| In all other areas, dual occupancies occur on lots greater than or equal to 800m² in area, | Density does not exceed one dwelling per 400m² of site area. | |
| unless in a form that is consistent with the low density, open and low-rise character of | AO2.2 | |
| the locality. | The site has a minimum frontage of 20m. | |
| PO3 | AO3.1 | |
| To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to | A Dual occupancy complies with all of the Acceptable Solutions specified in the Queensland Development Code part MP1.3. | |
| facilitate off street parking. | Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. | |
| | Note — References to the Queensland Development Code MP1.3 for the purposes of this AO are to be applied as if these provisions applied to a Dual occupancy. | |
| | Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. | |
| | Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. | |
| Dwelling houses | | |
| Editor's note—The following acceptable outcomes are altered Development Code. | ernative provisions for the purposes of the Queensland | |
| PO4 | AO4.1 | |
| Development in precinct LDR2 park residential maintains the amenity of adjoining premises by ensuring substantial separation between dwelling houses on adjoining land, and between dwelling houses and the street frontage. | In precinct LDR2 park residential, dwelling houses (including outbuildings) are set back 10m from a road frontage and 10m from a side or rear boundary. | |
| PO5 | AO5.1 | |
| Development in precinct LDR4 Kinross Road maintains the amenity of any adjoining premises which have a frontage to or gains access from Milner Place by ensuring | In precinct LDR4 Kinross Road, dwelling houses (including outbuildings) are set back 5m from lot boundaries shared with existing lots accessed from Milner Place. | |

| Performance outcomes | Acceptable outcomes |
|---|---------------------|
| substantial separation to existing dwellings within the precinct. | |

Dwelling houses in precincts LDR1: Large lot precinct and LDR2: Park residential precinct

Editor's note—A number of the following acceptable outcomes are alternative provisions for the purposes of the Queensland Development Code.

PO6

Buildings have a limited site cover in order to maintain an open, low density character

AO6.1

Site cover does not exceed 30% of site area.

Dual occupancies and dwelling houses in precinct LDR5: Canal and lakeside estates

PO7

Development is set back from a property boundary adjoining a revetment wall to:

- (1) Reduce the risk to new structures from the construction, maintenance, structural deterioration or failure of revetment walls:
- (2) Maintain the structural stability of revetment walls.

Note — All structural elements of a building or structure (e.g. retaining walls and pools), including footings, structural steel and reinforced concrete portions, must comply with the Building Code Of Australia (BCA). The BCA is a uniform set of technical provisions for the design and construction of buildings and structures throughout Australia. The BCA is produced and maintained by the Australian Building Codes Board (ABCB), and given legal effect in Queensland under the *Building Act* 1975.

The BCA requires all buildings and structures to be structurally sound. Where an engineering design is necessary, a building certifier will generally require the building or structure to be certified by a Registered Professional Engineer who is registered to practice in Queensland to confirm that these elements meet minimum structural standards and comply with any relevant Australian Standards.

A07.1

Development is set back 9m from the property boundary adjoining a revetment wall.

Editor's note – This acceptable outcome is not an alternative provision for the purposes of the Queensland Development Code. Where building work for a dwelling house/dual occupancy does not meet the acceptable solution, a code assessable Building Works Assessable Against the Planning Scheme application will be triggered.

Editor's note—Applicants should be aware that structures near a canal or revetment wall must maintain the structural integrity of the wall, in accordance with the Building Code of Australia. Any construction closer than 9m would need to be supported by the correct building structural design certificates which prove that any works within this distance will not cause any movement or damage to the existing revetment wall or bank which may have a limited capacity to withstand additional loadings. These matters are to be addressed in any application for building works.

Editor's note - Council has assessed that development that:

- a) is placed at, or greater than, 9.0m from the top of the revetment wall; or
- b) does not place more than 2.0kPa net positive load on the revetment wall;
- is unlikely to cause damage or collapse to the revetment wall.

PO8

Development is set back from property boundaries to provide unimpeded access to allow for the maintenance of revetment walls.

AO8.1

Development is setback a minimum of 2m from the property boundary adjoining a revetment wall, to allow for maintenance of the revetment wall to be undertaken from the land.

AO8.2

Development provides a minimum 1m side access along the full length of one side of the property to provide a clear path between the road frontage and the revetment wall to allow for access for maintenance of the revetment wall.

Performance outcomes Editor's note – The above acceptable outcomes (AO8.1 and AO8.2) are not alternative provisions for the purposes of the Queensland Development Code. Where building work for a dwelling house/dual occupancy does not meet the acceptable outcome, a code assessable Building Works Assessable Against the Planning Scheme application will be triggered. Editor's note – PO8 and AO8.1 and AO8.2 and the dimensions included are applicable for the purposes of access for maintenance of revetment walls. They do not override PO7/ AO7.1 or PO9/AO9.1 and the dimensions included in these outcomes, which are applicable for revetment wall structural integrity/amenity purposes.

PO9

Development maintains the amenity of adjoining premises and the local area by ensuring that no development (including domestic outbuildings and other roofed structures, but excluding in-ground swimming pools) is established closer to the canal/lake than existing dwellings on adjoining sites.

Note – for PO9, 'dwelling' is taken to include structures which are attached to the dwelling, but not detached structures on the same lot.

AO9.1

Development (including domestic outbuildings and other roofed structures, but excluding in-ground swimming pools) is setback a minimum of 9m from the property boundary adjoining a canal or lake.

Editor's note – This acceptable outcome is an alternative provision for the purposes of the Queensland Development Code. Building works for a dwelling house/dual occupancy not complying with this acceptable outcome will require a concurrence agency referral to Council under schedule 9 of the Regulation.

Editor's note – the following figures (6.2.1.2.6, 6.2.1.2.7 and 6.2.1.2.8) are provided to assist with interpretation of PO9.

Editor's note - Where a dwelling has been demolished and a site is vacant, the past dwelling footprint is to be used to determine the extent of development under PO9.




Figure 6.2.1.2.6 - To achieve compliance with PO9, dwellings represented by blue rectangles may develop closer to the canal/lake, up to the red line. For dwellings represented by orange rectangles, development closer to the canal/lake would not comply with PO9. The centre of a site is used to delineate the location on the site where the red line changes to reflect the setback of the adjoining dwelling.

Performance outcomes

Acceptable outcomes



Figure 6.2.1.2.7 - To achieve compliance with PO9, dwellings may develop closer to the canal/lake, up to the red line. The centre of a site is used to delineate the location on the site where the red line changes to reflect the setback of the adjoining dwelling.




Figure 6.2.1.2.8 – Interpretation of PO9 following subdivision of a site. Subdivision and subsequent dwelling construction does not impact on the red line location.

Dual occupancies and dwelling houses in precinct LDR3 Point Lookout residential

Editor's note—A number of the following acceptable outcomes are alternative provisions for the purposes of the Queensland Development Code.

PO10

Development minimises the extent of earthworks.

AO10.1

Excavation and fill is limited to:

- (1) maximum cut of 1.2m below ground level; and
- (2) maximum fill of 1.2m above ground level.

AO10.2

Retaining walls have a maximum height of 600mm at the street frontage.

AO10.3

Benched areas for driveways and landscape areas do not exceed 25m².

Editor's note – The above acceptable outcomes (AO10.1, 10.2 and 10.3) are not alternative provisions for the purposes of the Queensland Development Code. Where building work for a dwelling house does not meet the acceptable solution/s, a code assessable Building Works Assessable Against the Planning Scheme application will be triggered.

PO11

Buildings have a limited site cover in order to maintain an open, low density character.

AO11.1

Site cover does not exceed 30% of site area.

Editor's note – This acceptable outcome is an alternative provision for the purposes of the Queensland Development Code. Building works for a dwelling house not complying with this acceptable outcome will require a concurrence agency referral to Council under schedule 9 of the Regulation.

PO12

Development takes the form of a series of small scale building components which reduce the overall bulk and obtrusiveness of buildings.

AO12.1

The size of any single detached building component does not exceed:

- (1) 150m² when the building height is not more than 4.5m above ground level; or
- (2) 140m² when the building height is over 4.5m above ground level.

Editor's note – This acceptable outcome is an alternative provision for the purposes of the Queensland Development Code. Building works for a dwelling house not complying with this acceptable outcome will require a concurrence agency referral to Council under schedule 9 of the Regulation.

AO12.2

Each detached building component is separated by 4m to the outermost projection of any other detached building on the site.

Figure 6.2.1.3.1 illustrates.




Figure 6.2.1.3.1—Detached building components

Editor's note – This acceptable outcome is not an alternative provision for the purposes of the Queensland Development Code. Where building work for a dwelling house does not meet the acceptable solution, a code assessable Building Works Assessable Against the Planning Scheme application will be triggered.

PO13

The height of a building does not unduly:

- (1) overshadow adjoining houses; and
- (2) obstruct the outlook from adjoining lots.

AO13.1

For slopes up to 15%, building height is 8.5m, except for roofs or pergolas covering decks. These may extend to 10m above ground level, providing:

- (1) they cover an area of no more than $10m^2$:
- (2) there is only one such covered areas on each detached building component on the site; and
- (3) the covered area is not enclosed by walls.

Editor's note—This provision establishes an alternative solution to the Queensland Development Code for buildings on slopes <15%. For buildings on slopes >15%, the acceptable solution under the Queensland Development Code applies.

PO14

Buildings are stepped to mirror the slope of the land and do not result in buildings established substantially above ground level.

AO14.1

Floor level (including decks and verandahs) does not exceed a height of:

- (1) 3m above ground level for the first level of the building; and
- (2) 5.1m above ground level for the uppermost level of the building.

Figure 6.2.1.3.2 illustrates.




Figure 6.2.1.3.2—Floor levels and building height

Editor's note – This acceptable outcome is not an alternative provisions for the purposes of the Queensland Development Code. Where building work for a dwelling house does not meet the acceptable solution, a code assessable Building Works Assessable Against the Planning Scheme application will be triggered.


PO15

Fences do not dominate the street frontage.

AO15.1

Fences:

- are not established beyond the front building line;
- (2) have a maximum height of 1.5m; and
- (3) are of open timber construction.



order road:

(2)

are for a community service function;

are located on a collector or higher

- do not unduly detract from residential amenity;
- (4) are of a small scale; and
- (5) do not impact on the function of any nearby centre.

Reconfiguration other than in the LDR1, LDR2 or LDR4 precinct

PO19

Reconfiguration maintains the low density character of the street. Lots less than 400m² are not created.

AO19.1

Reconfiguration achieves a minimum lot size of $400m^2$.

Reconfiguration in precinct LDR1 large lot and precinct LDR2 park residential

PO20

Reconfiguration maintains the low density large lot, semi-rural or bushland character of precinct LDR1 large lot or precinct LDR2 park residential and avoids further fragmentation of land. Lots less than 2,000m² in precinct LDR1 large lot and 6,000m² in precinct LDR2 park residential and not created.

In precinct LDR2 park residential, a transition in density is retained between urban residential and rural parts of the Redlands.

AO20.1

Reconfiguration achieves a minimum lot size of 2,000m² in precinct LDR1 large lot.

AO20.2

Reconfiguration achieves a minimum lot size of 6,000m² in precinct LDR2 park residential.

Precinct LDR4 Kinross Road

PO21

Reconfiguration maintains the low density large lot character of precinct LDR4 Kinross Road. Lots less than 1,600m² are not created.

AO21.1

Reconfiguration achieves a minimum lot size of 1,600m² in precinct LDR4 Kinross Road and a minimum frontage of 30m.

PO22

A vegetated buffer is established to provide screening to any adjoining premises which have a frontage to or gains access from Milner Place.

AO22.1

A 3m wide densely planted landscaped strip is provided along lot boundaries shared with existing lots accessed from Milner Place.

PO23

Development does not create any additional vehicular access points to Boundary Road. New lots are provided with access from internal roads.

AO23.1

No new access points from lots are provided to Boundary Road.

PO24

Development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.1.3.4 road movement network and 6.2.1.3.5 pedestrian, cycle, public transport and parks network.

AO24.1

Development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.1.3.4 road movement network and 6.2.1.3.5 pedestrian, cycle, public transport and parks network.

PO25

Development adjoining Boundary Road is set back by a sufficient distance to provide for acoustic treatments and substantial landscaping.

AO25.1

A 10m wide setback is provided along Boundary Road.

| | T |
|--|---------------------------------------|
| PO26 | No acceptable outcome is nominated. |
| Development adjoining Boundary Road attenuates noise to a level that achieves a high level of residential amenity. Any acoustic walls: | |
| (1) are screened by landscaping; and (2) incorporate breaks to allow for pedestrian and cyclist permeability. | |
| PO27 | No acceptable outcome is nominated. |
| Development adjoining Boundary Road provides landscaping to create a heavily vegetated, high visual quality environment. | |
| PO28 | No acceptable outcome is nominated. |
| Development is designed to provide safe koala movement opportunities and minimise impediments to a koala traversing the landscape. | |
| PO29 | No acceptable outcome is nominated. |
| To the extent practical, development minimises the amount of clearing and fragmentation of koala habitat. | |
| Built form (other than for dwelling houses) | |
| PO30 | No acceptable outcome is nominated. |
| Development occurs in a form that is: | |
| (1) of a house compatible scale and consistent with the open and low density character of the locality; and | |
| (2) allows for provision of substantial open space and landscaping on the site. | |
| PO31 | AO31.1 |
| Buildings are low rise and of a house-compatible scale. | Building height does not exceed 8.5m. |
| PO32 | No acceptable outcome is nominated. |
| Design elements contribute to an interesting and attractive streetscape and building through: | |
| (1) the provision of projections and recesses in the facade which reflect changes of internal functions of buildings, including circulation; | |
| (2) orientation of buildings to the street; (3) variations in material and building form; | |
| (4) modulation in the facade, horizontally or vertically; | |
| (5) articulation of building entrances and openings; and | |
| (6) corner treatments to address both street frontages. | |

| DOS | 2 | No constable suteems is remineted |
|--|---|---|
| PO33 Design elements promote a subtropical and climate responsive design character through: | | No acceptable outcome is nominated Editor's note—Applicants should have regard to Subtropical Design in South East Queensland A Handbook for Planners Developers and Decision Makers |
| (1) | the use of deep verandahs, decks and eaves; | (2010 Centre for Subtropical Design QUT). |
| (2) | minimising the extent of shadows on useable private open space or public spaces; and | |
| (3) | integration of buildings within landscape planting. | |
| PO34 | | No acceptable outcome is nominated. |
| Roof form assists in reducing the appearance of building bulk by: | | |
| (1) (2) | articulating individual buildings; and incorporating variety in design through use of roof pitch, height, gables and skillions. | |
| PO35 | | No acceptable outcome is nominated. |
| Development is designed to discourage crime and anti-social behaviour by: | | |
| (1) | maximising opportunities for casual surveillance of public places; pedestrian and cycle paths and car parking areas; | |
| (2) | ensuring spaces are well lit; minimising potential concealment and entrapment opportunities; and | |
| (4) | providing direct movements with clear unobscured sight lines. | |
| PO36 | | No acceptable outcome is nominated. |
| On elevated or steeply sloping sites: | | |
| (1) | development is sympathetic to the natural landform through the use of terraced or split level building forms; | |
| (2) | the understoreys of buildings are screened to maintain the quality of view when viewed from below; and | |
| (3) | buildings avoid highly reflective finishes. | |
| Amenity | | |
| PO3 | 7 | No acceptable outcome is nominated. |
| On-s | ite landscaping is provided to: | |
| (1) | enhance the appearance of the development; | |
| (2) | complement any native vegetation within the site; | |
| (3) | provide privacy between dwellings; and | |
| (4) | screen unsightly components. | |
| | | AO38.1 |
| Landscaping is provided along the full road frontage. | | A landscape area a minimum dimension of 1m is provided along the full frontage of any |

| | road (excluding cross over and pedestrian access). |
|--|---|
| PO39 Development minimises impacts on surrounding residential amenity and provides a high level of on-site amenity for occupants, having regard to noise, odour, vibration, air or light emissions. | No acceptable outcome is nominated. |
| PO40 Siting and design achieves a high level of amenity for occupants by minimising impacts from noise generating areas, such as streets, driveways, car parking areas, service areas, private and communal open space areas and mechanical equipment. | No acceptable outcome is nominated. |
| PO41 Waste disposal and servicing areas are not visible from public places and do not have adverse amenity impacts on adjoining properties. | No acceptable outcome is nominated. |
| PO42 The site layout responds to topography, natural values and development constraints, such that: (1) impacts on ecological corridors and native vegetation are minimised and mitigated; and (2) alteration to natural topography and drainage lines is minimised. | No acceptable outcome is nominated. Editor's note'—Applicants will also need to have regard to any relevant overlays applicable to the development site. |




Figure 6.2.1.3.4—Kinross Road: road movement network




Figure 6.2.1.3.5—Kinross Road: pedestrian, cycle, public transport and parks network

6.2.2 Low-medium density residential zone code

6.2.2.1 Application

This code applies to development:

- (1) within the low-medium density residential zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the low-medium density residential zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.2.2 Purpose

- (1) The purpose of the low-medium density residential zone code is to provide for residential areas with a high level of amenity, characterised by a mix of dwelling types including dwelling houses on a range of lot sizes, dual occupancies and smaller scale multiple dwellings.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the low-medium density residential zone consists of dwelling houses, dual occupancies and smaller scale multiple dwellings;
 - (b) retirement and residential care facilities and rooming accommodation may be established at a scale that is consistent with other intended housing in the zone;
 - (c) lot sizes are not reduced below 400m² and have a frontage width of no less than 10m, unless the resultant lots are consistent with the density and character of the surrounding established neighbourhood;
 - (d) uses which provide a community service function, such as a community use may be established where they are small scale, do not significantly detract from residential amenity, do not compromise the role of any centre and are located on a collector or higher order road;
 - (e) shops, offices and food and drink outlets are not established;
 - (f) buildings are low-rise and set back from property boundaries to maintain a consistent streetscape character, and protect the privacy and amenity of adjoining residences:
 - (g) reconfiguration establishes a range of lot sizes to increase housing diversity and affordability;
 - (h) Home-based businesses are undertaken where they do not detract from the residential amenity of the area;
 - (i) development incorporates architectural styles and elements that reduce the visual impact of the built form;
 - (j) wherever practical, development retains significant trees and avoids alteration to natural drainage lines; and
 - (k) development creates a safe, comfortable and convenient pedestrian environment within and external to the site, and facilitates a high level of accessibility and permeability for pedestrians and cyclists.

- (3) The purpose of the zone will also be achieved through the following additional overall outcomes for particular low-medium density residential precincts:
 - (a) Precinct LMDR1: South East Thornlands:
 - (i) urban development provides for a mix of affordable housing types;
 - (ii) transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles;
 - (iii) development does not compromise or constrain the potential for well designed future urban communities; and
 - (iv) development achieves a high standard of amenity by mitigating potential conflicts between new residential areas and existing dwelling houses on land zoned Low Density Residential Precinct LDR2.



Figure 6.2.2.2.1—Precinct LMDR1: South East Thornlands

- (b) Precinct LMDR2: Kinross Road:
 - (i) urban development provides for a mix of housing types and achieves a minimum net residential density of 15 dwellings per hectare;
 - transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles;
 - (iii) development on land fronting Panorama Drive is designed to:
 - rely on access from the internal street network with no access from Panorama Drive; and
 - (B) facilitate landscaping and acoustic treatment of Panorama Drive;
 - (iv) development maintains significant habitat linkages and assists in the safe movement of koalas;

Editor's note—Applicants should be aware that the provisions of the *Planning Regulation 2017*, Schedules 10 (part 10) and 11 also apply to development in this area.

 development does not compromise or constrain the potential for well designed future urban communities.




Figure 6.2.2.2.—Precinct LMDR2: Kinross Road

6.2.2.3 Low-medium density residential zone code – Specific benchmarks for assessment

Table 6.2.2.3.1—Benchmarks for assessable development

Performance outcomes Acceptable outcomes For development that is accepted subject to requirements and assessable development **Dual occupancies** PO1 AO1.1 A Dual occupancy complies with all of the To provide good residential design that Acceptable Solutions specified in the promotes the efficient use of a lot, an Queensland Development Code part MP1.3. acceptable amenity to residents, and to facilitate off street parking. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning Note — References to the Queensland Development Code MP1.3 for the purposes of this AO are to be applied as if these provisions applied to a Dual occupancy. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. For assessable development Editor's note - Council has developed a Multiple Dwelling Design Guide to assist applicants in achieving high standard design outcomes for multiple dwellings. For developments involving multiple dwellings, it is recommended that this document is used as a reference document to support the assessment benchmarks in this planning scheme. Non residential uses PO₂ No acceptable outcome is nominated. Non-residential uses, only occur where they: are for a community service function; (2) are located on a major road or are integrated with residential activities as part of a mixed use development; (3)do not unduly detract from residential amenity; are small scale; and do not impact on the function of any (5)nearby centre. Residential development – communal and private open space PO₃ AO3.1 Developments involving more than 20 Where development involves more than 20 dwellings provide sufficient communal open dwellings, a minimum of 10% of the site area or a minimum area of 50m² (whichever is the space to: greater) is provided as communal open create useable, flexible spaces (1) space at ground level, with a minimum suitable for a range of activities: and

dimension of 5m.

AO4.1

(2)

PO4

provide facilities including seating,

landscaping and shade.

Performance outcomes Acceptable outcomes For a ground floor dwelling, ground floor Development provides private open space that is: private open space is provided with: useable in size and shape to meet the (1) a minimum area of 16m² if a dwelling in needs of a diversity of potential a residential care facility; or residents: (2)a minimum area of 25m² for all other functional and easily accessible from (2) dwellings; living or common areas to promotes outdoor living as an extension of the with a minimum dimension of 4m and clear of dwelling; any utilities such as gas, water tanks or airclearly identified as private open (3) conditioning units. space; and AO4.2 (4) provides a high level of privacy for residents and neighbours. For dwellings above ground level, private balconies are provided with a minimum area of: (1) 10m² if a dwelling in a residential care facility; or For all other dwellings: (2) (a) $10m^2$ for a 1 bedroom unit; and (b) 16m² for a two or more bedroom unit: with a minimum dimension of 3m and clear of any air conditioning unit or drying space. Where clothes drying areas are provided on private balconies they are screened from public view and do not take up more than 10% of the balcony area. **Built form PO5** AO5.1 Development occurs on lots which provide The site has a minimum frontage of 20m. sufficient space for buildings to be oriented to the street. **PO6** AO6.1 Site cover: Site cover does not exceed 50%. ensures development occurs at a house compatible scale and in a form that is consistent with the low-intensity character of the locality; and allows for provision of substantive (2) open space and landscaping on the **PO7** AO7.1 Buildings are low rise and of a house Building height does not exceed 8.5m compatible scale. **PO8** AO8.1 Buildings are set back 6m from street Building setbacks: frontages. create an attractive, consistent and cohesive streetscape; AO8.2 At the side boundary:

| Performance outcomes | | Accentable outcomes |
|----------------------|---|--|
| | | Acceptable outcomes |
| (2) | maintain appropriate levels of light and solar penetration, air circulation, privacy and amenity for existing and future buildings; do not prejudice the development or | (1) a built to boundary wall does not exceed 4.5m in height and 9m in length along any one boundary; and (2) otherwise, buildings are set back a minimum of: |
| (4) | amenity of adjoining sites; assist in retaining native vegetation and allow for the introduction of landscaping to complement building massing and to screen buildings; | (a) 1.5m for a wall up to 4.5m high; (b) 2m for a wall up to 7.5m high; and (c) 2.5m plus 0.5m for every 3m or part thereof by which the |
| (5) | provide useable open space for the occupants; and | building exceeds 7.5m. Note—Where a multiple dwelling in the form of attached |
| (6) | provide space for service functions including car parking and clothes drying. | or terrace houses is proposed, side setbacks would apply only to boundaries shared with adjoining sites and not to "internal" lot boundaries within the development site. |
| | | AO8.3 |
| | | The rear boundary setback is a minimum of 4m. |
| PO9 | | No acceptable outcome is nominated. |
| | gn elements contribute to an interesting attractive streetscape and building agh: | |
| (1) | the provision of projections and recesses in the facade which reflect changes of internal functions of buildings, including circulation; | |
| (2) (3) | orientation of buildings to the street; variations in material and building form: | |
| (4) | modulation in the facade, horizontally or vertically; | |
| (5) | articulation of building entrances and openings; and | |
| (6) | corner treatments to address both street frontages. | |
| PO1 | 0 | No acceptable outcome is nominated |
| clima | gn elements promote a subtropical and treesponsive design character through: | Editor's note—Applicants should have regard to Subtropical Design in South East Queensland A Handbook for Planners Developers and Decision Makers |
| (1) | the use of deep verandahs, decks and eaves; and integration of buildings within | (2010 Centre for Subtropical Design QUT). |
| | landscape planting. | |
| PO1 | | No acceptable outcome is nominated. |
| of bu | form assists in reducing the appearance ilding bulk by: | |
| (1) (2) | articulating individual buildings; incorporating variety in design through use of roof pitch, height, gables and | |
| (3) | skillions; and screening plant and equipment, such as vents, air conditioners or solar energy and storm water collectors. | |

Performance outcomes

PO12

Parking facilities are located so that they do not dominate the streetscape or the building form when viewed from the street.

AO12.1

Vehicle parking structures are located behind the front building alignment or at basement level.

PO13

Development is designed to create an attractive streetscape and discourage crime and anti-social behaviour by:

- maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas;
- (2) ensuring spaces are well lit;
- (3) minimising potential concealment and entrapment opportunities; and
- (4) providing direct movements with clear unobscured sight lines.

AO13.1

Buildings are designed to have balconies, windows and building openings overlooking streets and other public spaces.

Figure 6.2.2.3.1 illustrates.

Acceptable outcomes




Figure 6.2.2.3.1—Overlooking

AO13.2

Fences or walls along a street frontage or public space have a maximum height of:

- (1) 1.2m where solid; or
- 1.8m where that portion of the fence above 1.2m high is at least 50% transparent.

Figures 6.2.2.3.2 and 6.2.2.3.3 illustrate.





Figure 6.2.2.3.2—Fencing (1)



| Performance outcomes | | Acceptable outcomes | |
|--|---|--|--|
| | | Figure 6.2.2.3.3—Fencing (2) | |
| PO1 On 6 (1) (2) | delevated or steeply sloping sites: development is sympathetic to the natural landform through the use of terraced or split level building forms; the understoreys of buildings are screened to maintain the quality of view when viewed from below; and buildings avoid highly reflective finishes. | No acceptable outcome is nominated. | |
| Ame | enity | | |
| PO15 Privacy between dwelling units on the site and adjoining sites is achieved by effective building design and the location of windows and outdoor open spaces to prevent overlooking into habitable rooms or private open space areas or through the use of screening devices. Where screening devices are used, they are integrated with the building design. | | AO15.1 Where habitable room windows are directly adjacent to habitable rooms of adjoining dwellings and are within a distance of 9m and within an angle of 45 degrees, privacy is protected by: (1) sill heights being a minimum of 1.5m above floor level; or (2) providing fixed translucent screens, such as frosted or textured glazing, for any part of the window below 1.5m above floor level; or (3) providing fixed external screens. AO15.2 Where incorporating screening devices, they are: (1) solid translucent screens or perforated panels or trellises that have a maximum of 25 % openings, with a maximum opening dimension of 50mm and that are permanently fixed and durable; and (2) offset a minimum of 300mm from the wall of the building. | |
| PO1 On-s (1) (2) (3) | enhance the appearance of the development; complement any native vegetation within the site; create green roofs, walls or other | No acceptable outcome is nominated. | |
| (4) (5) | sustainable building elements; provide privacy between dwellings; and screen unsightly components. | | |
| PO17 Landscaping is provided along the full road frontage. | | AO17.1 A 2m wide landscaped area which is capable of deep planting to sustain mature trees, is provided along the length of any public road frontage. | |

| Performance outcomes | Acceptable outcomes | |
|--|---|--|
| PO18 Development minimises impacts on surrounding residential amenity and provides a high level of on-site amenity for occupants, having regard to noise, odour, vibration, air or light emissions. | No acceptable outcome is nominated. | |
| PO19 | No acceptable outcome is nominated. | |
| Siting and design achieves a high level of amenity for occupants by minimising impacts from noise generating areas, such as streets, driveways, car parking areas, service areas, private and communal open space areas and mechanical equipment. | | |
| PO20 | AO20.1 | |
| Development minimises the extent of shadows on useable private open space or public spaces, and provides adequate | Solar access to habitable rooms and private open space of dwellings: | |
| sunlight to habitable rooms on the site and adjoining land. | (1) is not less than 3 hours between 9am and 3pm on June 21; or (2) where existing overshadowing by building and fences is greater than this, sunlight is not further reduced by 20%. | |
| PO21 | No acceptable outcome is nominated. | |
| Waste disposal and servicing areas are not visible from public places and do not have adverse amenity impacts on adjoining properties. | | |
| PO22 | No acceptable outcome is nominated. | |
| The site layout responds to topography, natural values and development constraints, such that: | Editor's note—Applicants will also need to have regard to any relevant overlays applicable to the development site. | |
| impacts on ecological corridors and native vegetation are minimised and mitigated; and alteration to natural topography and drainage lines is minimised. | | |
| Reconfiguration | | |
| PO23 | AO23.1 | |
| Lots less than 400m ² and with a frontage width less than 10m are not created. | Reconfiguration achieves a minimum lot size of 400m² and a minimum frontage width of 10m. | |
| Precinct LMDR1: South East Thornlands | | |
| PO24 | AO24.1 | |
| Development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.2.3.4 road movement network and 6.2.2.3.5 pedestrian, cycle and public transport network. | Roads, intersections, paths and public transport stops and associated treatments are established in accordance with Figures 6.2.2.3.4 road movement network and 6.2.2.3.5 pedestrian, cycle and public transport network. | |
| PO25 | AO25.1 | |

| Performance outcomes | Acceptable outcomes |
|--|--|
| Where development involves or adjoins nominated boulevard roads, the road design: (1) creates a grand avenue character, being 50m wide for the central boulevard and 25m wide for the southern boulevard; (2) incorporates very wide landscaped medians that are of a sufficient width to support fauna movement; and (3) wide shoulders and verges which accommodate separated pedestrian and cyclist paths and dense landscaping. | Total width of the boulevard is: (1) central boulevard - 50m; and (2) southern boulevard - 25m. |
| PO26 | AO26.1 |
| Development is set back from Cleveland Redland Bay Road and Boundary Road by a distance sufficient to accommodate substantial landscaping to retain a heavily vegetated character. | In addition to any widening of the road reserve required by the Queensland Government, development provides a 15m wide strip either side of Cleveland Redland Bay Road and Boundary Road which is densely vegetated by trees and shrubs. |
| PO27 | No acceptable outcome is nominated. |
| Development adjoining Cleveland Redland Bay Road and Boundary Road attenuates noise to a level that achieves a high level of residential amenity. Any acoustic walls: | |
| (1) are screened by landscaping; and(2) incorporate breaks to allow for pedestrian and cyclist permeability. | |
| PO28 | No acceptable outcome is nominated. |
| Development facilitates: | |
| a logical pattern of development; efficient use of land and infrastructure; a mix of affordable housing types; access to community infrastructure and public transport services at an early stage of development; and land for community uses and public services, including open space, education, health, social and emergency services where appropriate. | |
| PO29 | No acceptable outcome is nominated. |
| Development provides for separation and buffering from nearby activities, including primary production, poultry farms and other rural industries, such that amenity and reverse amenity impacts are avoided. | |
| PO30 | No acceptable outcome is nominated. |
| Dual occupancies and multiple dwellings are not established on lots that directly adjoin land within the Low Density Residential Precinct LDR2. | |

| Performance outcomes | Acceptable outcomes |
|--|---|
| PO31 Lots that directly adjoin land within the Low Density Residential Precinct LDR2 achieve a minimum site area of 1200m² and a minimum frontage width of 25m. | No acceptable outcome is nominated. |
| Precinct LMDR2: Kinross Road | |
| PO32 Development does not create any additional vehicular access points to Panorama Drive. New lots are provided with access from internal roads. | AO32.1 No new access points from lots are provided to Panorama Drive. |
| PO33 | AO33.1 |
| Development does not create any additional vehicular access points to Kinross Road for a distance of 835m from the intersection of Kinross Road and Boundary Road. New lots are provided with access from internal roads. | No new access points from lots are provided to Kinross Road for a distance of 835m from the intersection of Kinross Road and Boundary Road. |
| PO34 | AO34.1 |
| Development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.2.3.6 road movement network and 6.2.2.3.7 pedestrian, cycle, public transport and parks network. | Roads, road closures, intersections, paths, fauna crossings, public transport stops and associated treatments are established in accordance with Figures 6.2.2.3.6 road movement network and 6.2.2.3.7 pedestrian. cycle, public transport and parks network. |
| PO35 | No acceptable outcome is nominated. |
| Development adjoining Panorama Drive is set back by a sufficient distance to provide for acoustic treatments and substantial landscaping. | |
| PO36 | No acceptable outcome is nominated. |
| Development adjoining Panorama Drive attenuates noise to a level that achieves a high level of residential amenity. Any acoustic walls: (1) are screened by landscaping; and (2) incorporate breaks to allow for pedestrian and cyclist permeability, | |
| PO37 | No acceptable outcome is nominated. |
| Development adjoining Panorama Drive provides landscaping to create a heavily vegetated, high visual quality environment. | • |
| PO38 | AO38.1 |
| Kinross Road extending from the intersection at Boundary Road to Goddard Road is designed to operate safely and efficiently and create a grand avenue character. | Kinross Road is designed as a boulevard style trunk collector having a reserve width of 32m, including: (1) a 6.5m landscaped verge on both sides of the road incorporating native canopy shade trees, utility services and shared pedestrian/bicycle concrete pathways; |

| Perf | Performance outcomes | | otable outcomes |
|--|---|--------|--|
| | | _ | a 1.5m on-road cycle lane on both sides of the road using differently textured materials; one vehicular lane and breakdown lane, minimum dimension of 5m on both sides of the road; and a 6m central median incorporating native canopy trees and water sensitive urban design features. |
| PO3 | 9 | AO39 | 1 |
| The nominated trunk collector / boulevard providing access to Panorama Drive is designed to operate safely and efficiently and create a grand avenue character. | | The ro | pad is designed as a boulevard style collector, having: a minimum road width of 20m; no direct vehicular access from new uses and lots adjoining the trunk collector; and a left in, right in and left out only intersection to Panorama Drive. |
| PO4 | 0 | No ac | ceptable outcome is nominated. |
| espla spac (1) | re development involves nominated anade roads treatments adjoining open e, the road design: creates a low speed environment; | | |
| (2) (3) (4) | facilitates safe, shared use for vehicles, pedestrians and cyclists; incorporates grassed swales instead of kerb and channel adjacent to the open space; and minimises disturbance to vegetation. | | |
| PO4 | 1 | No ac | ceptable outcome is nominated. |
| To encourage funnelling of fauna to the fauna crossing at Kinross Road, fauna exclusion fencing is provided to lots and roads adjoining the east west open space corridor on the western side of Kinross Road (in the Low medium density residential zoned parts of 68-70 Kinross Road - land no. 130759, lot 2 RP156850, and 64-66 Kinross Road - land no. 130879, lot 15 RP73640). | | | |
| PO4 | 2 | No ac | ceptable outcome is nominated. |
| Deve | Development facilitates: | | |
| (1) (2) | a logical pattern of development; minimal requirement for earthworks and retaining walls; | | |
| (3) (4) (5) | efficient use of land and infrastructure; a mix of affordable housing types; net residential densities are not less than 15 dwellings per hectare; | | |
| (6) | access to community infrastructure and public transport services at an early stage of development; and | | |
| (7) | land for community uses and public services, including open space, education, health, social and | | |

| Performance outcomes | Acceptable outcomes |
|--|-------------------------------------|
| emergency services where appropriate. | |
| PO43 | No acceptable outcome is nominated. |
| Development provides for separation and buffering from nearby activities, including primary production, poultry farms and other rural industries, such that amenity and reverse amenity impacts are avoided. | |
| PO44 | No acceptable outcome is nominated. |
| Development is designed to provide safe koala movement opportunities and minimise impediments to a koala traversing the landscape. | |
| PO45 | No acceptable outcome is nominated. |
| To the extent practical, development minimises the amount of clearing and fragmentation of koala habitat. | |





Figure 6.2.2.3.4—South East Thornlands: road movement network



South East Thornlands - Pedestrian, Cycle and Public Transport Network

- Primary Pedestrian Cycle Link
- Secondary Pedestrian
 Cycle Link
- Shared Pedestrian Cycle Bridge
- Controlled Pedestrian/Cycle Crossing Points
- Existing Bus Priority and Line Haul Routes
- Bus Station
- Existing Bus Stops
- Potential Bus Route
- Potential Bus Stop

Figure 6.2.2.3.5—South East Thornlands: pedestrian, cycle and public transport network




Figure 6.2.2.3.6—Kinross Road: road movement network




Figure 6.2.2.3.7—Kinross Road: pedestrian, cycle, public transport and parks network

6.2.3 Medium density residential zone code

6.2.3.1 Application

This code applies to development:

- (1) within the medium density residential zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the medium density residential zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.3.2 Purpose

- (1) The purpose of the medium density residential zone code is to provide for medium density living in areas that are close to public transport or centres, and characterised by a mix of dwelling types including dwelling houses on a range of lot sizes, dual occupancies and multiple dwellings.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - the medium density residential zone consists predominantly of townhouses and apartments. Short term accommodation, retirement and residential care facilities may also be established;
 - (b) housing provides a range of dwelling sizes;
 - (c) non-residential uses which provide a community service function or a local service such as a café, may be established where they are small scale, primarily serve the needs of the immediate locality, do not significantly detract from residential amenity, do not compromise the role of any centre and are provided as part of a mixed use development with residential, retirement or tourist accommodation;
 - (d) lot sizes are not reduced below 800m², unless the resultant lots are consistent with the density and character of the surrounding established neighbourhood;
 - (e) Home-based businesses are undertaken where they do not detract from the residential amenity of the area:
 - (f) development is generally two to three storeys in height, unless otherwise intended in a particular precinct;
 - (g) buildings are set back from property boundaries to maintain a consistent streetscape character, and protect the privacy and amenity of adjoining residences;
 - (h) development incorporates architectural styles and elements that reduce the visual impact of the built form;
 - (i) small sites are amalgamated into larger sites to facilitate better and more efficient building design results;
 - (j) wherever practical, development retains significant trees and avoids alteration to natural drainage lines; and
 - (k) development creates a safe, comfortable and convenient pedestrian environment within and external to the site, and facilitates a high level of accessibility and permeability for pedestrians and cyclists.

- (3) The purpose of the zone will also be achieved through the following additional overall outcomes for particular medium density residential precincts:
 - (a) Precinct MDR1: parkland living, Capalaba:
 - (i) buildings are orientated towards Capalaba Regional Park and encourage surveillance, access and views towards the park;
 - (ii) building height reinforces the role and vibrancy of Capalaba as a principal centre:
 - (iii) paths and landscape elements connect to the east-west pedestrian spine through Capalaba principal centre through to Capalaba Regional Park;
 - (iv) development reinforces a low speed traffic environment within the precinct and extensive on-street car parking.




Figure 6.2.3.2.1—Precinct MDR1: parkland living, Capalaba

- (b) Precinct MDR2: Mount Cotton Road, Capalaba:
 - (i) building height provides a transition in height between the principal centre and the surrounding residential environment, to minimise potential impacts of overshadowing and loss of privacy on adjoining sites.




Figure 6.2.3.2.2—Precinct MDR2: Mount Cotton Road, Capalaba

- (c) Precinct MDR3: Shore Street East, Cleveland:
 - a slightly higher built form creates a focal point between Cleveland principal centre and Toondah Harbour; and
 - (ii) new development consolidates underutilised sites.



Figure 6.2.3.2.3—Precinct MDR3: Shore Street East, Cleveland

- (d) Precinct MDR4: Cleveland:
 - (i) development assists in providing connections between Cleveland principal centre and the surrounding area;
 - (ii) building height reinforces the role and vibrancy of Cleveland as a principal centre and the connection between the centre and Toondah Harbour; and
 - (iii) new development consolidates underutilised sites.




Figure 6.2.3.2.4—Precinct MDR4: Cleveland

- (e) Precinct MDR5: Esplanade, Redland Bay:
 - (i) development provides for a slightly higher built form which optimises the amenity provided by the bay-side location.



Figure 6.2.3.2.5—Precinct MDR5: Esplanade, Redland Bay

- (f) Precinct MDR6: South East Thornlands:
 - (i) urban development provides for a mix of affordable housing types;
 - (ii) transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles; and
 - (iii) interim development does not compromise or constrain the potential for well designed future urban communities.




Figure 6.2.3.2.6—Precinct MDR6: South East Thornlands

- (g) Precinct MDR7: Eprapah Creek, South East Thornlands:
 - (i) urban development provides for a mix of affordable housing types;
 - (ii) development along Eprapah Creek provides for a slightly higher built form which optimises the amenity provided by the creek-side open space;
 - (iii) transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles; and
 - (iv) interim development does not compromise or constrain the potential for well designed future urban communities.




Figure 6.2.3.2.7—Precinct MDR7: Eprapah Creek, South East Thornlands

- (h) Precinct MDR8: Kinross Road and Boundary Road and precinct MDR9: Kinross Road:
 - (i) urban development provides for a mix of housing types and achieves a minimum net residential density of 44 dwellings per hectare;
 - (ii) development provides for a high level of accessibility to nearby local centres and community facilities;
 - transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles;
 - (iv) development on land fronting Boundary Road and Panorama Drive is designed to:
 - (A) rely on access from the internal street network with no access from Boundary Road and Panorama Drive; and
 - (B) facilitate landscaping and acoustic treatment of Boundary Road and Panorama Drive;
 - development maintains significant habitat linkages and assists in the safe movement of koalas;

Editor's note—Applicants should be aware that the provisions of the *Planning Regulation 2017*, Schedules 10 (part 10) and 11 also apply to development in this area.

- (vi) development does not compromise or constrain the potential for well designed future urban communities;
- (vii) building height in precinct MDR8 Kinross Road and Boundary Road is compatible with that of surrounding residences.



Figure 6.2.3.2.8—Precinct MDR8: Kinross Road and Boundary Road




Figure 6.2.3.2.9—Precinct MDR9: Kinross Road

6.2.3.3 Medium density residential zone code - Specific benchmarks for assessment

Table 6.2.3.3.1—Benchmarks for assessable development

Performance outcomes **Acceptable outcomes** For development that is accepted subject to requirements and assessable development **Dual occupancies PO1** AO1.1 To provide good residential design that A Dual occupancy complies with all of the promotes the efficient use of a lot, an Acceptable Solutions specified in the acceptable amenity to residents, and to Queensland Development Code part MP1.3. facilitate off street parking. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning Note — References to the Queensland Development Code MP1.3 for the purposes of this AO are to be applied as if these provisions applied to a Dual occupancy. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. For assessable development Editor's note - Council has developed a Multiple Dwelling Design Guide to assist applicants in achieving high standard design outcomes for multiple dwellings. For developments involving multiple dwellings, it is recommended that this document is used as a reference document to support the assessment benchmarks in this planning scheme. Non residential uses PO₂ No acceptable outcome is nominated. Non-residential uses occur only where they: are for a community service function or a local café; (2) are integrated with residential activities as part of a mixed use development; do not unduly detract from residential (3)amenity; are small scale and primarily serve the (4) immediate community; and do not impact on the function of any (5)nearby centre. Short term accommodation PO₃ No acceptable outcome is nominated. Short term accommodation is located and designed to minimise conflicts with permanent residential development. All residential development - communal and private open space **PO4** AO4.1

Performance outcomes

Developments involving more than 20 dwellings provide sufficient communal open space to:

- (1) create usable, flexible spaces suitable for a range of activities; and
- (2) provide facilities including seating, landscaping and shade.

Acceptable outcomes

Where development involves more than 20 dwellings:

- (1) for developments equal to or less than 13m in height, a minimum of 5% of the site area or a minimum area of 50m² (whichever is the greater) is provided as communal open space; or
- (2) for developments greater than 13m in height, a minimum of 15% of the site area or a minimum area 50m² (whichever is the greater) is provided as communal open space;

with a minimum dimension of 5m.

Note—Communal open space can be provided on rooftops, on podiums, or at ground level.

PO5

Development provides private open space that is:

- useable in size and shape to meet the needs of a diversity of potential residents;
- (2) functional and easily accessible from living or common areas to promotes outdoor living as an extension of the dwelling;
- (3) clearly identified as private open space; and
- (4) provides a high level of privacy for residents and neighbours.

AO5.1

For a ground floor dwelling, ground floor private open space is provided with:

- (1) a minimum of 16m² if a dwelling in a residential care facility; or
- (2) a minimum area of 25m² for all other dwellings;

with a minimum dimension of 4m and clear of any utilities such as gas, water tanks or airconditioning units.

AO5.2

For dwellings above ground level, private balconies are provided with a minimum area of:

- (1) 10m² if a dwelling in a residential care facility; or
- (2) For all other dwellings:
 - (a) $10m^2$ for a 1 bedroom unit; and
 - (b) 16m² for a two or more bedroom unit:

with a minimum dimension of 3m and clear of any air conditioning unit or drying space.

AO5.3

Where clothes drying areas are provided on private balconies they are screened from public view and do not take up more than 10% of the balcony area.

Built form

PO6

Development occurs on lots which provide sufficient space for buildings to be oriented to the street.

AO6.1

The site has a frontage which is a minimum of 20m in width.

PO7

No acceptable solution nominated.

| Perf | ormance outcomes | Acceptable outcomes |
|---|---|---|
| Wherever possible, ground floor dwellings are provided with direct pedestrian access to the street. | | |
| PO8 | | AO8.1 |
| Site | cover: | Site cover does not exceed: |
| (1) | allows for provision of substantial open | (1) 75% where a multiple dwelling with a |
| (2) | space and landscaping on the site; and mitigates the bulk and scale of development. | building height equal to or less than 13m; and (2) 60% otherwise. |
| PO9 | | AO9.1 |
| Build | ling height: | Building height does not exceed the height |
| (1) | in precinct MDR1 parkland living, Capalaba, is mid rise and provides a transition up to higher buildings within the principal centre; | set out in Table 6.2.3.3.2 Building height. |
| (2) | in precinct MDR2 Mount Cotton Road Capalaba, is mid-rise but steps down from the principal centre to low rise residential areas south of Redland Bay Road; | |
| (3) | in precinct MDR3 Shore Street East, Cleveland, is mid-rise but creates a focal point between Cleveland principal centre and Toondah Harbour; | |
| (4) | in precinct MDR4 Cleveland, is mid rise and reinforces the connection between Cleveland principal centre and Toondah Harbour; | |
| (5) | in precinct MDR7 Eprapah Creek, South East Thornlands and precinct MDR5 Esplanade, Redland Bay, is mid-rise, accommodating a slightly higher built form than surrounding medium density residential zoned land to optimise the amenity of their | |
| (6) | locations; in precinct MDR8 Kinross Road and Boundary Road, is low rise and compatible with the height of surrounding residences; and | |
| (7) | is up to three storeys in all other areas. | |
| PO1 | 0 | AO10.1 |
| build of a | re building height over 13m is intended, ings step down in height and scale to be similar size to intended building height djoining residential zoned land. | Buildings: (1) within 10m of the common boundary have a building height no more than 13m; and (2) within 20m of the common boundary have a building height no more than 6m greater than the intended building height on the adjoining site. |
| | | Figure 6.2.3.3.1 illustrates. |

Performance outcomes Acceptable outcomes NEW 10m DEVELOPMENT Property Figure 6.2.3.3.1—Height between adjoining development PO11 AO11.1 Building setbacks (other than basements): The front boundary setback is a minimum of: create an attractive, consistent and (1) (1) 5.5m for garage doors; and cohesive streetscape; (2) 3m otherwise. (2) maintain appropriate levels of light and solar penetration, air circulation, privacy and amenity for existing and AO11.2 future buildings; The side boundary setback: do not prejudice the development or (3)amenity of adjoining sites; At the side boundary: assist in retaining native vegetation a built to boundary wall does not and allow for the introduction of exceed 4.5m in height and 9m in landscaping to complement building length along any one boundary; and massing and to screen buildings: (2) otherwise, buildings are set back a (5) provide useable open space for the minimum of: occupants: (a) 1.5m for a wall up to 4.5m high; provide space for service functions (6)2m for a wall up to 7.5m high; (b) including car parking and clothes and drying; and 2.5m plus 0.5m for every 3m or (c) (7)where tandem car parking spaces are part thereof by which the proposed in front of garages, they are building exceeds 7.5m. contained wholly within the property Note—Where a multiple dwelling in the form of attached boundary. or terrace houses is proposed, side setbacks would Editor's note -The provision of tandem car parking apply only to boundaries shared with adjoining sites and spaces is not supported in all locations. Refer to Table not to "internal" lot boundaries within the development 9.3.5.3.2 - Minimum on-site vehicle parking site. requirements in the Transport, servicing, access and AO11.3 parking code for further information. The rear boundary setback is a minimum of: 4m for a wall up to 13m high; and (1)(2)6m where above 13m high. PO12 AO12.1 Basements are set back by: Basements are designed to ensure: substantial areas of the site are 2m from the street frontage; and (1) 2m from other site boundaries if available for deep planting; and (2) a strong relationship between the landscaping is intended to provide (2)screening to neighbouring sites. street and the proposed building and ground level open space.

PO13

No acceptable outcome is nominated.

Performance outcomes Acceptable outcomes Design elements contribute to an interesting and attractive streetscape and building through: the provision of projections and (1) recesses in the facade which reflect changes of internal functions of buildings, including circulation; (2) variations in material and building form; (3)modulation in the facade, horizontally or vertically: (4) articulation of building entrances and openings: and corner treatments to address both (5)street frontages. **PO14** No acceptable outcome is nominated Editor's note—Applicants should have regard to Design elements promote a subtropical and Subtropical Design in South East Queensland A climate responsive design character through: Handbook for Planners Developers and Decision Makers the use of deep verandahs, decks and (2010 Centre for Subtropical Design QUT). eaves; and (2) integration of buildings within landscape planting. PO15 No acceptable outcome is nominated. Roof form assists in reducing the appearance of building bulk by: (1) articulating individual buildings; incorporating variety in design; (2)incorporating a roof pitch, gable or the (3)like in buildings up to 13m; and (4) screening plant and equipment, such as vents, lift over-runs or solar energy and storm water collectors. **PO16** AO16.1 Parking facilities are located so that they do Vehicle parking structures are located behind not dominate the streetscape or the building the front building alignment or within a form when viewed from the street. basement level. **PO17** A017.1 Development is designed to create an Balconies, windows and building openings attractive streetscape and discourage crime overlook streets and other public spaces. and anti-social behaviour by: Figure 6.2.3.3.2 illustrates. maximising opportunities for casual (1) low fencing to define surveillance of public places, bay windows pedestrian and cycle paths and car parking areas; ensuring spaces are well lit; (2)(3)minimising potential concealment and adequate lighting entrapment opportunities; and (4) providing direct movements with clear unobscured sight lines. to street

Figure 6.2.3.33.2—Overlooking

Performance outcomes

Acceptable outcomes

AO17.2

Fences or walls along a street frontage or public space have a maximum height of:

- (1) 1.2m where solid; or
- 1.8m where that portion of the fence above 1.2m high is at least 50% transparent.

Figures 6.2.3.3.3 and 6.2.3.3.4 illustrate.




Figure 6.2.3.3.3—Fencing (1)




Figure 6.2.3.3.4—Fencing (2)

Amenity

PO18

Privacy between dwelling units on the site and adjoining sites is achieved by effective building design and the location of windows and outdoor open spaces to prevent overlooking into habitable rooms or private open space areas or through the use of screening devices. Where screening devices are used, they are integrated with the building design.

AO18.1

Where habitable room windows are directly adjacent to habitable rooms of adjoining dwellings and are within a distance of 9m and within an angle of 45 degrees, privacy is protected by:

- (1) sill heights being a minimum of 1.5m above floor level; or
- (2) providing fixed translucent screens, such as frosted or textured glazing, for any part of the window below 1.5m above floor level; or
- (3) providing fixed external screens.

AO18.2

Outlook from windows, balconies, stairs, landings, terraces and decks and other private areas, is screened where a direct view is available into the private open space

| Performance outcomes | Acceptable outcomes |
|--|---|
| | of another dwelling. Screening is achieved by: (1) fixed translucent screens, such as frosted or textured glazing, for any part of the window below 1.5m above floor level; or (2) fixed external screens; or (3) landscape planting that will achieve a minimum of 2m in height at maturity. |
| | AO18.3 Where incorporating screening devices, they are: (1) solid translucent screens or perforated panels or trellises that have a maximum of 25% openings, with a maximum opening dimension of 50mm and that are permanently fixed and durable; and (2) offset a minimum of 300mm from the wall of the building. |
| PO19 On-site landscaping is provided to: (1) enhance the appearance of the development; (2) complement any native vegetation within the site; (3) provide privacy between dwellings; and (4) screen unsightly components. | AO19.1 A minimum of 15% of the site is planted or grassed landscaping (rather than hardstand). AO19.2 A 2m wide landscaped area which is capable of deep planting to sustain mature trees, is provided along the length of any public road frontage. |
| PO20 Development minimises impacts on surrounding residential amenity and provides a high level of on-site amenity for occupants, having regard to noise, odour, vibration, air or light emissions. | No acceptable outcome is nominated. |
| PO21 Siting and design achieves a high level of amenity for occupants by minimising impacts from noise generating areas, such as streets, driveways, car parking areas, service areas, private and communal open space areas and mechanical equipment. | No acceptable outcome is nominated. |
| PO22 Development minimises the extent of shadows on useable private open space or public spaces and provides adequate sunlight to habitable rooms on the site and adjoining. | AO22.1 Solar access to habitable rooms and private open space of dwellings: (1) is not less than 3 hours between 9am and 3pm on June 21; or (2) where existing overshadowing by building and fences is greater than this, sunlight is not further reduced by 20%. |
| PO23 | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes |
|--|---|
| Waste disposal and servicing areas are not visible from public places and do not have adverse amenity impacts on adjoining properties. | |
| PO24 The site layout responds to topography, natural values and development constraints, such that: (1) impacts on ecological corridors and native vegetation are minimised and mitigated; and (2) alteration to natural topography and drainage lines is minimised. | No acceptable outcome is nominated. Editor's note—Applicants will also need to have regard to any relevant overlays applicable to the development site. |
| Reconfiguration | |
| PO25 Reconfiguration creates lots that are of a size that can accommodate medium density residential development in a form that meets the intentions of this zone. Lots less than 800m² are not created. | of 800m ² . |
| Precinct MDR6: South East Thornlands, ar East Thornlands | d precinct MDR7: Eprapah Creek, South |
| PO26 Housing is designed and located to maximise outlook across adjoining areas of open space. | No acceptable outcome identified. |
| PO27 Development facilitates the establishment of a safe, permeable, legible and functional movement network that is in accordance with Figures 6.2.3.3.5 road movement network and 6.2.3.3.6 pedestrian, cycle and public transport network. | AO27.1 Roads, intersections, paths and public transport stops and associated treatments are established in accordance with Figures 6.2.3.3.5 road movement network and 6.2.3.3.6 pedestrian, cycle and public transport network. |
| Where development involves or adjoins nominated boulevard roads, the road design: (1) creates a grand avenue character, being 50m wide for the central boulevard and 25m wide for the southern boulevard; (2) incorporates very wide landscaped medians that are of a sufficient width to support fauna movement; and (3) wide shoulders and verges which accommodate separated pedestrian and cyclist paths and dense landscaping. | AO28.1 Total width of the boulevard is: (1) central boulevard - 50m; and (2) southern boulevard - 25m. |
| PO29 | AO29.1 |
| Development is set back from Boundary Road by a distance sufficient to | In addition to any widening of the road reserve required by the Queensland Government, development provides a 15m |

| Performance outcomes | | Acceptable outcomes |
|--|---|---|
| accommodate substantial landscaping to retain a heavily vegetated character. | | wide strip either side of Boundary Road which is densely vegetated by trees and shrubs. |
| PO30 | | No acceptable outcome is nominated. |
| Development adjoining Cleveland Redland Bay Road and Boundary Road attenuates noise to a level that achieves a high level of residential amenity. Any acoustic walls: (1) are screened by landscaping; and | | |
| (2) | incorporate breaks to allow for pedestrian and cyclist permeability. | |
| PO3 | 1 | No acceptable outcome is nominated. |
| Deve (1) (2) (3) (4) | elopment facilitates: a logical pattern of development; efficient use of land and infrastructure; a mix of affordable housing types; access to community infrastructure | |
| (5) | and public transport services at an early stage of development; and land for community uses and public services, including open space education, health, social and emergency services where appropriate. | |
| PO3 | 2 | No acceptable outcome is nominated. |
| Development provides for separation and buffering from nearby activities, including primary production, poultry farms and other rural industries, such that amenity and reverse amenity impacts are avoided. | | |
| Precinct MDR8: Kinross Road and Boundar | | y Road, and Precinct MDR9: Kinross Road |
| PO33 | | AO33.1 |
| Deve vehic Panc | elopment does not create any additional cular access points to Boundary Road or brama Drive. New lots are provided with ss from internal roads. | No new access points from lots are provided to Boundary Road or Panorama Drive. |
| PO3 | 4 | AO34.1 |
| Deve vehic dista Kinro | elopment does not create any additional cular access points to Kinross Road for a nee of 835m from the intersection of loss Road and Boundary Road. New lots provided with access from internal roads. | No new access points from lots are provided to Kinross Road for a distance of 835m from the intersection of Kinross Road and Boundary Road. |
| PO3 | 5 | AO35.1 |
| a saf move acco move | elopment facilitates the establishment of e, permeable, legible and functional ement network that is generally in rdance with Figures 6.2.3.3.7 road ement network and 6.2.3.3.8 pedestrian, e, public transport and parks network. | Roads, road closures, intersections, paths, fauna crossings, public transport stops and associated treatments are established in accordance with Figures 6.2.3.3.7 road movement network and 6.2.3.3.8 pedestrian, cycle, public transport and parks network. |

| Performance outcomes | Acceptable outcomes |
|---|---|
| PO36 | AO36.1 |
| Development adjoining Boundary Road or Panorama Drive is set back by a sufficient | A 10m wide setback is provided along Boundary Road. |
| distance to provide for acoustic treatments and substantial landscaping. | No acceptable outcome is nominated for Panorama Drive. |
| PO37 Development adjoining Boundary Road or Panorama Drive attenuates noise to a level that achieves a high level of residential amenity. Any acoustic walls: (1) are screened by landscaping; and (2) incorporate breaks to allow for pedestrian and cyclist permeability. | No acceptable outcome is nominated. |
| PO38 Development adjoining Boundary Road or Panorama Drive provides landscaping to create a heavily vegetated, high visual quality environment. | No acceptable outcome is nominated. |
| PO39 | AO39.1 |
| Kinross Road extending from the intersection at Boundary Road to Goddard Road is designed to operate safely and efficiently and create a grand avenue character. | Kinross Road is designed as a boulevard style trunk collector having a reserve width of 32m, including: (1) a 6.5m landscaped verge on both sides of the road incorporating native canopy shade trees, utility services and shared pedestrian/bicycle concrete pathways; (2) a 1.5m on-road cycle lane on both sides of the road using differently textured materials; (3) one vehicular lane and breakdown lane, minimum dimension of 5m on both sides of the road; and (4) a 6m central median incorporating native canopy trees and water sensitive urban design features. |
| PO40 | AO40.1 |
| The nominated trunk collector / boulevard providing access to Panorama Drive is designed to operate safely and efficiently and create a grand avenue character. | The road is designed as a boulevard style trunk collector, having: (1) a minimum road width of 20m; (2) no direct vehicular access from new uses and lots adjoining the trunk collector; and (3) a left in, right in and left out only intersection to Panorama Drive. |
| PO41 | No acceptable outcome is nominated. |
| Where development involves nominated esplanade roads treatments adjoining open space, the road design: | , |
| (1) creates a low speed environment; (2) facilitates safe, shared use for vehicles, pedestrians and cyclists; | |

| Performance outcomes | Acceptable outcomes | |
|--|--------------------------------------|--|
| incorporates grassed swales instead of kerb and channel adjacent to the open space; and minimises disturbance to vegetation. | | |
| PO42 | AO42.1 | |
| New streets provide sufficient width for on street parking on both sides. | Streets have a minimum width of 18m. | |
| PO43 | No acceptable outcome is nominated. | |
| Development facilitates: | | |
| a logical pattern of development; minimal requirement for earthworks and retaining walls; efficient use of land and infrastructure; a mix of affordable housing types; net residential densities are not less than 44 dwellings per hectare; access to community infrastructure and public transport services at an early stage of development; and land for community uses and public services, including open space, education, health, social and emergency services where appropriate. | | |
| PO44 No acceptable outcome is nominated. | | |
| Development provides for separation and buffering from nearby activities, including primary production, poultry farms and other rural industries, such that amenity and reverse amenity impacts are avoided. | | |
| PO45 | No acceptable outcome is nominated. | |
| Development is designed to provide safe koala movement opportunities and minimise impediments to a koala traversing the landscape. | | |
| PO46 | No acceptable outcome is nominated. | |
| To the extent practical, development minimises the amount of clearing and fragmentation of koala habitat. | | |

Table 6.2.3.3.2—Building height

| Area | | Maximum Building Height (m) |
|------|------------------------------|-----------------------------|
| MDR1 | Parkland living, Capalaba | 22m |
| MDR2 | Mount Cotton Road, Capalaba | 19m |
| MDR3 | Shore Street East, Cleveland | 22m |
| MDR4 | Cleveland | 19m |
| MDR5 | Esplanade, Redland Bay | 19m |

| MDR7 | Eprapah Creek, South East Thornlands | 16m |
|------|--|------|
| MDR8 | Kinross and Boundary Road | 8.5m |
| | in the zone (including MDR6 South East s and MDR9 Kinross Road) | 13m |






Figure 6.2.3.3.5—South East Thornlands: road movement network



South East Thornlands - Pedestrian, Cycle and Public Transport Network

- Primary Pedestrian Cycle Link
- Secondary Pedestrian Cycle Link
- Shared Pedestrian Cycle Bridge
- Controlled Pedestrian/Cycle Crossing Points
- Existing Bus Priority and Line Haul Routes
- Bus Station
- Existing Bus Stops
- ■■ Potential Bus Route
 - Potential Bus Stop

Figure 6.2.3.3.6—South East Thornlands: pedestrian, cycle and public transport network



- Collector Street
- Landscaping/AcousticTreatment/ Road AccessRestriction
- === Esplanade Treatment
- www Proposed Road Closure
- **■** Intersection Signalised
- Roundabout
- Fauna Crossing
- → Pedestrian/Cycle/Emergency Access
- ↔ Future Northern Public Transport Corridor
- ****** Access Place/Access Easement

Figure 6.2.3.3.7—Kinross Road: road movement network




Figure 6.2.3.3.8—Kinross Road: pedestrian, cycle, public transport and parks network

6.2.4 Character residential zone code

6.2.4.1 Application

This code applies to development:

- (1) within the character residential zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the character residential zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.4.2 Purpose

- (1) The purpose of the code is to provide for island living areas characterised by dwelling houses on the Southern Moreton Bay Islands Karragarra, Macleay, Perulpa, Lamb and Russell Islands.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the character residential zone consists predominantly of dwelling houses;
 - (b) nature based tourism, short term accommodation and tourist resorts may be established:
 - (c) a limited range of small scale non-residential uses which provide services to the local and tourist community, such as food and drink outlet, roadside stall, a childcare centre or community use, may be established where they do not significantly detract from residential amenity and do not compromise the role of any centre;
 - (d) Home-based businesses are undertaken where they do not detract from the residential amenity of the area;
 - buildings are low rise and set back from property boundaries to create a low density streetscape character and protect the privacy and amenity of adjoining residences;
 - (f) development can be safely and efficiently serviced by on-site wastewater treatment systems, and without significant risk of adverse impact on water quality:
 - (g) development incorporates architectural styles and elements that reduce the visual impact of the built form;
 - (h) development creates a safe, comfortable and convenient pedestrian environment within and external to the site, and facilitates a high level of accessibility and permeability for pedestrians and cyclists;
 - (i) development protects the environmental values of bushland landscapes, the islands, coast and Moreton Bay Marine Park; and
 - (j) further subdivision of lots does not occur.

6.2.4.3 Character residential zone code – Specific benchmarks for assessment

Table 6.2.4.3.1—Benchmarks for assessable development

| For assessable development Non residential uses PO1 Non-residential uses only occur where they: (1) Are for a community service function or provide a service for the island residential or tourist community; (2) do not unduly detract from residential amenity, (3) are small in scale; (4) have sufficient area for on-site waste water treatment and disposal; and on impact on the function of the islands' centres. Dual occupancies PO2 Dual occupancies occur on larger lots and in a form that is consistent with the low density, open and low-rise character of the locality. PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO are to be applied as if these provisions applied to a Dual occupancy. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of buildings irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. Note — The open schemal development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of buildings irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions w | Performance outcomes | Acceptable outcomes | |
|--|---|---|--|
| Non-residential uses only occur where they: (1) Are for a community service function or provide a service for the island residential or tourist community; (2) do not unduly detract from residential amenity; (3) are small in scale; (4) have sufficient area for on-site waste water treatment and disposal; and do not impact on the function of the islands' centres. PO2 Dual occupancies PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. No acceptable Solutions specified in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 is taken to be "Queensland Development Code MP1.3 is taken to be "Quee | For assessable development | | |
| Non-residential uses only occur where they: (1) Are for a community service function or provide a service for the island residential or tourist community; (2) do not unduly detract from residential amenity; (3) are small in scale; (4) have sufficient area for on-site waste water treatment and disposal; and do not impact on the function of the islands' centres. PO2 Dual occupancies PO3 Dual occupancies occur on larger lots and in a form that is consistent with the low density, open and low-rise character of the locality. PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. Note —For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "bual occupancy" as defined by this planning scheme. Note —References to the Queensland Development Code MP1.3 in the purpose of this AO, are to be applied as if these provisions applied to a Dual occupancy. Note —The Queensland Development Code MP1.3 in the purpose of this AO, are to be applied as if these provisions applied to a Dual occupancy. Note —The Queensland Development Code MP1.3 in the purpose of this AO are to be applied as if these provisions applied to a Dual occupancy. Note —The Queensland Development Code MP1.3 in the purpose of this AO are to be applied as if these provisions applied to a Dual occupancy. Note —The Queensland Development Code MP1.3 in the purpose of this AO are to be applied as if these provisions will prevail over this acceptable outcome to the extent of any inconsistency. Other residential development PO4 Residential development Po4 Residential development searce of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. | Non residential uses | | |
| PO2 Dual occupancies occur on larger lots and in a form that is consistent with the low density, open and low-rise character of the locality. PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. A03.1 A Dual occupancy complies with all the Acceptable Solutions specified in the Queensland Development Code part MP1.3. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development mest the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. Other residential development PO4 Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. | Non-residential uses only occur where they: (1) Are for a community service function or provide a service for the island residential or tourist community; (2) do not unduly detract from residential amenity; (3) are small in scale; (4) have sufficient area for on-site waste water treatment and disposal; and (5) do not impact on the function of the | No acceptable outcome is nominated. | |
| Dual occupancies occur on larger lots and in a form that is consistent with the low density, open and low-rise character of the locality. PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. A03.1 A Dual occupancy complies with all the Acceptable Solutions specified in the Queensland Development Code part MP1.3. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development mest the definition of "dual occupancy" as defined by this planning scheme. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development mests the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. Other residential development PO4 Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. | Dual occupancies | | |
| PO3 To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. A Dual occupancy complies with all the Acceptable Solutions specified in the Queensland Development Code part MP1.3. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. Other residential development PO4 Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. | Dual occupancies occur on larger lots and in a form that is consistent with the low density, | Density does not exceed one dwelling per 400m ² of site area. | |
| To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. A Dual occupancy complies with all the Acceptable Solutions specified in the Queensland Development Code part MP1.3. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 for the purposes of this AO are to be applied as if these provisions applied to a Dual occupancy. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. Other residential development PO4 Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. | | The site has a minimum frontage of 20m. | |
| Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. No acceptable outcome is nominated. | To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to | A Dual occupancy complies with all the Acceptable Solutions specified in the Queensland Development Code part MP1.3. Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. Note — References to the Queensland Development Code MP1.3 for the purposes of this AO are to be applied as if these provisions applied to a Dual occupancy. Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. Note — Other zone code provisions will prevail over this | |
| Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater treatment systems. | Other residential development | | |
| PO5 AO5.1 | Residential density is compatible with the detached, low density island character of the zone and is of a scale that ensures safe and effective operation on-site wastewater | No acceptable outcome is nominated. | |
| | PO5 | AO5.1 | |

Performance outcomes Acceptable outcomes Developments involving more than 20 Where development involves more than 20 dwellings provide sufficient communal open dwellings, a minimum of 15% of the site area is provided as communal open space, with a space to: minimum dimension of 5m and a minimum create useable, flexible spaces (1) area of 50m². suitable for a range of activities; and Note—Communal open space can be provided on provide facilities including seating. rooftops, on podiums, or at ground level. landscaping and shade. **PO6** AO6.1 Development provides private open space For a ground floor dwelling, ground floor private open space is provided with: that is: (1) useable in size and shape to meet the a minimum area of 25m² clear of any needs of a diversity of potential utilities such as gas, water tanks or airresidents: conditioning units; and (2) functional and easily accessible from (2) a minimum dimension of 4m. living or common areas to promotes AO6.2 outdoor living as an extension of the For dwellings above ground level, private dwelling; balconies are provided with a minimum area clearly identified as private open (3)space: and (4) provides a high level of privacy for (1) 10m² for a 1 bedroom unit; or residents and neighbours. (2) 16m² for a two or more bedroom unit: with a minimum dimension of 3m and clear of any air conditioning unit or drying space. AO6.3 Where clothes drying areas are provided on private balconies they are screened from public view and do not take up more than 10% of the balcony area. Reconfiguration **PO7** A07.1 Reconfiguration maintains the low density Reconfiguration does not result in a smaller island, bushland character of the zone and lot size. avoids further fragmentation of land. **Built form PO8** AO8.1 Site cover does not exceed 50%. Site cover: (1) prevents buildings from dominating the streetscape and landscape as viewed from a public place or Moreton Bay; (2) ensures adequate area for the disposal of wastewater on-site. **PO9** AO9.1 Buildings are low-rise and of a house-Building height does not exceed 8.5m. compatible scale, and do not dominate the streetscape and island landscape. **PO10** AO10.1 Building setbacks: Buildings are set back 6m from street frontages. create an attractive, consistent and cohesive streetscape:

| Performance outcomes | | Acceptable outcomes |
|----------------------|--|---|
| (2) | maintain appropriate levels of light and solar penetration, air circulation, privacy and amenity for existing and | AO10.2 |
| (3) | future buildings; do not prejudice the development or amenity of adjoining sites; | The side boundary setback is a minimum of: (1) 1.5m for a wall up to 4.5m high; (2) 2m for a wall up to 7.5m high; and |
| (4) | assist in retaining native vegetation and allow for the introduction of landscaping to complement building | (3) 2.5m for any part of a wall over 7.5m high. |
| | massing and to screen buildings; | AO10.3 |
| (5) | provide useable open space for the occupants; and provide space for service functions | The rear boundary setback is a minimum of 6m. |
| (6) | including car parking and clothes drying. | |
| PO1 | 1 | No acceptable outcome is nominated. |
| | gn elements contribute to an interesting attractive streetscape and building ugh: | |
| (1) | the provision of projections and recesses in the facade which reflect changes of internal functions of buildings, including circulation; | |
| (2) | variations in material and building form; | |
| (3) | modulation in the facade, horizontally or vertically; | |
| (4) | articulation of building entrances and openings; and | |
| (5) | corner treatments to address both street frontages. | |
| PO1 | 2 | No acceptable outcome is nominated |
| clima | gn elements promote a subtropical and ate responsive design character through: | Editor's note—Applicants should have regard to Subtropical Design in South East Queensland A Handbook for Planners Developers and Decision Makers |
| (1) | the use of deep verandahs, decks and eaves; | (2010 Centre for Subtropical Design QUT). |
| (2) | minimising the extent of shadows on useable private open space or public spaces; and | |
| (3) | integration of buildings within landscape planting. | |
| P01 | 3 | No acceptable outcome is nominated. |
| | form assists in reducing the appearance uilding bulk by: | |
| (1) (2) | articulating individual buildings; and incorporating variety in design through use of roof pitch, height, gables and skillions. | |
| PO1 | 4 | AO14.1 |
| attra | elopment is designed to create an ctive streetscape and discourage crime anti-social behaviour by: | Buildings are designed to have balconies, windows and building openings overlooking streets and other public spaces. |

Performance outcomes

- maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas;
- (2) ensuring spaces are well lit;
- minimising potential concealment and entrapment opportunities; and
- (4) providing direct movements with clear unobscured sight lines.

Acceptable outcomes

AO14.2

Fences or walls along a street frontage or public space have a maximum height of:

- (1) 1.2m where solid; or
- (2) 1.8m where that portion of the fence above 1.2m high is at least 50% transparent.

Figures 6.2.4.3.1 and 6.2.4.3.2 illustrate.




Figure 6.2.4.3.1—Fencing (1)




Figure 6.2.4.3.2—Fencing (2)

PO15

On elevated or steeply sloping sites:

- development is sympathetic to the natural landform through the use of terraced or split level building forms;
- (2) the understoreys of buildings are screened to maintain the quality of view when viewed from below; and
- (3) buildings avoid highly reflective finishes.

No acceptable outcome is nominated.

PO16

Development minimises excavation and fill.

AO16.1

Excavation and fill is limited to a maximum cut or height of 1.2m.

AO16.2

Retaining walls and terraces are a maximum 600mm high.

AO16.3

Benched areas are a maximum of 25m².

Amenity

PO17 AO17.1

| Performance outcomes | Acceptable outcomes |
|---|---|
| Development is located, designed and | No vegetation is cleared along the foreshore. |
| managed to protect the scenic quality and native vegetation along the Southern | AO17.2 |
| Moreton Bay Islands' foreshores. | Fences are not constructed along the foreshore. |
| PO18 | No acceptable outcome is nominated. |
| On-site landscaping is provided to: | |
| (1) enhance the appearance of the development; | |
| (2) maximise the retention or | |
| reinstatement of native vegetation | |
| within the site; (3) create green roofs, walls or other | |
| sustainable building elements; | |
| (4) provide privacy between dwellings; and | |
| (5) screen unsightly components. | |
| PO19 | AO19.1 |
| Landscaping is provided along the full road | A 2m wide landscaped area which is capable |
| frontage. | of deep planting to sustain mature trees, is provided along the length of any public road |
| | frontage. |
| PO20 | No acceptable outcome is nominated. |
| Development minimises impacts on | |
| surrounding residential amenity and provides a high level of on-site amenity for occupants, | |
| having regard to noise, odour, vibration, air of | |
| light emissions. | |
| PO21 | No acceptable outcome is nominated. |
| Siting and design achieves a high level of amenity for occupants by minimising impacts | |
| from noise generating areas, such as streets, | |
| driveways, car parking areas, service areas, | |
| private and communal open space areas and mechanical equipment. | |
| PO22 | No acceptable outcome is nominated. |
| Waste disposal and servicing areas are not | |
| visible from public places and do not have | |
| adverse amenity impacts on adjoining properties. | |
| PO23 | No acceptable outcome is nominated. |
| The site layout responds to topography, | Editor's note—Applicants will also need to have regard |
| natural values and development constraints, | to any relevant overlays applicable to the development site. |
| such that: (1) impacts on ecological corridors and | |
| native vegetation are minimised and | |
| mitigated; and | |
| (2) alteration to natural topography and drainage lines is minimised. | |
| Access | <u> </u> |
| P024 | AO24.1 |
| <u> </u> | |

| Performance outcomes | Acceptable outcomes |
|--|--|
| Access is provided to the site of sufficient standard to be trafficable by a conventional two wheel drive vehicle. | The site has access to a formed public road. |

6.2.5 Tourist accommodation zone code

6.2.5.1 Application

This code applies to development:

- (1) within the tourist accommodation zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the tourist accommodation zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.5.2 Purpose

- (1) The purpose of the tourist accommodation zone code is to provide for short-term accommodation supported by community uses and small-scale services and facilities on North Stradbroke Island.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - the tourist accommodation zone predominantly consists of multiple dwellings, short term accommodation and tourist resorts and related support facilities for Point Lookout's holiday population;
 - (b) non-residential uses occur where they are small in scale, provide services primarily for tourists and do not compromise the role of the island's centres. Such uses are provided as part of a mixed use development with tourist accommodation:
 - (c) in order to retain larger land parcels for development, further subdivision of land within this zone does not occur;
 - (d) buildings are set back from property boundaries to maintain a consistent streetscape character and protect the privacy and amenity of adjoining dwellings;
 - (e) development incorporates architectural styles and elements that reduce the visual impact of the built form;
 - (f) development creates a safe, comfortable and convenient pedestrian environment within and external to the site and facilitates a high level of accessibility and permeability for pedestrians and cyclists; and
 - (g) wherever practical, development retains significant trees and avoids alteration to natural drainage lines.

6.2.5.3 Tourist accommodation zone code – Specific benchmarks for assessment

Table 6.2.5.3.1—Benchmarks for assessable development

| Performance outcomes | Acceptable outcomes | |
|--|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Dual occupancies | | |
| P01 | AO1.1 | |
| To provide good residential design that promotes the efficient use of a lot, an acceptable amenity to residents, and to facilitate off street parking. | A Dual occupancy complies with all the Acceptable Solutions specified in the Queensland Development Code part MP1.3. | |
| racilitate on street parking. | Note — For the purpose of this AO, a reference to "duplex" in the Queensland Development Code MP1.3 is taken to be "Dual occupancy" as defined by this planning scheme. | |
| | Note — References to the Queensland Development Code MP1.3 for the purposes of this AO are to be applied as if these provisions applied to a Dual occupancy. | |
| | Note — The Queensland Development Code MP1.3 indicates that it is only applicable to Class 1 and associated Class 10 buildings. For the purpose of this AO, the class of building is irrelevant, as long as the development meets the definition of "dual occupancy" as defined by this planning scheme. | |
| | Note — Other zone code provisions will prevail over this acceptable outcome to the extent of any inconsistency. | |
| For assessable development | | |
| Non residential uses | | |
| PO2 | No acceptable outcome is nominated. | |
| Non-residential uses, only occur where they: | | |
| (1) are small in scale; (2) are integrated with tourist accommodation activities as part of a mixed use development; | | |
| (3) do not unduly detract from residential | | |
| amenity; | | |
| amenity; (4) provide services primarily for tourists; and | | |
| (4) provide services primarily for tourists; | | |
| (4) provide services primarily for tourists; and (5) do not impact on the function of the | | |
| (4) provide services primarily for tourists; and (5) do not impact on the function of the island's centres. | No acceptable outcome is nominated. | |
| (4) provide services primarily for tourists; and (5) do not impact on the function of the island's centres. All residential and accommodation uses | No acceptable outcome is nominated. | |
| (4) provide services primarily for tourists; and (5) do not impact on the function of the island's centres. All residential and accommodation uses PO3 Land is predominantly used for tourist accommodation. Development supports and | No acceptable outcome is nominated. No acceptable outcome is nominated. | |
| (4) provide services primarily for tourists; and (5) do not impact on the function of the island's centres. All residential and accommodation uses PO3 Land is predominantly used for tourist accommodation. Development supports and does not undermine this intention. | · | |

| | | T |
|--|---|---|
| Perf | ormance outcomes | Acceptable outcomes |
| dwel | elopments involving more than 20 lings provide sufficient communal open se to: create useable, flexible spaces suitable for a range of activities; and provide facilities including seating, | Where development involves more than 20 dwellings, a minimum of 15% of the site area is provided as communal open space, with a minimum dimension of 5m and a minimum area of 50m ² . Note—Communal open space can be provided on soften an addition or extraction. |
| | landscaping and shade. | rooftops, on podiums, or at ground level. |
| PO6 Development provides private open space that is: | | AO6.1 For a ground floor dwelling, ground floor private open space is provided with: |
| (1) | useable in size and shape to meet the needs of a diversity of potential residents; functional and easily accessible from | (1) a minimum area of 25m² clear of any utilities such as gas, water tanks or airconditioning units; and (2) a minimum dimension of 4m. |
| (3) (4) | living or common areas to promotes outdoor living as an extension of the dwelling; clearly identified as private open space; and provides a high level of privacy for | AO6.2 For dwellings above ground level, private balconies are provided with a minimum area of: (1) 10m² for a 1 bedroom unit; or |
| (*) | residents and neighbours | (2) 16m² for a two or more bedroom unit; with a minimum dimension of 3m and clear of any air conditioning unit or drying space. A06.3 |
| | | Where clothes drying areas are provided on private balconies they are screened from public view and do not take up more than 10% of the balcony area. |
| Rec | onfiguration | |
| | ting lot sizes are maintained or increased cilitate integrated tourist uses. | AO7.1 Reconfiguration does not result in a smaller lot size. |
| Buil | t form | |
| | lings are generally two to three storeys, retain views to vegetated ridgelines. | AO8.1 Building height is a maximum of 13m. |
| suffi | elopment occurs on lots which provide cient space for buildings to be oriented to street. | AO9.1 The site has a frontage which is a minimum of 20m in width. |
| P01 | 0 | AO10.1 |
| Site (1) (2) | cover: allows for provision of substantial open space and landscaping on the site; and mitigates the bulk and scale of development. | Site cover does not exceed 60%. |
| PO1 | 1 | AO11.1 Buildings are set back from street frontages: |

Performance outcomes

Building setbacks (other than basements):

- create an attractive, consistent and cohesive streetscape;
- (2) maintain appropriate levels of light and solar penetration, air circulation, privacy and amenity for existing and future buildings;
- do not prejudice the development or amenity of adjoining sites;
- (4) assist in retaining native vegetation and allow for the introduction of landscaping to complement building massing and to screen buildings;
- (5) provide useable open space for the occupants; and
- (6) provide space for service functions including car parking and clothes drying.

Acceptable outcomes

- (1) within 20% of the average front setback of adjoining buildings; or
- (2) where there are no adjoining buildings, 3m.

Figure 6.2.5.3.1 illustrates.




Figure 6.2.5.3.1—Setbacks

AO11.2

At the side boundary:

- (1) a built to boundary wall does not exceed 4.5m in height and 9m in length along any one boundary; and
- (2) otherwise, buildings are set back a minimum of:
 - (a) 1.5m for a wall up to 4.5m high;
 - (b) 2m for a wall up to 7.5m high; and
 - (c) 2.5m plus 0.5m for every 3m or part thereof by which the building exceeds 7.5m.

Note—Where a multiple dwelling in the form of attached or terrace houses is proposed, side setbacks would apply only to boundaries shared with adjoining sites and not to "internal" lot boundaries within the development site.

AO11.3

The rear boundary setback is a minimum of 4m.

PO12

Basements are designed to ensure:

- (1) substantial areas of the site are available for deep planting; and
- (2) a strong relationship between the street and the proposed building and ground level open space.

AO12.1

Basements are set back by;

- (1) 2m from the street frontage; and
- (2) 2m from other site boundaries if landscaping is intended to provide screening to neighbouring sites.

PO13

Design elements contribute to an interesting and attractive streetscape and building through:

 the provision of projections and recesses in the facade which reflect No acceptable outcome is nominated.

| Performance outcomes | | Acceptable outcomes |
|--|---|--|
| (2) (3) (4) (5) | changes of internal functions of buildings, including circulation; variations in material and building form; modulation in the facade, horizontally or vertically; articulation of building entrances and openings; and corner treatments to address both street frontages. | |
| PO14 | 4 | No acceptable outcome is nominated |
| Design elements promote a subtropical and climate responsive design character through: (1) the use of deep verandahs, decks and eaves; and | | Editor's note—Applicants should have regard to Subtropical Design in South East Queensland A Handbook for Planners Developers and Decision Makers (2010 Centre for Subtropical Design QUT). |
| (2) | integration of buildings within landscape planting. | |
| PO1 | 5 | No acceptable outcome is nominated. |
| | form assists in reducing the appearance ilding bulk by: | |
| (1) (2) (3) | articulating individual buildings; incorporating variety in design through use of roof pitch, height, gables and skillions; and screening plant and equipment, such | |
| | as vents, lift over-runs or solar energy and storm water collectors. | |
| PO10 | | No acceptable outcome is nominated. |
| Development establishes an active interface with adjoining pedestrian spaces by providing physical connections between buildings and between buildings and public places to encourage pedestrian movement. | | |
| PO17 | | AO17.1 |
| Parking facilities are located so that they do not dominate the streetscape or the building form when viewed from the street. | | Vehicle parking structures are located behind the building or within a basement level. |
| PO18 | 8 | AO18.1 |
| Development is designed to create an attractive streetscape and discourage crime and anti-social behaviour by: | | Buildings are designed to have balconies, windows and building openings overlooking streets and other public spaces. Figure 6.2.5.3.2 illustrates. |

Performance outcomes

- (1) maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas;
- (2) ensuring spaces are well lit;
- (3) minimising potential concealment and entrapment opportunities; and
- (4) providing direct movements with clear unobscured sight lines.

Acceptable outcomes




Figure 6.2.5.3.2—Overlooking

AO17.2

Fences or walls along a street frontage or public space have a maximum height of:

- (1) 1.2m where solid; or
- 1.8m where that portion of the fence above 1.2m high is at least 50% transparent.

Figures 6.2.5.3.3 and 6.2.5.3.4 illustrate.




Figure 6.2.5.3.3—Fencing (1)




Figure 6.2.5.3.4—Fencing (2)

Amenity

PO19

Privacy between dwelling units on the site and adjoining sites is achieved by effective building design and the location of windows and outdoor open spaces to prevent overlooking into habitable rooms or private open space areas or through the use of screening devices. Where screening devices are used, they are integrated with the building design.

AO19.1

Where habitable room windows are directly adjacent to habitable rooms of adjoining dwellings and are within a distance of 9m and within an angle of 45 degrees, privacy is protected by:

- (1) sill heights being a minimum of 1.5m above floor level; or
- (2) providing fixed translucent screens, such as frosted or textured glazing, for

| Performance outcomes | Acceptable outcomes |
|--|--|
| | any part of the window below 1.5m above floor level; or (3) providing fixed external screens. |
| | AO19.2 |
| | Outlook from windows, balconies, stairs, landings, terraces and decks and other private areas, is screened where a direct view is available into the private open space of another dwelling. Screening is achieved by: |
| | (1) fixed translucent screens, such as frosted or textured glazing, for any part of the window below 1.5m above floor level; or (2) fixed external screens; or (3) landscape planting that will achieve a minimum of 2m in height at maturity. |
| | AO19.3 |
| | Where incorporating screening devices, they are: |
| | solid translucent screens or perforated panels or trellises that have a maximum of 25% openings, with a maximum opening dimension of 50mm and that are permanently fixed and durable; and offset a minimum of 300mm from the wall of the building. |
| PO20 | AO20.1 |
| On-site landscaping is provided to: (1) enhance the appearance of the development; | A minimum of 15% of the site is planted or vegetated landscaping (rather than hardstand). |
| (2) complement any native vegetation | AO20.2 |
| within the site; (3) create green roofs, walls or other sustainable building elements; (4) provide privacy between dwellings; and (5) screen unsightly components. | A 2m wide landscaped area which is capable of deep planting to sustain mature trees, is provided along the length of any public road frontage. |
| PO21 | No acceptable outcome is nominated |
| Driveways and vehicle crossovers are designed to minimise the removal of any existing street trees located within the road reserve. | No acceptable outcome is nominated. |
| PO22 | No acceptable outcome is nominated. |
| Development minimises impacts on surrounding residential amenity and provides a high level of on-site amenity for occupants, having regard to noise, odour, vibration, air or light emissions. | |
| light emissions. | |

| Dorfo | ormance outcomes | Accentable outcomes |
|--|--|--|
| | | Acceptable outcomes |
| amer from drived | g and design achieves a high level of hity for occupants by minimising impacts noise generating areas, such as streets, ways, car parking areas, service areas, te and communal open space areas and nanical equipment. | |
| PO24 | 1 | AO24.1 |
| shade public | elopment minimises the extent of ows on useable private open space or c spaces and provides adequate ght to habitable rooms on the site and ning. | Solar access to habitable rooms and private open space of dwellings: (1) is not less than 3 hours between 9am and 3pm on June 21; or (2) where existing overshadowing by building and fences is greater than this, sunlight is not further reduced by 20%. |
| PO25 | 5 | No acceptable outcome is nominated. |
| Waste disposal and servicing areas are not visible from public places and do not have adverse amenity impacts on adjoining properties. | | |
| PO26 | 5 | No acceptable outcome is nominated. |
| The site layout responds to topography, natural values and development constraints, such that: | | Editor's note—Applicants will also need to have regard to any relevant overlays applicable to the development site. |
| (1) | impacts on ecological corridors and native vegetation are minimised and mitigated; and alteration to natural topography and drainage lines is minimised. | |

6.2.6 Principal centre zone code

6.2.6.1 Application

This code applies to development:

- (1) within the principal centre zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the principal centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.6.2 Purpose

- (1) The purpose of the principal centre zone code is to guide the development of the highest order centres at Capalaba and Cleveland, which contain the largest and most diverse mix of uses including the highest order business, retail, government, community, entertainment and cultural activities, the highest density forms of housing, and the highest concentration of employment in the Redlands.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the principal centres consist of a diverse range of higher order business and retailing activities, including department stores, discount department stores, supermarkets, specialty stores and small and large scale offices;
 - (b) vibrant, mixed use environments are created, with high levels of day and night time activity;
 - (c) higher density residential and short term accommodation are established within the centres:
 - (d) the principal centres also accommodate a wide range of community, cultural and entertainment facilities such as theatres, nightclubs, restaurants, libraries and galleries and provide a major focus for community interaction and civic life;
 - (e) development maximises accessibility to and integration with the major public transport interchanges within the centres;
 - (f) development ensures the principal centres are highly accessible by public transport, walking and cycling;
 - (g) built form and streetscaping in principal centres strengthen the identity of the Redlands as a sub-tropical, bayside city, and create attractive and engaging streetscapes through scale, building elements, awnings and extensive street planting;
 - (h) built form and ground floor uses contribute to a comfortable, generous and safe pedestrian environment and active street frontages;
 - (i) development contributes to an interconnected network of urban parks, plazas and open spaces;
 - major roads are provided with streetscape and landscape elements which create attractive urban boulevards;
 - (k) car parking areas and servicing areas do not visually dominate the centre; and
 - (I) development minimises adverse impacts on the residential amenity of the surrounding neighbourhood.

(3) Cleveland

- the principal centre at Cleveland accommodates the primary administrative functions of the city including Council's headquarters and State and Commonwealth government services;
- (b) the principal centre at Cleveland accommodates the city's primary cultural and entertainment facilities as well as important tourism related services and events;
- (c) development concentrates a mix of uses around the harbour, including leisure, specialist boutiques and artisan retail as well as a substantial proportion of residential development, waterfront dining, night time activities and entertainment;

- (d) building height is greatest between Middle Street and Shore Street West and the railway station, and steps down towards the southern parts of the centre, other than on the gateway sites on the northern side of the intersection of Russell and Bloomfield Streets;
- (e) built form ensures that views to North Stradbroke Island are retained when viewed from Shore Street between Delancey and Grant Streets;
- (f) Bloomfield Street strengthens its role as Cleveland's high street, providing continuous active frontages between Middle Street and Russell Street, primarily consisting of small scale shops, cafes and restaurants;
- (g) a new town square is established on Bloomfield Street;
- (h) the physical and visual connection between Bloomfield Street and Raby Bay Harbour Park is strengthened;
- (i) new centre gateway features at key intersections indicated on Figure 6.2.6.3.1 are created through strong built form;
- underutilised land and surface car parks are redeveloped, with parking incorporated within or behind the built form;
- (k) built form creates a strongly defined edge along the waterside, Raby Bay Harbour Park and along Shore Street; and
- (I) additional mid block pedestrian linkages at the locations indicated on Figure 6.2.6.3.1 are created to complement the existing grid street pattern.

(4) Capalaba

- (a) the principal centre at Capalaba continues to act as the primary retail and commercial centre in the city;
- (b) the principal centre at Capalaba accommodates administrative functions that are secondary to those of Cleveland and are generally limited to government support or branch offices:
- (c) development assists in integrating the future busway into the centre and preserves the necessary corridors to achieve extension of the busway;
- (d) building height is greatest in the core of the centre, focussed on a revitalised town square at Capalaba Place on Redland Bay Road (indicated on Figure 6.2.6.3.2), and steps down to the edges of the centre;
- (e) buildings are orientated to provide improved activation of the edges of the town square;
- (f) development facilitates the creation of a key pedestrian spine and view corridor that provides easy access across the centre, between Capalaba Park and Capalaba Central shopping centres and beyond to surrounding parkland;
- (g) development assists in activating the outside edges of the Capalaba Central and Capalaba Park shopping centres, sleeving and enlivening the streets and spaces with smaller scale uses that have active frontages;
- (h) new centre gateway features at key intersections indicated on Figure 6.2.6.3.2 are created through strong built form;
- (i) development of the Capalaba Central and Capalaba Park shopping centres broadens the mix of uses, in particular, by incorporating additional office space; and
- (j) additional mid block pedestrian linkages are created to increase the permeability and walkability of the centre.

6.2.6.3 Principal centre zone code – Specific benchmarks for assessment

Table 6.2.6.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|--|---|
| For development that is accepted subject to requirements and assessable development | |
| Amenity | |
| PO1 Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO1.1 Hours of opening are limited to 6am to midnight. |
| PO2 | AO2.1 |
| Development minimises impacts on the amenity of nearby land in a residential zone, having regard to noise, odour, vibration, air or light emissions. | Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. |
| | AO2.2 |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) during opening hours: 25 lux; and |
| | (2) after opening hours, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. |
| | AO2.3 Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. |
| | AO2.4 |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. |
| | AO2.5 |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. |
| For assessable development | |
| Uses | |
| PO3 | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes |
|--|---|
| The highest order and widest range of government services are provided in Cleveland. Only secondary government services are established in Capalaba. | |
| PO4 | No acceptable outcome is nominated. |
| On streets and accessways identified as active frontages on figures 6.2.6.3.1 Cleveland principal centre and 6.2.6.3.2 Capalaba principal centre, ground floor uses contribute to the vitality and vibrancy of the city's public domain and include a mix of small scale shops, cafes and restaurants, and other uses which generate a high level of pedestrian traffic. | |
| PO5 | AO5.1 |
| Residential development does not detract from active, pedestrian focussed streetscapes at ground level. | Residential uses are established above or behind ground commercial uses. |
| Built form | |
| PO6 | No acceptable outcome is nominated. |
| Development on gateway sites entrances shown on Figures 6.2.6.3.1 Cleveland principal centre and 6.2.6.3.2 Capalaba principal centre creates distinctive entry points through architectural design and building orientation. | |
| PO7 | AO7.1 |
| Building height is consistent with Figures 6.2.6.3.3 Cleveland building heights and | Buildings or structures do not exceed the heights as shown on: |
| 6.2.6.3.4 Capalaba building heights. | (1) Figure 6.2.6.3.3 height map Cleveland; or |
| | (2) Figure 6.2.6.3.4 height map Capalaba. |
| PO8 | AO8.1 |
| Buildings incorporate a podium level to provide a human scale and continuous | Buildings incorporate a two storey podium. |
| streetscape and ground level. | Above pedium levels, buildings have a |
| | Above podium levels, buildings have a maximum site cover of 60%. |
| PO9 | AO9.1 |
| Building setbacks along street frontages establish a well defined human scale, | Front setback is: |
| building edge at ground level and a continuous building line. | (1) at podium levels - 0m (buildings are built to the street alignment); and(2) above podium levels - 4m. |
| PO10 | AO10.1 |
| Side and rear boundary setbacks ensure buildings: (1) allow light penetration, air circulation and outlook and reduce building bulk above podium; and | Where a rear or side boundary adjoins land in a residential zone, buildings (whether podium level or above) are set back from the boundary a minimum of 3m or half the height of the building at that point, whichever is |
| | greater. |


| Performance outcomes | | Acceptable outcomes |
|----------------------|--|--|
| (2) | minimise impacts on adjacent residential areas. | AO10.2 Elsewhere, rear or side boundary setback are: (1) at podium levels - 0m; and (2) above podium levels - 4m from any side boundary and 6m from the rear boundary. |
| PO1 | | No acceptable outcome is nominated. |
| (1) | eveland, development maintains: the vegetated backdrop of North Stradbroke Island visible above buildings when approaching Cleveland, particularly from the section of Shore Street between Delancey and Grant Street; and | |
| (2) | the view corridor down Bloomfield Street, through the Raby Bay Harbour to Moreton Bay. | |
| | lings and structures positively contribute sual character and streetscape by: treating the site as a series of buildings, streets and spaces rather than a single, visually homogenous complex; avoiding blank facades which are visible from the street or a public space; incorporating human scale elements; the use of high quality materials; variations in materials, patterns, textures and colours; building articulation and variation; and the use of non-reflective materials. | No acceptable outcome is nominated. |
| of ph betw | lings are designed to provide high levels hysical and visual interaction and access een internal and external spaces at and level, having regard to: maximising the extent of transparent and operable elements such as large window openings, sliding doors, window seating; providing views into any semi public internal spaces such as arcades, communal courtyards and gardens; including usable outdoor/semi-outdoor spaces that support outdoor lifestyles and engage with the public realm; and minimising non-active elements such as vehicle access, fire egress, plant and building services along the frontage. | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes | |
|---|---|--|
| PO14 Large format retailing, showrooms and shopping centres are designed to ensure a high level of pedestrian permeability and create street frontages sleeved with buildings that define the street edge and screen parking areas or structures behind. | No acceptable outcome is nominated. | |
| PO15 Parking areas and parking stations are located and designed to ensure they are not a dominant element of the streetscape. | No acceptable outcome is nominated. | |
| PO16 Entries to car parking are consolidated wherever possible. | No acceptable outcome is nominated. | |
| PO17 Built form strengthens the physical and visual relationship between the railway station, Raby Bay Harbour Park and the rest of the Cleveland principal centre. | No acceptable outcome is nominated. | |
| PO18 Buildings are designed to step with the contours of the site to ensure continuous building façade at street level. | No acceptable outcome is nominated. | |
| PO19 Buildings are oriented to the street rather than to internal spaces or car parking areas. | No acceptable outcome is nominated. | |
| PO20 Roof forms and spaces are designed as an integral part of the building. Plant or lift equipment, vents, air conditioning and other technical equipment including solar or water collectors, are designed as an architectural feature or are provided with attractive screening. | No acceptable outcome is nominated. | |
| PO21 Development is designed to discourage crime and anti-social behaviour by: (1) maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas; (2) ensuring spaces are well lit; (3) minimising potential concealment and entrapment opportunities; and (4) providing direct movements with clear unobscured sight lines. | No acceptable outcome is nominated. | |
| Public spaces and linkages | | |
| PO22 Development facilitates the creation of a formal town square: | AO22.1 Development incorporates a town square in accordance with Figures 6.2.6.3.1 Cleveland | |

| Perf | ormance outcomes | Acceptable outcomes |
|---|---|--|
| (1) | in Cleveland - at a mid-point on the western side of Bloomfield Street in accordance with Figure 6.2.6.3.1 Cleveland principal centre; and in Capalaba - at a mid-point on the eastern side of Redland Bay Road in accordance with Figure 6.2.6.3.2 Capalaba principal centre. | principal centre and 6.2.6.3.2 Capalaba principal centre. |
| PO2 | 3 | AO23.1 |
| Development creates a network of attractive interlinking pedestrian routes and spaces to maximise the legibility and walkability of the centres, generally in accordance with Figures 6.2.6.3.1 Cleveland principal centre and 6.2.6.3.2 Capalaba principal centre. | | Development incorporates pedestrian links in accordance with Figures 6.2.6.3.1 Cleveland principal centre and 6.2.6.3.2 Capalaba principal centre. |
| | | AO23.2 Pedestrian links have a minimum width of 3m. |
| PO2 | 4 | AO24.1 |
| | apalaba, development strengthens two or pedestrian spines, being: an east/west spine linking | Development incorporates the major pedestrian spines in accordance with Figure 6.2.6.3.2 Capalaba principal centre. |
| | Coolnwynpin Creek, Capalaba Central | AO24.2 |
| (2) | shopping centre, Capalaba Place, Capalaba Park shopping centre and the Capalaba Regional Park and connecting through the new town square; and a north/south spine linking John Fredricks Park and open space on the northern side of Old Cleveland Road with Capalaba Place, the bus station and Capalaba Park and Capalaba Central shopping centres. | Major pedestrian spines have a minimum width of 10m. |
| PO2 | 5 | AO25.1 |
| At Cleveland, development strengthens a major pedestrian spine, running east/west between Wynyard Street and Doig Street, connecting through the new town square. | | Development incorporates the major pedestrian spines in accordance with Figure 6.2.6.3.1 Cleveland principal centre. |
| | | AO25.2 |
| | | Major pedestrian spines have a minimum width of 10m. |
| PO26 | | No acceptable outcome is nominated. |
| Development incorporates planting and landscape elements to create a boulevard treatment along major roads identified on Figures 6.2.6.3.1 Cleveland principal centre and 6.2.6.3.2 Capalaba principal centre. | | |
| PO27 | | AO27.1 |
| | ings are provided along all active street ages which: cover the adjoining footpath; are continuous across the frontage; | Awnings are provided along all active frontages identified on Figures 6.2.6.3.1 Cleveland principal centre and 6.2.6.3.2 Capalaba principal centre, which: |

| Performance outcomes | | Acceptable outcomes |
|---|--|--|
| (3) | align to provide continuity with existing or future shelter structures on adjoining sites; and are safe. | are cantilevered from the main building with any posts within the footpath being non-load-bearing; are a minimum 3.2m in width and not more than 4.2m above pavement height; and do not extend past a vertical plane: 1.5m inside the kerb line to enable street trees to be planted and grow; or 0.6m inside the kerb line where trees are established; and have a 0.5m clearance to any tree trunk and main branches. |
| Ame | nity and streetscape | |
| PO28 High quality landscape and streetscape treatments, including planting, street art and furniture are provided to contribute to the overall attractiveness and function of the centre. | | No acceptable outcome is nominated. |
| PO2 | | No acceptable outcome is nominated. |
| | ite landscaping is provided to: | |
| (1)(2)(3)(4) | enhance the appearance of the development, particularly in car parking and service areas and public spaces; contribute to pedestrian comfort through shade; create green roofs, walls or other sustainable building elements; and screen unsightly components. | |
| PO3 | 0 | AO30.1 |
| Landscaping is provided to buffer to adjoining land in residential zone or other sensitive land use. | | A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a residential zone or sensitive land use. |
| PO3 | 1 | AO31.1 |
| dwell | elopments involving more than 20 lings or accommodation units provide cient communal open space to: create usable, flexible spaces suitable for a range of activities; and provide facilities including seating, landscaping and shade. | Where development involves more than 20 dwellings, a minimum of 15% of the site area is provided as communal open space, with a minimum dimension of 5m and a minimum area of 50m ² . Note—Communal open space can be provided on rooftops, on podiums, or at ground level. |
| PO32 | | AO32.1 |
| Development for residential and accommodation purposes maximises privacy for dwellings and avoids overlooking of habitable rooms and private open space. | | Windows, balconies, and terraces of a dwelling unit are screened where overlooking a habitable room or private open space of another dwelling unit within 9m. Screening consists of a solid translucent screen or |

| Performance outcomes | Acceptable outcomes |
|--|--|
| | perforated panels or trellises which have a maximum of 50% openings. |
| PO33 | No acceptable outcome is nominated. |
| Development for residential and accommodation purposes is designed to minimise noise nuisance for occupants. | |



Cleveland Concept Plan

- ----- Active Frontage
- Major Pedestrian Spine
- * Town Square
- ••• Boulevard
- Pedestrian Link
- **Gateway**

| Figure 6.2.6.3.1—Cleveland | principal centre |
|----------------------------|------------------|
|----------------------------|------------------|




Figure 6.2.6.3.2—Capalaba principal centre




Figure 6.2.6.3.3—Cleveland building heights




Figure 6.2.6.3.4—Capalaba building heights

6.2.7 Major centre zone code

6.2.7.1 Application

This code applies to development:

- (1) within the major centre zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the major centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.7.2 Purpose

- (1) The purpose of the major centre zone code is to guide the development of the Victoria Point centre, which will contain a diverse mix of residential accommodation, businesses, services and facilities to meet the weekly needs of a growing catchment population in the southern part of Redlands and the Southern Moreton Bay Islands.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Victoria Point plays a secondary retail, commercial and community service role to Cleveland and Capalaba;
 - (b) the centre is subordinate to and does not compromise the principal centres;
 - (c) a vibrant, mixed use environment is created, with high levels of day and night time activity and higher density residential and short term accommodation;
 - (d) the centre is highly accessible by public transport, walking and cycling:
 - (e) built form is generally larger than the surrounding residential environment, but transitions sensitively to surrounding residential areas;
 - (f) built form and streetscaping strengthen the identity of the Redlands as a subtropical, bayside city, and create attractive and engaging streetscapes through scale, building elements, awnings and extensive street planting;
 - (g) built form and ground floor uses contribute to a comfortable, generous and safe pedestrian environment and a bustling street life;
 - (h) development contributes to an interconnected network of urban parks, plazas and open spaces;
 - (i) development facilitates an integrated, mixed use centre design, with well connected pedestrian, cyclist and public transport facilities;
 - (j) car parking areas and servicing areas are generally located behind or beside buildings and do not visually dominate the centre; and
 - (k) development minimises adverse impacts on the residential amenity of the surrounding neighbourhood.

6.2.7.3 Major centre zone code – Specific benchmarks for assessment

Table 6.2.7.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Amenity | | |
| PO1 Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO1.1 Hours of opening are limited to 6am to midnight. | |
| PO2 | AO2.1 | |
| Development minimises impacts on the amenity of surrounding land in a residential zone, having regard to noise, odour, vibration, air or light emissions. | Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | AO2.2 | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: | |
| | (1) during opening hours: 25 lux; and(2) after opening hours, 4 lux. | |
| | Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. | |
| | AO2.3 | |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. | |
| | AO2.4 | |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. | |
| | AO2.5 | |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. | |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. | |
| For assessable development | | |
| Uses | | |
| PO3 | No acceptable outcome is nominated. | |
| Development: | | |

| Performance outcomes | | Acceptable outcomes |
|--|---|--|
| (1) | is of a scale and nature that is commensurate with its catchment; and does not undermine the role and successful functioning of the principal centres. | |
| PO4 | | No acceptable outcome is nominated. |
| Ground floor uses contribute to the vitality and vibrancy of the centre's public domain and include a mix of small scale shops, cafes and restaurants, and other uses which generate a high level of pedestrian traffic. | | |
| PO5 A mix zone | c of uses is achieved throughout the | AO5.1 Developments with a gross floor area greater than 500m² include more than one tenancy. |
| PO6 Residential development does not detract from active, pedestrian focussed streetscapes at ground level. | | AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| Built | form | |
| PO7 Buildings are generally four storeys, but transition down to height of buildings in adjoining residential zones. | | AO7.1 Building height does not exceed: (1) 10.5m within 10m of an adjoining low density, low-medium density or character residential zone; and (2) 17m otherwise. |
| PO8 | | No acceptable outcome is nominated. |
| Buildings have a strong orientation to external and internal streets, are designed to be pedestrian focussed and allow for easy and unobstructed movement between the footpath and buildings. | | |
| PO9 | | AO9.1 |
| Side and rear boundary setbacks and treatments ensure buildings are well separated from adjoining residential land. | | Where a rear or side boundary adjoins land in a residential zone, buildings are set back from the boundary a minimum of 3m or half the height of the building at that point, whichever is greater. |
| PO10 |) | No acceptable outcome is nominated. |
| Buildings and structures positively contribute to visual character and streetscape by: | | |
| (1) (2) (3) (4) (5) | treating the site as a series of buildings, streets and spaces rather than a single, visually homogenous complex; avoiding blank facades which are visible from the street or a public space; incorporating human scale elements; the use of high quality materials; variations in materials, patterns, | |

| Performance outcomes | Acceptable outcomes |
|---|-------------------------------------|
| (6) building articulation and variation; and(7) the use of non-reflective materials. | |
| Performance outcomes | Acceptable outcomes |
| Buildings are designed to provide high levels of physical and visual interaction and access between internal and external spaces at ground level, having regard to: (1) maximising the extent of transparent and operable elements such as large window openings, sliding doors and window seating; (2) providing views into any semi public internal spaces such as arcades, communal courtyards and gardens; (3) including usable outdoor/semi-outdoor spaces that support outdoor lifestyles and engage with the public realm; and (4) minimising non-active elements such as vehicle access, fire egress, plant and building services along the frontage. | No acceptable outcome is nominated. |
| PO12 Buildings are oriented to the street rather than to internal spaces or car parking areas. | No acceptable outcome is nominated. |
| PO13 Roof forms and spaces are designed as an integral part of the building. Plant or lift equipment, vents, air conditioning and other technical equipment including solar or water collectors, are designed as an architectural feature or are provided with attractive screening. | No acceptable outcome is nominated. |
| PO14 Car parking and service areas are located behind or beside buildings to minimise their visual and physical intrusion on the streetscape. | No acceptable outcome is nominated. |
| PO15 Entries to car parking are consolidated wherever possible. | No acceptable outcome is nominated. |
| PO16 Wherever possible, development maintains views and vistas to significant landscape features (including Eprapah Creek), green space elements, including bushland and major parks) and buildings and places. | No acceptable outcome is nominated. |
| PO17 Development is designed to discourage crime and anti-social behaviour by: | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes | |
|--|--|--|
| maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas; ensuring spaces are well lit; minimising potential concealment and entrapment opportunities; and providing direct movements with clear unobscured sight lines. | | |
| Public spaces and linkages | | |
| PO18 Pedestrian permeability is maximised throughout the centre by providing physical connections between buildings, between buildings and public places and to public transport. | No acceptable outcome is nominated. | |
| PO19 Development strengthens pedestrian spines along the lake and along the internal main streets linking the different parts of the centre. | No acceptable outcome is nominated. | |
| Amenity and streetscape | | |
| PO20 Development limits overshadowing on public places and residential land. | AO20.1 Development ensures that adjoining public spaces and residential lots have a minimum of three (3) hours of direct sunshine between 9am and 3pm on 21 June. | |
| PO21 Awnings are provided along all primary street frontages which: (1) cover the adjoining footpath; (2) are continuous across the frontage; (3) align to provide continuity with existing or future shelter structures on adjoining sites; and (4) are safe. | Awnings are provided along street frontages which: (1) are cantilevered from the main building with any posts within the footpath being non-load-bearing; (2) are a minimum 3.2m in width and not more than 4.2m above pavement height; and (3) do not extend past a vertical plane: (a) 1.5m inside the kerb line to enable street trees to be planted and grow; or (b) 0.6m inside the kerb line where trees are established; and (c) have a 0.5m clearance to any tree trunk and main branches. | |
| PO22 High quality streetscape treatments, including planting, street art and furniture are provided to contribute to and enhance the overall attractiveness and function of the centre. PO23 | No acceptable outcome is nominated. No acceptable outcome is nominated. | |
| On-site landscaping is provided to: | | |

| Performance outcomes | | Acceptable outcomes |
|--|--|--|
| (1) (2) (3) (4) | enhance the appearance of the development, particularly in car parking and service areas and public spaces; contribute to pedestrian comfort through shade; create green roofs, walls or other sustainable building elements; and screen unsightly components. | |
| PO24 | | AO24.1 |
| Landscaping is provided to buffer to adjoining land in residential zone or other sensitive land use. | | A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a residential zone or sensitive land use. |
| PO2 | 5 | AO25.1 |
| Developments involving more than 20 dwellings or accommodation units provide sufficient communal open space to: | | Where development involves more than 20 dwellings, a minimum of 15% of the site area is provided as communal open space, with a |
| (1) | create usable, flexible spaces suitable for a range of activities; and provide facilities including seating, landscaping and shade. | minimum dimension of 5m and a minimum area of 50m ² . Note—Communal open space can be provided on rooftops, on podiums, or at ground level. |
| PO2 | 6 | AO26.1 |
| Development for residential and accommodation purposes maximises privacy for dwellings and avoids overlooking of habitable rooms and private open space. | | Windows, balconies, and terraces of a dwelling unit are screened where overlooking a habitable room or private open space of another dwelling unit within 9m. Screening consists of a solid translucent screen or perforated panels or trellises which have a maximum of 50% openings. |
| PO27 Development for residential and accommodation purposes is designed to minimise noise nuisance for occupants. | | No acceptable outcome is nominated. |

6.2.8 District centre zone code

6.2.8.1 Application

This code applies to development:

- (1) within the district centre zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the district centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.8.2 Purpose

- (1) The purpose of the district centre zone code is to guide the creation of district centres at Alexandra Hills, Birkdale and Redland Bay which contain a diverse mix of residential accommodation, businesses, services and facilities to meet the weekly needs of a district population in the order of 15,000 people.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) district centres provide for the weekly shopping needs of catchments which are in the order of 15,000 people, and may include full line supermarkets, speciality stores, offices, dining, entertainment and community services;
 - (b) district centres are subordinate to and do not compromise higher order centres;
 - (c) residential and tourist accommodation is established within district centres to support the emergence of a vibrant mixed use environment;
 - (d) district centres accommodate a mix of day and night time activities;
 - (e) built form is generally larger than the surrounding residential environment, but transitions sensitively to surrounding residential areas;
 - (f) built form and ground floor uses contribute to an active, comfortable, safe, pedestrian focussed street life;
 - (g) built form and streetscaping strengthen the identity of the Redlands as a subtropical, bayside city, and create attractive and engaging streetscapes through scale, building elements, awnings and extensive street planting;
 - (h) development creates an interconnected network of urban parks, plazas and open spaces that provide a focus for community interaction and civic life;
 - (i) development facilitates an integrated, mixed use centre design, with well connected pedestrian, cyclist and public transport facilities:
 - (j) car parking areas and servicing areas are generally located behind or beside buildings and do not visually dominate the centre; and
 - (k) development minimises adverse impacts on the residential amenity of the surrounding neighbourhood.

6.2.8.3 District centre zone code – Specific benchmarks for assessment

Table 6.2.8.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Amenity | | |
| PO1 | AO1.1 | |
| Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | Hours of opening are limited to 6am to midnight. | |
| PO2 | AO2.1 | |
| Development minimises impacts on the amenity of surrounding land in a residential zone, having regard to noise, odour, vibration, air or light emissions. | Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | AO2.2 | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: | |
| | (1) during opening hours: 25 lux; and(2) after opening hours, 4 lux. | |
| | Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. | |
| | AO2.3 | |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. | |
| | AO2.4 | |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. | |
| | AO2.5 | |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. | |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. | |
| For assessable development | | |
| Uses | | |
| PO3 | No acceptable outcome is nominated. | |

| Performance outcomes | Acceptable outcomes |
|---|--|
| Development: (1) is consistent with the role of a district centre, and is of a scale and nature that is commensurate with a catchment of 15,000 people; and (2) does not undermine the role and function of other higher order centres. | |
| PO4 A mix of uses is achieved throughout the zone. | AO4.1 Developments with a gross floor area greater than 500m² include more than one tenancy. |
| PO5 Residential development does not detract from active, pedestrian focussed streetscapes at ground level. | AO5.1 Residential uses are established above or behind ground floor commercial uses. |
| Built form | |
| PO6 Buildings are generally up to four storeys, but transition down to equivalent heights of buildings in adjoining residential zones. | AO6.1 Building height does not exceed: (1) 10.5m within 10m of an adjoining low density, low-medium density or character residential zone; and (2) 17m otherwise. |
| PO7 Site coverage provides adequate space for pedestrian and vehicle access, car parking, service areas and landscaping. | AO7.1 The maximum site cover is 100%. |
| PO8 Buildings create a continuous building alignment along the street, and are designed to be pedestrian focussed and allow for easy and unobstructed movement between the footpath and buildings. | AO8.1 Buildings are built to the street alignment. |
| PO9 Side and rear boundary setbacks and treatments ensure buildings are well separated from adjoining residential land. | AO9.1 Where a rear or side boundary adjoins land in a residential zone, buildings are setback from the boundary a minimum of 3m or half the height of the building at that point, whichever is greater. |
| PO10 Buildings and structures positively contribute to visual character and streetscape by: (1) treating the site as a series of buildings, streets and spaces rather than a single, visually homogenous complex; (2) avoiding blank facades which are visible from the street or a public space; (3) incorporating human scale elements; (4) the use of high quality materials; (5) variations in materials, patterns, textures and colours; | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes |
|--|-------------------------------------|
| (6) building articulation and variation; and(7) the use of non-reflective materials. | |
| Performance outcomes | Acceptable outcomes |
| PO11 Buildings are designed to provide high levels of physical and visual interaction and access between internal and external spaces at ground level, having regard to: (1) maximising the extent of transparent and operable elements such as large window openings, sliding doors and window seating; (2) providing views into any semi public internal spaces such as arcades, communal courtyards and gardens; including usable outdoor/semi-outdoor spaces that support outdoor lifestyles and engage with the public realm; and (4) minimising non-active elements such as vehicle access, fire egress, plant and building services along the frontage. | No acceptable outcome is nominated. |
| PO12 Buildings are oriented to the street rather than to internal spaces or car parking areas. | No acceptable outcome is nominated. |
| PO13 Roof forms and spaces are designed as an integral part of the building. Plant or lift equipment, vents, air conditioning and other technical equipment including solar or water collectors, are designed as an architectural feature or are provided with attractive screening. | No acceptable outcome is nominated. |
| PO14 Car parking and service areas are located behind or beside buildings to minimise their visual and physical intrusion on the streetscape. | No acceptable outcome is nominated. |
| PO15 Entries to car parking are consolidated wherever possible. | No acceptable outcome is nominated. |
| PO16 Wherever possible, development maintains views and vistas to significant landscape features, green space elements (including bushland and major parks) and buildings and places. | No acceptable outcome is nominated. |
| PO17 Development is designed to discourage crime and anti-social behaviour by: | No acceptable outcome is nominated. |

| Perf | ormance outcomes | Acceptable outcomes | |
|--|---|--|--|
| (1) (2) (3) (4) | maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas; ensuring spaces are well lit; minimising potential concealment and entrapment opportunities; and providing direct movements with clear unobscured sight lines. | | |
| PO1 | 8 | No acceptable outcome is nominated. | |
| throu conn build | estrian permeability is maximised aghout the centre by providing physical sections between buildings, between ings and public places and to public sport. | | |
| Ame | nity and streetscape | | |
| PO1 | 9 | AO19.1 | |
| | elopment limits overshadowing on public es and residential land. | Development ensures that adjoining public spaces and residential lots have a minimum of three (3) hours of direct sunshine between 9am and 3pm on 21 June. | |
| PO2 | 0 | AO20.1 | |
| Awnings are provided along all primary street frontages which: (1) cover the adjoining footpath; (2) are continuous across the frontage; (3) align to provide continuity with existing or future shelter structures on adjoining sites; and (4) are safe. | | Awnings are provided along street frontages which: (1) are cantilevered from the main building with any posts within the footpath being non-load-bearing; (2) are a minimum 3.2m in width and not more than 4.2m above pavement height; and (3) do not extend past a vertical plane: (a) 1.5m inside the kerb line to enable street trees to be planted and grow; or (b) 0.6m inside the kerb line where trees are established; and (c) have a 0.5m clearance to any tree trunk and main branches. | |
| PO21 High quality streetscape treatments, including planting, street art and furniture are provided to contribute to and enhance the overall attractiveness and function of the centre. | | No acceptable outcome is nominated. | |
| PO2 | | No acceptable outcome is nominated. | |
| | - ite landscaping is provided to: | | |
| (1) | enhance the appearance of the development, particularly in car parking and service areas and public spaces; contribute to pedestrian comfort | | |
| | through shade; | | |

| Performance outcomes | Acceptable outcomes |
|---|---|
| (3) create green roofs, walls or other sustainable building elements; and (4) screen unsightly components. | |
| PO23 Landscaping is provided to buffer to adjoining land in residential zone or other sensitive land use. | AO23.1 A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a residential zone or sensitive land use. |
| PO24 Developments involving more than 20 dwellings or accommodation units provide sufficient communal open space to: (1) create usable, flexible spaces suitable for a range of activities; and (2) provide facilities including seating, landscaping and shade. | AO24.1 Where development involves more than 20 dwellings, a minimum of 15% of the site area is provided as communal open space, with a minimum dimension of 5m and a minimum area of 50m². Note—Communal open space can be provided on rooftops, on podiums, or at ground level. |
| PO25 Development for residential and accommodation purposes maximises privacy for dwellings and avoids overlooking of habitable rooms and private open space. | AO25.1 Windows, balconies, and terraces of a dwelling unit are screened where overlooking a habitable room or private open space of another dwelling unit within 9m. Screening consists of a solid translucent screen or perforated panels or trellises which have a maximum of 50% openings. |
| PO26 Development for residential and accommodation purposes is designed to minimise noise nuisance for occupants. | No acceptable outcome is nominated. |

6.2.9 Local centre zone code

6.2.9.1 Application

This code applies to development:

- (1) within the local centre zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the local centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.9.2 Purpose

- (1) The purpose of the local centre zone code is to guide the creation of local centres which contain a concentration of businesses, services and facilities to meet convenience needs for a suburb- or island-wide community.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) local centres service the retail, commercial and community needs of a local catchment (generally 5,000-10,000 people) by providing uses such as minisupermarkets, specialty stores, small scale offices and food and drink outlets;
 - (b) local centres are subordinate to and do not compromise higher order centres; they are limited to a scale of retailing activities that is proportionate to the catchment size, and mainland local centres do not include full line supermarkets;
 - (c) community, entertainment and other activities associated which serve a broader catchment or involve late night operation are not established, other than within the Point Lookout local centre:
 - (d) residential development occurs in the form of shop-top housing or in a manner that does not detract from centre activities;
 - (e) development avoids increasing adverse impacts on the residential amenity of the surrounding neighbourhood;
 - (f) development facilitates an integrated, mixed use centre design, with vibrant streets and public spaces and well connected pedestrian, cyclist and public transport facilities:
 - (g) development contributes to the creation of safe and accessible pedestrian and cycle focused environments;
 - (h) built form is consistent with the surrounding residential environment;
 - (i) development contributes positively to an active, pedestrian focussed and attractive streetscape;
 - (j) car parking areas and servicing areas are generally located behind or beside buildings and do not visually dominate the centre; and
 - (k) the Point Lookout centre:
 - (i) provides tourist accommodation as part of mixed use developments;
 - (ii) is designed to maximise views;
 - (iii) has a built form that minimises disturbance of the natural ground form; and
 - (iv) incorporates building elements and architectural styles that reflect the distinctive island village character.

6.2.9.3 Local centre zone code – Specific benchmarks for assessment

Table 6.2.9.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Amenity | | |
| PO1 Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO1.1 Hours of opening are limited to 6am to 10pm. | |
| PO2 | AO2.1 | |
| Development minimises impacts on the amenity of surrounding land in a residential zone, having regard to noise, odour, vibration, air or light emissions. | Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | AO2.2 | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: | |
| | (1) during opening hours: 25 lux; and(2) after opening hours, 4 lux. | |
| | Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. | |
| | AO2.3 | |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. | |
| | AO2.4 | |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. | |
| | AO2.5 | |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. | |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. | |
| For assessable development | | |
| Uses | | |
| PO3 | No acceptable outcome is nominated. | |
| Development: | | |

| Performance outcomes | Acceptable outcomes |
|---|---|
| is consistent with the role of a local centre, and is of a scale and nature that is commensurate with its catchment; and does not undermine the role and function of other higher order centres. | |
| PO4 | AO4.1 |
| Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. | Developments with a gross floor area of 500m ² or more include more than one tenancy and any single tenancy does not exceed 400m ² . |
| PO5 | No acceptable outcome is nominated. |
| Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. | |
| PO6 | AO6.1 |
| Residential development does not detract from active, pedestrian focussed streetscapes at ground level. | Residential uses are established above or behind ground floor commercial uses. |
| Built form | |
| P07 | AO7.1 |
| Buildings are similar to the height of intended residential buildings in the locality. | Building height does not exceed 10.5m. |
| PO8 | AO8.1 |
| Site coverage provides adequate space for pedestrian and vehicle access, car parking, service areas and landscaping. | The maximum site cover is 75%. |
| PO9 | AO9.1 |
| Buildings create a continuous building alignment along the street, and are designed to be pedestrian focussed and allow for easy and unobstructed movement between the footpath and buildings. | Buildings are built to the street alignment. |
| PO10 | AO10.1 |
| Side and rear boundary setbacks and treatments ensure buildings are well separated from adjoining residential land. | Where a rear or side boundary adjoins land in a residential zone, buildings are setback from the boundary a minimum of 3m or half the height of the building at that point, whichever is greater. |
| PO11 | No acceptable outcome is nominated. |
| Buildings and structures positively contribute | |
| to visual character and streetscape by: (1) treating the site as a series of buildings, streets and spaces rather than a single, visually homogenous complex; | |

| Performance outcomes | | ce outcomes | Acceptable outcomes |
|---|---|--|-------------------------------------|
| (2) | | ling blank facades which are e from the street or a public e: incorporating human scale elements; the use of high quality materials; variations in materials, patterns, textures and colours; | |
| | (d) (e) | building articulation and variation; and the use of non-reflective materials. | |
| PO12 | 2 | | No acceptable outcome is nominated. |
| of ph betw | Buildings are designed to provide high levels of physical and visual interaction and access between internal and external spaces at ground level, having regard to: (1) maximising the extent of transparent and operable elements such as large | | |
| (2) | winde winde provi interr comr | ow openings, sliding doors and bow seating; ding views into any semi public hal spaces such as arcades, munal courtyards and gardens; | |
| (3) | spac and e minir as ve | ding usable outdoor/semi-outdoor es that support outdoor lifestyles engage with the public realm; and nising non-active elements such chicle access, fire egress, plant building services along the age. | |
| PO1: | 3 | | No acceptable outcome is nominated. |
| | | re oriented to the street rather rnal spaces or car parking areas. | · |
| PO14 Roof forms and spaces are designed as an integral part of the building. Plant or lift equipment, vents, air conditioning and other technical equipment including solar or water collectors, are designed as an architectural feature or are provided with attractive screening. | | t of the building. Plant or lift vents, air conditioning and other quipment including solar or water are designed as an architectural | No acceptable outcome is nominated. |
| PO1 | 5 | | No acceptable outcome is nominated. |
| Car parking and service areas are located behind or beside buildings to minimise their visual and physical intrusion on the streetscape. | | eside buildings to minimise their ohysical intrusion on the | |
| PO10 | 6 | | No acceptable outcome is nominated. |
| | Entries to car parking are consolidated wherever possible. | | |
| PO17 | | | No acceptable outcome is nominated. |
| | | | |

| Performance outcomes | Acceptable outcomes |
|--|--|
| Wherever possible, development maintains views and vistas to significant landscape features (including Moreton Bay), green space elements, including bushland and major parks) and buildings and places. | |
| P018 | No acceptable outcome is nominated. |
| Development is designed to discourage crime and anti-social behaviour by: | |
| (1) maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas; (2) ensuring spaces are well lit; (3) minimising potential concealment and entrapment opportunities; and (4) providing direct movements with clear unobscured sight lines. | |
| PO19 | No acceptable outcome is nominated. |
| Pedestrian permeability is maximised throughout the centre by providing physical connections between buildings, between buildings and public places and to public transport. | |
| Amenity and streetscape | |
| PO20 | AO20.1 |
| Development limits overshadowing on public places and residential land. | Development ensures that adjoining public spaces and residential lots have a minimum of three (3) hours of direct sunshine between 9am and 3pm on 21 June. |
| PO21 | AO21.1 |
| Awnings are provided along all primary street frontages which: | Awnings are provided along street frontages which: |
| (1) cover the adjoining footpath; (2) are continuous across the frontage; (3) align to provide continuity with existing or future shelter structures on adjoining sites; and (4) are safe. | are cantilevered from the main building with any posts within the footpath being non-load-bearing; are a minimum 3.2m in width and not more than 4.2m above pavement height; do not extend past a vertical plane: (a) 1.5m inside the kerb line to enable street trees to be planted and grow; or (b) 0.6m inside the kerb line where trees are established; and (c) have a 0.5m clearance to any tree trunk and main branches. |
| High quality streetscape treatments, including planting, street art and furniture are provided to contribute to and enhance the overall attractiveness and function of the centre. | No acceptable outcome is nominated. |

| Perf | ormance outcomes | Acceptable outcomes |
|--|--|--|
| PO2 | 3 | No acceptable outcome is nominated. |
| On-s | site landscaping is provided to: | |
| (1) | enhance the appearance of the development, particularly in car parking and service areas and public spaces; | |
| (2) | contribute to pedestrian comfort through shade; | |
| (3) | create green roofs, walls or other sustainable building elements; and | |
| (4) | screen unsightly components. | |
| PO2 | | AO24.1 |
| Landscaping is provided to buffer to adjoining land in residential zone or other sensitive land use. | | A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a residential zone or sensitive land use. |
| PO2 | 5 | AO25.1 |
| dwel | elopments involving more than 20 lings or accommodation units provide cient communal open space to: create usable, flexible spaces suitable | Where development involves more than 20 dwellings, a minimum of 15% of the site area is provided as communal open space, with a minimum dimension of 5m and a minimum area of 50m ² . |
| (2) | for a range of activities; and provide facilities including seating, landscaping and shade. | Note—Communal open space can be provided on rooftops, on podiums, or at ground level. |
| PO2 | 6 | AO26.1 |
| Development for residential and accommodation purposes maximises privacy for dwellings and avoids overlooking of habitable rooms and private open space. | | Windows, balconies, and terraces of a dwelling unit are screened where overlooking a habitable room or private open space of another dwelling unit within 9m. Screening consists of a solid translucent screen or perforated panels or trellises which have a maximum of 50% openings. |
| PO2 | 7 | No acceptable outcome is nominated. |
| Development for residential and accommodation purposes is designed to minimise noise nuisance for occupants. | | |

6.2.10 Neighbourhood centre zone code

6.2.10.1 Application

This code applies to development:

- (1) within the neighbourhood centre zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the neighbourhood centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.10.2 Purpose

- (1) The purpose of the neighbourhood centre zone code is to guide the creation of neighbourhood centres which contain a limited range of businesses, services and facilities to meet the basic, day to day needs of the community in the immediate vicinity.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) development is of a scale and nature that services the day to day retail, commercial and community needs of a walkable neighbourhood catchment;
 - (b) neighbourhood centres are subordinate to and do not compromise higher order centres;
 - (c) full line supermarkets and higher order retailing are not established;
 - (d) community, entertainment and other activities associated serving a broader catchment or involving late night operation are not established other than on North Stradbroke Island or Southern Moreton Bay Islands;
 - (e) residential development occurs in the form of shop-top housing or in a manner that does not detract from centre activities;
 - (f) development avoids increasing adverse impacts on the residential amenity of the surrounding neighbourhood;
 - (g) development contributes to the creation of safe and accessible pedestrian and cycle focused environments;
 - (h) built form is low-rise, consistent with the surrounding residential environment;
 - (i) development contributes positively to an active, pedestrian focussed and attractive streetscape; and
 - (j) car parking areas and servicing areas are generally located behind or beside buildings and do not visually dominate the centre.

6.2.10.3 Neighbourhood centre zone code – Specific benchmarks for assessment

Table 6.2.10.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Amenity | | |
| PO1 Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO1.1 Hours of opening are limited to 6am to 10pm. | |
| PO2 Development minimises impacts on the amenity of surrounding land in a residential zone having regard to noise, odour, vibration, air or light emissions. | AO2.1 Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | AO2.2 | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: | |
| | (1) during opening hours: 25 lux; and(2) after opening hours, 4 lux. | |
| | Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. | |
| | AO2.3 | |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. | |
| | AO2.4 | |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. | |
| | AO2.5 | |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. | |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. | |
| For assessable development | 1 | |
| Uses | | |
| PO3 | AO3.1 | |

| Development: (1) is consistent with the role of a neighbourhood centre in primarily servicing the convenience needs of a walkable neighbourhood catchment; (2) does not undermine the role and function of other higher order retailing functions. (3) does not include showrooms, full line supermarkets or other higher order retailing functions. (3) does not include showrooms, full line supermarkets or other higher order retailing functions. (4) A03.2 The total gross floor area of all commercial offices, service industry uses and food and drink outlets within the centre does not exceed 1,200m². A03.3 No showrooms are established. No acceptable outcomes The total gross floor area of all commercial offices, service industry uses and food and drink outlets within the centre does not exceed 1,200m². A03.3 No showrooms are established. No acceptable outcome is nominated. A03.2 The total gross floor area of all commercial offices, service industry uses and food and drink outlets within the centre does not exceed 1,200m². A03.3 No showrooms are established. No acceptable outcome is nominated. |
|---|
| (1) is consistent with the role of a neighbourhood centre in primarily servicing the convenience needs of a walkable neighbourhood catchment; does not undermine the role and function of other higher order centres; and does not include showrooms, full line supermarkets or other higher order retailing functions. PO4 Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. Shopping centres within the centre does not exceed 1,500m². Full line supermarkets are not established. AO3.2 The total gross floor area of all commercial offices, service industry uses and food and drink outlets within the centre does not exceed 1,200m². AO3.3 No showrooms are established. No acceptable outcome is nominated. AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential development does not detract from active, pedestrian focussed |
| (2) does not undermine the role and function of other higher order centres; and (3) does not include showrooms, full line supermarkets or other higher order retailing functions. PO4 Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. PO6 Residential development does not detract from active, pedestrian focussed AO3.2 The total gross floor area of all commercial offices, service industry uses and food and drink outlets within the centre does not exceed 1,200m². AO3.3 No showrooms are established. No acceptable outcome is nominated. AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| and (3) does not include showrooms, full line supermarkets or other higher order retailing functions. PO4 Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. PO6 Residential development does not detract from active, pedestrian focussed The total gross industry uses and food and drink outlets within the centre does not exceed 1,200m². AO3.3 No showrooms are established. No acceptable outcome is nominated. AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| PO4 Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. PO6 Residential development does not detract from active, pedestrian focussed AO3.3 No showrooms are established. No acceptable outcome is nominated. AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential development does not detract from active, pedestrian focussed |
| PO4 Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. PO6 Residential development does not detract from active, pedestrian focussed No acceptable outcome is nominated. AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| Community and entertainment activities are small in scale, are not characterised by night time activity and are compatible with the amenity for the surrounding residential environment. PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. PO6 Residential development does not detract from active, pedestrian focussed AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| PO5 Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. PO6 Residential development does not detract from active, pedestrian focussed AO5.1 Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| Built form has a fine grain, characterised by small scale tenancies creating variation of shop fronts at street level. Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². PO6 Residential development does not detract from active, pedestrian focussed Developments with a gross floor area of 500m² or more include more than one tenancy and any single tenancy does not exceed 400m². AO6.1 Residential uses are established above or behind ground floor commercial uses. |
| Residential development does not detract from active, pedestrian focussed Residential uses are established above or behind ground floor commercial uses. |
| from active, pedestrian focussed behind ground floor commercial uses. |
| |
| Built form |
| PO7 AO7.1 |
| Building height is low rise and similar to the height of intended residential buildings in the locality. In the Kinross Road neighbourhood centre, building height does not exceed 14m. In all other centres, building height does not exceed 10.5m. |
| PO8 AO8.1 |
| Site coverage provides adequate space for pedestrian and vehicle access, car parking, service areas and landscaping. The maximum site cover for ground or podium level development is 75%. |
| PO9 AO9.1 |
| Buildings create a continuous building alignment along the street, and are designed to be pedestrian focussed and allow for easy and unobstructed movement between the footpath and buildings. Buildings are built to the street alignment. |
| PO10 AO10.1 |
| Side and rear boundary setbacks and treatments ensure buildings are well separated from adjoining residential land. Where a rear or side boundary adjoins land in a residential zone, buildings are set back from the boundary a minimum of 3m or half the height of the building at that point, whichever is greater. |
| PO11 No acceptable outcome is nominated. |

| Perf | ormance outcomes | Acceptable outcomes |
|--|---|-------------------------------------|
| | ings and structures contribute positively sual character and streetscape by: | |
| (1) | treating the site as a series of buildings, streets and spaces rather than a single, visually homogenous complex; | |
| (2) | avoiding blank facades which are visible from the street or a public space; | |
| (3) (4) (5) | incorporating human scale elements; the use of high quality materials; variations in materials, patterns, textures and colours; | |
| (6) (7) | building articulation and variation; and the use of non-reflective materials. | |
| PO12 | 2 | No acceptable outcome is nominated. |
| of ph betw | ings are designed to provide high levels ysical and visual interaction and access een internal and external spaces at nd level, having regard to: | |
| (1) | maximising the extent of transparent and operable elements such as large window openings, sliding doors and window seating; | |
| (2) | providing views into any semi public internal spaces such as arcades, communal courtyards and gardens; | |
| (3) | including usable outdoor/semi-outdoor spaces that support outdoor lifestyles and engage with the public realm; | |
| (4) | minimising non-active elements such as vehicle access, fire egress, plant and building services along the frontage. | |
| PO1: | 3 | No acceptable outcome is nominated. |
| | ings are oriented to the street rather to internal spaces or car parking areas. | · |
| PO14 | 4 | No acceptable outcome is nominated. |
| integ equip equip are d | forms and spaces are designed as an ral part of the building. Plant or lift oment, vents and other technical oment including solar or water collectors, lesigned as an architectural feature or provided with attractive screening. | |
| PO15 | | No acceptable outcome is nominated. |
| Car parking and service areas are located behind or beside buildings to minimise their visual and physical intrusion on the streetscape. | | · |
| PO16 | 6 | No acceptable outcome is nominated. |
| PO16 Entries to car parking are consolidated wherever possible. | | · |

| Performance outcomes | Acceptable outcomes |
|--|---|
| PO17 Wherever possible, development maintains views and vistas to significant landscape features (including Moreton Bay), green space elements, including bushland and major parks) and buildings and places. | No acceptable outcome is nominated. |
| PO18 | No acceptable outcome is nominated. |
| Development is designed to discourage crime and anti-social behaviour by: | · |
| maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas; ensuring spaces are well lit; minimising potential concealment and entrapment opportunities; and providing direct movements with clear unobscured sight lines. | |
| PO19 | No acceptable outcome is nominated. |
| Pedestrian permeability is maximised throughout the centre by providing physical connections between buildings, public places and public transport. | |
| PO20 | AO20.1 |
| In the South East Thornlands neighbourhood centre, development facilitates the establishment a safe, permeable, legible and functional movement network including streets, pedestrian, cyclist and public transport routes, that is generally in accordance with Figures 6.2.10.3.1 road movement network and 6.2.10.3.2 pedestrian, cycle and public transport network. | Development incorporates transport network elements consistent with Figure 6.2.10.3.1 road movement network and 6.2.10.3.2 pedestrian, cycle and public transport network. |
| PO21 | AO21.1 |
| In the Kinross Road neighbourhood centre, development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.10.3.3 road movement network and 6.2.10.3.4 pedestrian, cycle, public transport and parks network. | Roads, road closures, intersections, paths, fauna crossings, public transport stops and associated treatments are established in accordance with Figures 6.2.10.3.3 road movement network and 6.2.10.3.4 pedestrian, cycle, public transport and parks network. |
| PO22 | AO22.1 |
| Kinross Road extending from the intersection at Boundary Road to Goddard Road is designed to operate safely and efficiently and create a grand avenue character. | style trunk collector having a reserve width of |

| Performance outcomes | Acceptable outcomes |
|---|--|
| PO23 New streets provide sufficient width for on | (2) a 1.5m on-road cycle lane on both sides of the road using differently textured materials; (3) one vehicular lane and breakdown lane, minimum dimension of 5m on both sides of the road; and (4) a 6m central median incorporating native canopy trees and water sensitive urban design features. AO23.1 Streets have a minimum width of 18m. |
| street parking on both sides. | |
| Amenity and streetscape | |
| PO24 | AO24.1 |
| Development limits overshadowing on public places and residential land. | Development ensures that adjoining public spaces and residential lots have a minimum of three (3) hours of direct sunshine between 9am and 3pm on 21 June. |
| PO25 | AO25.1 |
| Awnings are provided along all primary street frontages which: | Awnings are provided along street frontages which: |
| (1) cover the adjoining footpath; (2) are continuous across the frontage; (3) align to provide continuity with existing or future shelter structures on adjoining sites; and (4) are safe. | are cantilevered from the main building with any posts within the footpath being non-load-bearing; are a minimum 3.2m in width and not more than 4.2m above pavement height; do not extend past a vertical plane: (a) 1.5m inside the kerb line to enable street trees to be planted and grow; or (b) 0.6m inside the kerb line where trees are established; and (c) have a 0.5m clearance to any tree trunk and main branches. |
| PO26 | No acceptable outcome is nominated. |
| High quality streetscape treatments, including planting, street art and furniture are provided to contribute to and enhance the overall attractiveness and function of the centre. | |
| PO27 | No acceptable outcome is nominated. |
| On-site landscaping is provided to: | |
| enhance the appearance of the development, particularly in car parking and service areas and public spaces; contribute to pedestrian comfort through shade; create green roofs, walls or other sustainable building elements; and screen unsightly components. | |

| Performance outcomes | Acceptable outcomes |
|---|---|
| PO28 Landscaping is provided to buffer to adjoining land in residential zone or other sensitive land use. | AO28.1 A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a residential zone or sensitive land use. |
| PO29 Developments involving more than 20 dwellings or accommodation units provide sufficient communal open space to: (1) create usable, flexible spaces suitable for a range of activities; and (2) provide facilities including seating, landscaping and shade. | AO29.1 Where development involves more than 20 dwellings, a minimum of 15% of the site area is provided as communal open space, with a minimum dimension of 5m and a minimum area of 50m². Note—Communal open space can be provided on rooftops, on podiums, or at ground level. |
| PO30 Development for residential and accommodation purposes maximises privacy for dwellings and avoids overlooking of habitable rooms and private open space. | AO30.1 Windows, balconies, and terraces of a dwelling unit are screened where overlooking a habitable room or private open space of another dwelling unit within 9m. Screening consists of a solid translucent screen or perforated panels or trellises which have a maximum of 50% openings. |
| PO31 Development for residential and accommodation purposes is designed to minimise noise nuisance for occupants. | No acceptable outcome is nominated. |





Figure 6.2.10.3.1—South East Thornlands: road movement network



South East Thornlands - Pedestrian, Cycle and Public Transport Network

- Primary Pedestrian Cycle Link
- Secondary Pedestrian
 Cycle Link
- Shared Pedestrian Cycle Bridge
- Controlled Pedestrian/Cycle Crossing Points
- Existing Bus Priority and Line Haul Routes
- Haul Routes
- Bus Station
- Existing Bus Stops
- Potential Bus Route
- Potential Bus Stop

Figure 6.2.10.3.2—South East Thornlands: pedestrian, cycle and public transport network




Figure 6.2.10.3.3—Kinross Road: road movement network




Figure 6.2.10.3.4—Kinross Road: pedestrian, cycle, public transport and parks network

6.2.11 Specialised centre zone code

6.2.11.1 Application

This code applies to development:

- (1) within the specialised centre zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the specialised centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.11.2 Purpose

- (1) The purpose of this code is to provide land for medical, research and technology activities, and to protect hospital and major healthcare operations.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the zone accommodates the hospital and associated services, including educational establishments, research and technology activities related to medical sciences, emergency services, health care services and community care centres;
 - (b) industry activities focussed on servicing or manufacturing goods related to the scientific or medical industries may be established, together with other service industry and low impact industries which are compatible with hospital operations;
 - (c) community residences, residential care facilities, rooming accommodation and short term accommodation may be established where they have a direct nexus to the hospital operations and are located and designed to be compatible with nearby industrial and other non residential activities;
 - (d) food and drink outlets, shops and offices are limited to those that primarily serve businesses, workers and patients, and are either of a convenience nature or are directly related to hospital operations;
 - (e) development does not prejudice the ability of the hospital and major health care providers to continue to operate in a manner that meets the needs of the existing and future community:
 - (f) development facilitates improved accessibility by walking, cycling and public transport, and easy access by all members of the community, including older and less mobile people;
 - (g) development is of a height and scale that allows for the activities for which the land is intended while minimising impacts on the locality;
 - (h) development makes a positive contribution to the Redlands' city image by incorporating a high quality of built form and landscape design; and
 - (i) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment and sensitive land uses.

6.2.11.3 Specialised centre zone code – Specific benchmarks for assessment

Table 6.2.11.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|--|---|
| For development that is accepted subject to | requirements and assessable development |
| Caretaker's accommodation and dwelling u | nits |
| PO1 Caretaker's accommodation or dwelling units do not compromise the productivity of the primary use. | AO1.1 Gross floor area of the dwelling does not exceed 100m². AO1.2 There is only one caretaker's accommodation |
| PO2 Caretaker's accommodation or dwelling units provide a reasonable level of amenity for occupants. | AO2.1 The dwelling is a permanent structure. |
| PO3 Development minimises impacts on surrounding areas, including sensitive land uses and non-industrial zoned land, having regard to noise, odour, vibration, air or light emissions. | AO3.1 Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) during opening hours: 25 lux; and (2) after opening hours, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. |
| | AO3.3 Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. |
| | AO3.4 Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. |
| | AO3.5 |

| Perfo | ormance outcomes | Acceptable outcomes | |
|---|---|---|--|
| | | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average on any land, other than land included in an industrial or mixed use zone. Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. | |
| For a | ssessable development | | |
| Uses | | | |
| | ational establishments are directly related hospital or medical sciences. | No acceptable outcome is nominated. | |
| to hos | trial uses do not create or increase risk spital operations or otherwise adversely ct on the hospital. | No acceptable outcome is nominated. | |
| PO6 Resid (1) (2) (3) | dential development is: for temporary accommodation purposes; directly related to the hospital or health care services; and located and designed to minimise and mitigate any impacts associated with nearby non residential activities. | No acceptable outcome is nominated. | |
| PO7 Food and drink outlets, shops and offices are small scale and provide services primarily for local businesses, patients and workers. | | AO7.1 Any food and drink outlet, shop or office on the site: (1) has a total gross floor area of 150m²; and (2) does not have a drive through facility. | |
| PO8 Development does not prejudice the ongoing hospital and health care operations or their potential to expand on land within the zone. | | No acceptable outcome is nominated. | |
| Built | Built form | | |
| | lopment is designed to incorporate ng elements that: exhibit a high degree of interest through the use of colour, angles, materials and shadows; establish a human scale; provide interesting, functional and attractive facades that contribute to the streetscape setting and pedestrian experience; and | No acceptable outcome is nominated. | |

| Performance outcomes | | Acceptable outcomes |
|---|---|--|
| (4) | incorporate articulated walls with horizontal and vertical variations, shadow detail and colour. | |
| PO10 Setbacks contribute to an attractive and consistent landscape appearance and are designed to avoid or minimise the potential for adverse amenity impacts on adjoining or nearby land. | | AO10.1 Buildings are set back: (1) 6m to street frontages; (2) 0m to side and rear boundaries. |
| PO11 Site coverage of buildings retains sufficient space on the site to accommodate public open space, landscaping, services and parking. | | AO11.1 Site cover does not exceed 80%. |
| PO12 Fenc (1) (2) (3) | es and walls: are visually attractive and contribute to or blend with planted landscaping and building materials; are designed and detailed to provide visual interest to the streetscape; and provide an effective visual and acoustic screen to adjoining sensitive environments. | No acceptable outcome is nominated. |
| | elopment is designed to discourage crime anti-social behaviour by: maximising opportunities for casual surveillance of public places, pedestrian and cycle paths and car parking areas; ensuring spaces are well lit; minimising potential concealment and entrapment opportunities; and providing direct movements with clear unobscured sight lines. | No acceptable outcome is nominated. |
| PO14 Development maximises accessibility for pedestrians and cyclists by providing safe and convenient links to public transport stops and routes and external pedestrian and cycle paths. | | No acceptable outcome is nominated. |
| Amenity and streetscape | | |
| PO1 : Land (1) | scaping is provided to: make a positive contribution to the | AO15.1 A minimum 2m wide planted landscaped area is provided along street frontages. |
| (2) | streetscape; break up and soften the visual bulk of buildings and hardstand areas; screen outdoor storage and servicing areas; | AO15.2 A minimum of 15% of all trees planted are capable of growing to the height of the eaves of the building. |

| Performance outcomes | Acceptable outcomes |
|--|--|
| (4) buffer to adjoining land in other zones or nearby sensitive land use; and (5) define building entrances and pedestrian paths. | AO15.3 Utility elements and waste storage are screened by a 1.8m high solid wall or fence or landscaping having the same screening effect. |
| PO16 Site layout and building design maximises personal safety of users and discourages antisocial behaviour. PO17 | No acceptable outcome is nominated. Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime Prevention through environmental Design guidelines for Queensland. AO17.1 |
| Plant, equipment and waste storage areas do not detract from the streetscape. | Plant, equipment and waste storage areas are not visible from a road or public open space. |
| Environmental protection and public safety | |
| PO18 Development minimises impacts on the natural environment by: (1) minimising alteration of natural drainage patterns; and (2) avoiding any potential for release of contaminants. | No acceptable outcome is nominated. |
| PO19 Development involving the use, storage and disposal of hazardous materials, hazardous chemicals, dangerous goods and flammable or combustible substances does not cause a public health or safety hazard or environmental harm or nuisance. | AO19.1 Off site impacts do not exceed: (1) for any hazard scenario involving the release of gases or vapours: (a) AEGL2 (60 minutes) or if not available ERPG2; and (b) An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure; (2) for any hazard scenario involving fire or explosion: (a) 7kPa overpressure; and (b) 4.7kW/m² heat radiation. OR AO19.2 The risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 0.5 x 10-6/year. |
| PO20 Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored safely and spill containment systems are provided that are adequate to contain releases. | AO20.1 Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored in accordance with AS1940 The Storage and Handling of Combustible Liquids. |

6.2.12 Recreation and open space zone code

6.2.12.1 Application

This code applies to development:

- (1) within the recreation and open space zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the specialised centre zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.12.2 Purpose

- (1) The purpose of the recreation and open space zone code is to provide for a range of sporting, recreation, leisure, cultural and educational activities and to protect ecological, drainage and flood related functions of open space areas.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - areas are provided for sport and recreational uses to meet community needs, including playing fields, equestrian facilities, outdoor cultural facilities, educational activities, public swimming pools and outdoor courts;
 - (b) sport and recreation areas are planned and designed to enhance community liveability;
 - (c) impacts on surrounding areas are managed through buffering and appropriate design, siting and operation of facilities and infrastructure:
 - (d) opportunities for sporting clubs to establish club facilities are facilitated;
 - (e) open space is easily accessible for the community it serves, and linkages to other parts of the open space network and nearby centres or community uses are facilitated:
 - (f) land used for privately operated recreational facilities is retained for open spacebased recreational functions and development is limited to activities and facilities that support or have a nexus with the primary open space or recreational function of the land;
 - (g) development is compatible with and does not detract from the visual quality or the ecological, buffering, drainage or flood related functions of the land;
 - (h) in the Kinross Road Hilliards Creek open space network:
 - (i) habitat, ecological corridors and the safe movement of fauna (particularly koalas) are protected, and opportunities for enhancement are facilitated;
 - (ii) the ecological functions of the east-west open space corridor through the Kinross Road area are maximised;
 - (iii) three neighbourhood parks and one community park are accommodated in locations that minimise the need for clearing and best serve the needs of the community; and
 - (iv) transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles;
 - (i) development is supported by transport infrastructure that is designed to provide safe and efficient access by public transport, walking and cycling; and
 - (j) a safe and comfortable environment is created, which minimises the potential for anti-social behaviour.

6.2.12.3 Recreation and open space zone code – Specific benchmarks for assessment

Table 6.2.12.3.1—Benchmarks for assessable development

| Performand | ce outcomes | Acceptable outcomes | |
|---|---|---|--|
| For assessa | For assessable development | | |
| Uses | | | |
| passive or a or supports | nt predominantly facilitates active recreational use of the land the conservation and nt of areas with significant tal values. | No acceptable outcome is nominated. | |
| (1) are ar the sit (2) provid | ional uses occur only where they: ncillary to the primary function of te; or de a compatible small scale ational or community facility. | No acceptable outcome is nominated. | |
| the existing and local co | ents are provided consistent with or planned function of the site mmunity needs. | No acceptable outcome is nominated. | |
| Built form | | | |
| | compatible with the primary or natural function and open the land. | No acceptable outcome is nominated. | |
| PO5 Where adjoining a residential zone, built form provides for a sensitive transition of building height from low rise structures at the edges of the site to higher structures located centrally within the site. | | AO5.1 Building height does not exceed 8.5m. | |
| building eler (1) exhibit through mater (2) estab (3) provide attract street exper (4) incorping shado | it a high degree of interest gh the use of colour, angles, rials and shadows; lish a human scale; de interesting, functional and tive facades that contribute to the scape setting and pedestrian ience; porate articulated walls with ontal and vertical variations, ow detail and colour; and hise any adverse reflective | No acceptable outcome is nominated. | |

| Performance outcomes | Acceptable outcomes | |
|---|-------------------------------------|--|
| Amenity | | |
| PO7 A high level of accessibility by pedestrians and cyclists is provided, linking effectively to external pathway and open space networks and facilitating ease of movement within the site. | No acceptable outcome is nominated. | |
| PO8 Buildings are located and designed to maintain the visual prominence of open spaces, significant landmarks and retain important view corridors. | No acceptable outcome is nominated. | |
| High quality landscape planting is provided to: (1) reinforce the open space functions of the site; (2) complement habitat values and ecological functions where they exist; (3) soften the appearance of buildings or structures; (4) screen outdoor storage and service areas; (5) create shade; and (6) help define activity areas and entrances. | No acceptable outcome is nominated. | |
| PO10 Development is designed to maximise the personal safety of users, having regard to: (1) providing casual surveillance; (2) avoiding the creation of vulnerable settings; (3) providing easy way finding for pedestrians; (4) deterring unintended and illegitimate access to premises; (5) limiting the opportunities for graffiti and vandalism; and (6) providing adequate lighting. | No acceptable outcome is nominated. | |
| PO11 Development minimises lighting, noise and other impacts on nearby sensitive land uses and habitat areas. | No acceptable outcome is nominated. | |
| Environment | | |
| PO12 The drainage and flood related functions of open space are maintained. | No acceptable outcome is nominated. | |
| PO13 | No acceptable outcome is nominated. | |

| Performance outcomes | Acceptable outcomes |
|--|---|
| The site layout and design responds sensitively to topography, drainage patterns, ecological values by: (1) minimising alteration of natural drainage patterns; (2) avoiding any potential for release of contaminants; (3) maximising the retention of existing native vegetation and ecological corridors; and (4) not unduly inhibiting the movement or creating other risks to native fauna. | |
| Kinross Road – Hilliards Creek open space | network |
| PO14 | AO14.1 |
| Neighbourhood and community parks are provided within the open space network in locations that minimise requirements for clearing and interruptions to fauna movement, and that are appropriate to community needs. | One community park and three neighbourhood parks are provided generally in the locations shown on Figure 6.2.12.3.2 pedestrian, cycle, public transport and parks network. |
| PO15 | No acceptable outcome is nominated. |
| The open space network prioritises protection of habitat and fauna movement corridors, and opportunities for enhancement of ecological functions are maximised. | Editor's note—The environmental significance overlay, waterway corridors and wetlands overlay and bushfire hazard overlay apply to this area. |
| PO16 | No acceptable outcome is nominated. |
| A local east-west koala and native fauna movement corridor linking Hilliards Creek with stands of remnant vegetation to the east is established and maintained. | |
| PO17 | No acceptable outcome is nominated. |
| Fauna exclusion fencing is erected along the boundaries of residential areas abutting open space zoned land to assist in funnelling of fauna to a fauna crossing at Kinross Road. | |
| PO18 | No acceptable outcome is nominated. |
| Development is designed to provide safe koala movement opportunities and minimise impediments to a koala traversing the landscape. | |
| PO19 | No acceptable outcome is nominated. |
| No clearing of remnant vegetation that is essential habitat occurs. | Editor's note—The Hilliards Creek corridor and the Wellington Ponds are Essential Habitat for the Wallum Froglet Crinia tinnula (Regional Ecosystem mapping, Vegetation Management Act 1999). |
| PO20 | AO20.1 |
| Development does not create any additional vehicular access points to Kinross Road for a distance of 835m from the intersection of Kinross Road and Boundary Road. New lots are provided with access from internal roads. | No new access points from lots are provided to Kinross Road for a distance of 835m from the intersection of Kinross Road and Boundary Road. |

| Performance outcomes | Acceptable outcomes |
|---|---|
| PO21 Development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.12.3.1 road movement network and 6.2.12.3.2 pedestrian, cycle, public transport and parks network. | AO21.1 Roads, road closures, intersections, paths, fauna crossings, public transport stops and associated treatments are established in accordance with Figures 6.2.12.3.1 road movement network and 6.2.12.3.2 pedestrian, cycle, public transport and parks network. |
| Kinross Road extending from the intersection at Boundary Road to Goddard Road is designed to operate safely and efficiently and create a grand avenue character. | Kinross Road is designed as a boulevard style trunk collector having a reserve width of 32m, including: (1) a 6.5m landscaped verge on both sides of the road incorporating native canopy shade trees, utility services and shared pedestrian/bicycle concrete pathways; (2) a 1.5m on-road cycle lane on both sides of the road using differently textured materials; (3) one vehicular lane and breakdown lane, minimum dimension of 5m on both sides of the road; and (4) a 6m central median incorporating native canopy trees and water sensitive urban design features. |
| PO23 The nominated trunk collector / boulevard providing access to Panorama Drive is designed to operate safely and efficiently and create a grand avenue character. | AO23.1 The road is designed as a boulevard style trunk collector, having: (1) a minimum road width of 20m; (2) no direct vehicular access from new uses and lots adjoining the trunk collector; and (3) a left in, right in and left out only intersection to Panorama Drive. |
| PO24 Where development involves nominated esplanade roads treatments adjoining open space, the road design: (1) creates a low speed environment; (2) facilitates safe, shared use for vehicles, pedestrians and cyclists; (3) incorporates grassed swales instead of kerb and channel adjacent to the open space; and (4) minimises disturbance to vegetation. | No acceptable outcome is nominated. |




Figure 6.2.12.3.1—Kinross Road: road movement network




Figure 6.2.12.3.2—Kinross Road: pedestrian, cycle, public transport and parks network

6.2.13 Environmental management zone code

6.2.13.1 Application

This code applies to development:

- (1) within the environmental management zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the environmental management zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.13.2 Purpose

- (1) The purpose of the environmental management zone code is to protect land with significant natural values while providing for dwelling houses on privately owned lots.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the environmental values and ecological functions of land within this zone are maintained or enhanced;
 - (b) land retains a generally undeveloped character;
 - (c) reconfiguration avoids further fragmentation of land; and
 - (d) development is generally limited to a single dwelling house on a large lot or small scale activities that facilitate the management or conservation of the environmental values on or near the land.

6.2.13.3 Environmental management zone code – Specific benchmarks for assessment

Table 6.2.13.3.1—Benchmarks for assessable development

| Performance Outcomes | Acceptable Outcomes |
|--|--|
| For assessable development | |
| PO1 | No acceptable outcome is nominated. |
| Development directly supports conservation and environmental management purposes or is a single dwelling house on a lot. | |
| PO2 Development is of a small scale and low intensity, which maintains the natural character of the site and is compatible with nearby uses. | No acceptable outcome is nominated. |
| PO3 | AO3.1 |
| Reconfiguration avoids further fragmentation of land. | Reconfiguration does not result in a smaller lot size. |
| PO4 | AO4.1 |
| Development minimises the need for clearing of vegetation or earthworks, and where possible, occurs within already cleared parts of the site. | No clearing is associated with the development. |
| PO5 | No acceptable outcome is nominated. |
| The environmental values, ecological functions and natural physical processes occurring on the site or in the locality are not adversely affected. | |
| PO6 | No acceptable outcome is nominated. |
| Development does not unduly inhibit the movement of, or cause a risk to, native fauna. | |

6.2.14 Conservation zone code

6.2.14.1 Application

This code applies to development:

- (1) within the conservation zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the conservation zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.14.2 Purpose

- (1) The purpose of the conservation zone code is to provide for the protection of land which supports significant biological diversity and ecological functions.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the landscape qualities, environmental values and ecological functions of land within this zone are maintained or enhanced;
 - (b) development is small in scale and limited to management and conservation activities, or nature-based education, tourism and recreation;
 - (c) reconfiguration avoids further fragmentation of land;
 - (d) development is compatible with flooding and storm tide hazards or other drainage constraints affecting the land; and
 - development minimises adverse impacts on scenic and natural values of land within the conservation zone.

6.2.14.3 Conservation zone code – Specific benchmarks for assessment

Table 6.2.14.3.1—Benchmarks for assessable development

| Performance Outcomes | Acceptable Outcomes |
|---|---|
| For assessable development | |
| PO1 Development is for purposes that support or facilitate: (1) conservation and management | No acceptable outcome is nominated. |
| activities; or (2) education or research that has a nexus to the values on the land; or (3) low key nature-based tourism and recreation activities that are compatible with the values of the land. | |
| PO2 Development is of a small scale and low intensity, which maintains a natural, generally undeveloped character. | No acceptable outcome is nominated. |
| PO3 The operating characteristics of a development maintain a natural, generally undeveloped character, having regard to such aspects as noise, air and light emissions and traffic volumes. | No acceptable outcome is nominated. |
| PO4 Reconfiguration avoids further fragmentation of land. | AO4.1 Reconfiguration does not result in a smaller lot size. |
| | AO5.1 |
| PO5 Development minimises the need for any clearing of vegetation or earthworks, and as far as possible, occurs within already cleared parts of the site. | No clearing is associated with the development. |
| PO6 | No acceptable outcome is nominated. |
| The environmental values, ecological functions and natural physical processes occurring on the site or in the locality are not adversely affected. | |
| P07 | No acceptable outcome is nominated. |
| Development is designed and located so it is not visually prominent and does not substantially alter the scenic or landscape quality of the locality. | |
| PO8 | No acceptable outcome is nominated. |
| Development does not inhibit the movement of, or otherwise cause a risk to native animals. | |

6.2.15 Low impact industry zone code

6.2.15.1 Application

This code applies to development:

- (1) within the low impact industry zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the low impact industry zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.15.2 Purpose

- (1) The purpose of the low impact industry zone code is to provide land for a range of low impact industrial activities, and a limited range of other activities that are compatible with industrial activities.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - the zone is used for low intensity industry activities, including low impact industry, research and technology industry, service industry, transport depot and warehouse uses;
 - (b) non-industrial activities, including caretaker's accommodation and small scale food and drink outlets primarily servicing local workers may be established in the zone where they are compatible with the ongoing operation of industrial activities and maintain the integrity of the low impact industry zone;
 - (c) activities such as trade supplies and wholesale activities, agricultural supplies stores, service stations and indoor sport and recreation activities, may also be established where they are compatible with low impact industrial activities;
 - showrooms and other retailing activities do not establish within the zone, other than where sales are a minor and ancillary component of industry or trade related activities;
 - (e) industrial activities are protected from the intrusion of incompatible activities that may constrain or conflict with their ongoing operation;
 - (f) development provides for a range of lot sizes to cater for varying industrial needs and user requirements;
 - (g) a safe environment is created for customers and other visitors;
 - (h) development makes a positive contribution to the Redland city image by incorporating a high quality of built form and landscape design that is in keeping with a modern, safe and attractive industrial environment; and
 - (i) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment, non-industrial land and sensitive land uses.

6.2.15.3 Low impact industry zone code – Specific benchmarks for assessment

Table 6.2.15.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Food and drink outlet | | |
| PO1 A food and drink outlet is small scale, and primarily serves the daily needs of the local workforce. | AO1.1 Total gross floor area of food and drink outlets on the site does not exceed 150m². | |
| Caretaker's accommodation and dwelling u | nits | |
| PO2 | AO2.1 | |
| Caretaker's accommodation and dwelling units do not compromise the productivity of the primary use. | Gross floor area of the caretaker's accommodation or dwelling unit does not exceed 100m². | |
| | AO2.2 There is only one caretaker's accommodation or dwelling unit on the premises. | |
| PO3 | AO3.1 | |
| Caretaker's accommodation and dwelling units provide a reasonable level of amenity for occupants. | The caretaker's accommodation or dwelling unit is a permanent structure. | |
| Amenity | | |
| PO4 | AO4.1 | |
| Hours of operation are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | Hours of operation are limited to 6am to 10pm Monday to Saturday. | |
| PO5 | AO5.1 | |
| Development minimises impacts on surrounding areas having regard to noise, odour, vibration, air or light emissions. | Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | AO5.2 | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: | |
| | (1) during operating hours: 25 lux; and(2) after operating hours, 4 lux. | |
| | Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. | |
| | AO5.3 | |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in | |

| Performance outcomes | Acceptable outcomes |
|--|--|
| | buildings (1-80Hz) when measured at the boundary of the site. |
| | AO5.4 |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. |
| | AO5.5 |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. |
| For assessable development | |
| Uses | |
| PO6 | No acceptable outcome is nominated. |
| Non-industrial activities are generally limited to: | |
| (1) services primarily for local businesses and workers; or | |
| (2) service stations, trade or agricultural supplies and wholesale activities; or (3) indoor sport and recreation activities and community activities that are difficult to locate in any other zone. | |
| PO7 | A07.1 |
| Other than service station and agricultural supply stores, retail sales and display activities occur at a size and scale that is ancillary to and has a direct nexus with the primary industrial or trade related use of the site. | Retail sales and display areas are ancillary to a trade supply or industrial use on the same site and have a gross floor area that does not exceed 200m ² . |
| PO8 | No acceptable outcome is nominated. |
| Development does not constrain or conflict with the ongoing operation of industrial activities in the zone. | |
| Built form | |
| PO9 | No acceptable outcome is nominated. |
| Buildings and structures positively contribute to visual character and streetscape through: | |
| (1) the use of high quality materials; (2) variations in materials, patterns, textures and colours; (2) building articulation and variation and | |
| (3) building articulation and variation; and(4) the use of non-reflective materials. | |
| PO10 | AO10.1 |
| Buildings and structures have a height that is appropriate to the scale of industrial activities in the locality and transitions down to match | Building height does not exceed: |

| Performance outcomes | Acceptable outcomes | |
|---|---|--|
| building heights in adjoining non industrial zones. | 8.5m within 10m of an adjoining low density, low-medium density or character residential zone; and 15m otherwise. | |
| PO11 | AO11.1 | |
| Setbacks contribute to an attractive and | Buildings are set back: | |
| consistent landscape appearance and are designed to avoid or mitigate the potential for adverse amenity impacts on adjoining or nearby non-industrial uses. | at least 3m to street frontages; and at least 3m from side and rear boundaries where adjoining land not in an industrial or mixed use zone, otherwise, no setback is required. | |
| PO12 | AO12.1 | |
| Site coverage of buildings retains sufficient space on the site to accommodate landscaping, services and parking. | Site cover does not exceed 75%. | |
| Amenity and streetscape | | |
| PO13 | AO13.1 | |
| Landscaping is provided to: (1) make a positive contribution to the | A minimum 2m wide planted landscaped area is provided along street frontages. | |
| streetscape; (2) break up and soften the visual bulk of | AO13.2 | |
| (2) break up and soften the visual bulk of buildings and hardstand areas; (3) screen outdoor storage and servicing areas; and (4) buffer to adjoining land in other zones | A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a non-industrial zone or sensitive land use. | |
| or nearby sensitive land use. | AO13.3 | |
| | A minimum of 15% of all trees planted are capable of growing to the height of the eaves of the building. | |
| | AO13.4 | |
| | Utility elements and waste storage are screened by a 1.8m high solid wall or fence or landscaping having the same screening effect. | |
| PO14 | No acceptable outcome is nominated. | |
| Site layout and building design maximises personal safety of users and discourages antisocial behaviour. | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime Prevention through environmental Design guidelines for Queensland. | |
| PO15 | No acceptable outcome is nominated. | |
| The main entry to any building is easily identifiable and directly accessible from the street. | | |
| Environmental protection and public safety | | |
| PO16 | No acceptable outcome is nominated. | |
| Development minimises impacts on the natural environment by: (1) minimising alteration of natural drainage patterns; and | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Environmental Codes of Practice for Industry. | |

| Perf | ormance outcomes | Acce | ptable | e outcomes |
|---|---|---|----------------------|---|
| (2) | avoiding any potential for release of contaminants. | | | |
| PO1 | 7 | A01 | 7.1 | |
| Development involving the use, storage and disposal of hazardous materials, hazardous | | | pacts do not exceed: | |
| chen | nicals, dangerous goods and flammable | (1) | | ny hazard scenario involving the ase of gases or vapours: |
| | ombustible substances does not cause a c health or safety hazard or | | (a) | AEGL2 (60 minutes) or if not |
| envir | environmental harm or nuisance. | | (b) | available ERPG2; and An oxygen content in air <19.5% |
| | | | | or >23.5% at normal atmospheric pressure; and |
| | | (2) | | ny hazard scenario involving fire cplosion: |
| | | | (a) (b) | 7kPa overpressure; and (b) 4.7kW/m² heat radiation. |
| | | OR | (2) | (a) minorial material and management |
| | | AO1 | 7.2 | |
| | | shall | not ex | any foreseeable hazard scenario ceed an individual fatality risk x 10-6/year. |
| PO1 | 8 | A01 | 8.1 | |
| and on mate | risk hazardous chemicals, flammable combustible liquids, toxic and very toxic erials and corrosive substances are ed safely and spill containment systems provided that are adequate to contain uses. | Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored in accordance with AS1940 The Storage and Handling of Combustible Liquids. | | |

6.2.16 Medium impact industry zone code

6.2.16.1 Application

This code applies to development:

- (1) within the medium impact industry zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the medium impact industry zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.16.2 Purpose

- (1) The purpose of the medium impact industry zone code is to provide land for a range of low and medium impact industrial activities and a limited range of other activities that have a nexus to and are compatible with industrial activities.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the zone is used for low to medium intensity industry activities, including low and medium impact industry, research and technology industry, service industry, transport depot and warehouse uses;
 - (b) high impact industries which service the Redland community may occur, where impacts can be mitigated and managed so they are not substantially greater than medium intensity industry activities;
 - (c) non-industrial activities are generally limited to caretaker's accommodation and small scale food and drink outlets primarily servicing local workers where they are compatible with the ongoing operation of industrial activities and maintain the integrity of the medium impact industry zone;
 - (d) showrooms and other retailing activities do not establish within the zone, other than where sales are a minor and ancillary component of industry related activities:
 - (e) uses involving a significant level of visitation by the general public are not established:
 - (f) industrial activities are protected from the intrusion of incompatible activities that may constrain or conflict with their ongoing operation;
 - (g) development provides for a range of lot sizes to cater for varying industrial needs and user requirements;
 - (h) industrial activities and other activities established in the zone make a positive contribution to the Redland city image by incorporating a high quality of built form and landscape design that is in keeping with a modern, safe, and attractive industrial environment; and
 - (i) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment, non-industrial land and sensitive land uses.

6.2.16.3 Medium impact industry zone code – Specific benchmarks for assessment

Table 6.2.16.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| For development that is accepted subject to requirements and assessable development | | |
| Food and drink outlet | | |
| PO1 A food and drink outlet is small scale, and primarily serves the daily needs of the local workforce. | AO1.1 Total gross floor area of food and drink outlets on the site does not exceed 150m ² . | |
| Caretaker's accommodation and dwelling u | ınits | |
| PO2 Caretaker's accommodation and dwelling units do not compromise the productivity of the primary use. | AO2.1 Gross floor area of the caretaker's accommodation or dwelling unit does not exceed 100m². | |
| | AO2.2 There is only one caretaker's accommodation or dwelling unit on the premises. | |
| PO3 Caretaker's accommodation and dwelling units provide a reasonable level of amenity for occupants. | AO3.1 The caretaker's accommodation or dwelling unit is a permanent structure. | |
| Amenity | | |
| PO4 Hours of operation are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO4.1 Hours of operation are limited to 6am to 10pm Monday to Saturday. | |
| PO5 Development minimises impacts on surrounding areas having regard to noise, odour, vibration, air or light emissions. | AO5.1 Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) during operating hours: 25 lux; and (2) after operating hours, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. AO5.3 Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: | |

| Performance outcomes | Acceptable outcomes |
|---|---|
| | buildings (1-80Hz) when measured at the boundary of the site. |
| | AO5.4 |
| | Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. |
| | AO5.5 |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. |
| For assessable development | |
| Uses | |
| PO6 Non-industrial activities are generally limited to services primarily for local businesses and workers. | No acceptable outcome is nominated. |
| PO7 | AO7.1 |
| Retail sales and display activities occur at a size and scale that is ancillary to and has a direct nexus with the primary industrial or trade related use of the site. | Retail sales and display areas are ancillary to an industrial use on the same site and have a gross floor area that does not exceed 200m ² . |
| PO8 | No acceptable outcome is nominated. |
| Development does not constrain or conflict with the ongoing operation of industrial activities in the zone. | |
| Built form | |
| Buildings and structures positively contribute to visual character and streetscape through: (1) the use of high quality materials; (2) variations in materials, patterns, textures and colours; (3) building articulation and variation; and | No acceptable outcome is nominated. |
| (4) the use of non-reflective materials. | |
| PO10 | AO10.1 |
| Buildings and structures have a height that is appropriate to the scale of industrial activities in the locality and transitions down to match building heights in adjoining non industrial zones. | Building height does not exceed: (1) 8.5m within 10m of an adjoining low density, low-medium density or character residential zone; and (2) 15m otherwise. |
| PO11 | AO11.1 |
| Setbacks contribute to an attractive and consistent landscape appearance and are designed to avoid or mitigate the potential for | Buildings are set back: (1) at least 3m to street frontages; and (2) at least 7.5m to side and rear boundaries where adjoining land which |

| Performance outcomes | Acceptable outcomes | |
|---|---|--|
| adverse amenity impacts on adjoining or nearby non-industrial uses. | is not in an industrial or mixed use zone, otherwise no setback is required. | |
| PO12 | AO12.1 | |
| Site coverage of buildings retains sufficient space on the site to accommodate landscaping, services and parking. | Site cover does not exceed 75%. | |
| Amenity and streetscape | | |
| PO13 | AO13.1 | |
| Landscaping is provided to: (1) make a positive contribution to the | A minimum 2m wide planted landscaped area is provided along street frontages. | |
| streetscape; (2) break up and soften the visual bulk of | AO13.2 | |
| (2) break up and soften the visual bulk of buildings and hardstand areas;(3) screen outdoor storage and servicing areas; and | A densely planted 6m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a non-industrial zone or sensitive land use. | |
| (4) buffer to adjoining land in other zones or nearby sensitive land use. | AO13.3 | |
| | A minimum of 15% of all trees planted are capable of growing to the height of the eaves of the building. | |
| | AO13.4 | |
| | Utility elements and waste storage are screened by a 1.8m high solid wall or fence or landscaping having the same screening effect. | |
| PO14 | No acceptable outcome is nominated. | |
| Site layout and building design maximises personal safety of users and discourages antisocial behaviour. | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime Prevention through environmental Design guidelines for Queensland. | |
| PO15 | No acceptable outcome is nominated. | |
| The main entry to any building is easily identifiable and directly accessible from the street. | | |
| Environmental protection and public safety | , | |
| PO16 | No acceptable outcome is nominated. | |
| Development minimises impacts on the natural environment by: | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Environmental Codes of Practice for Industry. | |
| (1) minimising alteration of natural drainage patterns; and(2) avoiding any potential for release of contaminants. | | |
| PO17 | AO17.1 | |
| Development involving the use, storage and disposal of hazardous materials, hazardous chemicals, dangerous goods and flammable or combustible substances does not cause a public health or safety hazard or environmental harm or nuisance. | Off site impacts do not exceed: (1) for any hazard scenario involving the release of gases or vapours: (a) AEGL2 (60 minutes) or if not available ERPG2; and (b) An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure; and | |

| Performance outcomes | Acceptable outcomes |
|--|---|
| | (2) for any hazard scenario involving fire or explosion: (a) where adjoining a non industrial zone: (i) 7kPa overpressure; and (ii) 4.7kW /m² heat radiation; or (b) where adjoining an industrial zone: (i) 14kPa overpressure; and (ii) 12.6kW/m² heat radiation. OR AO17.2 The risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 50 x 10-6/year within industrial zoned land and 0.5 x 10-6/year otherwise. |
| PO18 Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored safely and spill containment systems are provided that are adequate to contain releases. | AO18.1 Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored in accordance with AS1940 The Storage and Handling of Combustible Liquids. |
| PO19 Development does not involve the handling or storage of hazardous chemicals described in Schedule 11, Table 11.1 of the Work Health and Safety Regulation 2011 at quantities that exceed the manifest quantity identified in column 5 of Schedule 11, Table 11.1 of the Work Health and Safety Regulation 2011. | No acceptable outcome is nominated. |

6.2.17 Waterfront and marine industry zone code

6.2.17.1 Application

This code applies to development:

- (1) within the waterfront and marine industry zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the waterfront and marine industry zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in part 5.

6.2.17.2 Purpose

- (1) The purpose of the waterfront and marine industry zone code is to provide places for marine industry and port services for which a waterfront location is essential, as well as a limited range of other activities which support industry or require a waterfront location, and are compatible with industrial activities.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the zone is predominantly used for marine industry activities and port services, including marine and maritime service providers and marine vessel maintenance operations and the trans-shipment of mined resources, in conjunction with medium impact industry activities with a strong nexus to the waterfront, such as seafood processing;
 - (b) other activities including caretaker's accommodation, food and drink outlets, community activities, recreational and tourist activities may also be established where they require access to a navigable waterway or provide support or complementary services to marine industry, port services or the seafood processing industry;
 - (c) marine industry and port services activities are protected from the intrusion of uses that do not require a waterfront location or which are incompatible with and may constrain or conflict with their ongoing operation;
 - (d) industrial activities and other activities make a positive contribution to the Redland city image by incorporating a high quality of built form and landscape design that is in keeping the role of these areas as a gateway between the mainland and islands, and design in keeping with a modern, safe, and attractive industrial environment:
 - (e) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment, non-industrial land and sensitive land uses development; and
 - (f) development minimises the removal of coastal vegetation and other adverse impacts on the visual character of the Moreton Bay foreshore and the ecological values and natural functions of nearby coastal, tidal and sub-tidal areas.

6.2.17.3 Waterfront and marine industry zone code – Specific benchmarks for assessment

Table 6.2.17.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes | |
|---|---|--|
| For development that is accepted subject to requirements and assessable development | | |
| Caretaker's accommodation and dwelling u | ınits | |
| PO1 Caretaker's accommodation and dwelling units do not compromise the productivity of the primary use. | AO1.1 Gross floor area of the caretaker's accommodation or dwelling unit does not exceed 100m². AO1.2 | |
| | There is only one caretaker's accommodation or dwelling unit on the premises. | |
| PO2 Caretaker's accommodation and dwelling units provide a reasonable level of amenity for occupants. | AO2.1 The caretaker's accommodation or dwelling unit is a permanent structure. | |
| Amenity | | |
| PO3 Hours of operation are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO3.1 Hours of operation are limited to 6am to 10pm Monday to Saturday. | |
| PO4 Development minimises impacts on surrounding areas having regard to noise, odour, vibration, air or light emissions. | AO4.1 Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) during operating hours: 25 lux; and (2) after operating hours, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. | |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. AO4.4 | |
| | Development achieves the air quality objectives stated in the Queensland | |

| Performance outcomes | Acceptable outcomes | | |
|--|---|--|--|
| | Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. | | |
| | AO4.5 | | |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. | | |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. | | |
| For assessable development | | | |
| Uses | | | |
| PO5 Industrial activities have a strong nexus with a waterfront location. | No acceptable outcome is nominated. | | |
| PO6 Non-industrial activities are generally limited to: | No acceptable outcome is nominated. | | |
| (1) port services; or (2) services primarily for local businesses, and workers; or (3) activities that are complementary to marine industry, port services or the seafood processing industry. | | | |
| PO7 | No acceptable outcome is nominated. | | |
| Development does not constrain or conflict with the ongoing operation of industrial activities or port services. | | | |
| Built form | | | |
| PO8 | No acceptable outcome is nominated. | | |
| Buildings and structures positively contribute to visual character and streetscape through: | | | |
| (1) the use of high quality materials; (2) variations in materials, patterns, textures and colours; (3) building articulation and variation; and | | | |
| (3) building articulation and variation; and(4) the use of non-reflective materials. | | | |
| PO9 | AO9.1 | | |
| Buildings and structures have a height that is | Building height does not exceed: | | |
| appropriate to the scale of industrial activities in the locality and transitions down to match building heights in adjoining non industrial zones. | (1) 8.5m within 10m of an adjoining low density, low-medium density or character residential zone; and (2) 20m otherwise. | | |
| PO10 | AO10.1 | | |
| Setbacks contribute to an attractive and | Buildings are set back: | | |
| consistent landscape appearance and are designed to avoid or mitigate the potential for adverse amenity impacts on adjoining or nearby non-industrial uses. | (1) at least 3m to street frontages; and (2) at least 7.5m to side and rear boundaries where adjoining land which is not in an industrial or mixed use zone, otherwise no setback is required. | | |

| Performance outcomes | Acceptable outcomes | |
|---|--|--|
| PO11 | AO11.1 | |
| Site coverage of buildings retains sufficient space on the site to accommodate landscaping, services and parking. | Site cover does not exceed 75%. | |
| Amenity and streetscape | | |
| PO12 | No acceptable outcome is nominated. | |
| As far as possible, development is designed to maintain or improve the visual quality of foreshore and riparian areas. | | |
| PO13 | No acceptable outcome is nominated. | |
| In localities providing a water transport function for passengers, development makes a positive contribution to visual quality and gateway character. | | |
| PO14 | AO14.1 | |
| Landscaping is provided to: (1) make a positive contribution to the | A minimum 2m wide planted landscaped area is provided along street frontages. | |
| streetscape; (2) break up and soften the visual bulk of | AO14.2 | |
| (2) break up and soften the visual bulk of buildings and hardstand areas; (3) screen outdoor storage and servicing areas; and (4) buffer to adjoining land in other zones | A densely planted 6m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a non-industrial zone or sensitive land use. | |
| or nearby sensitive land use. | AO14.3 | |
| | A minimum of 15 % of all trees planted are capable of growing to the height of the eaves of the building. | |
| | AO14.4 | |
| | Utility elements and waste storage are screened by a 1.8m high solid wall or fence or landscaping having the same screening effect. | |
| PO15 | No acceptable outcome is nominated. | |
| Site layout and building design maximises personal safety of users and discourages antisocial behaviour. | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime Prevention through environmental Design guidelines for Queensland. | |
| PO16 | No acceptable outcome is nominated. | |
| The main entry to any building is easily identifiable and directly accessible from the street. | | |
| Environmental protection and public safety | | |
| PO17 | No acceptable outcome is nominated. | |
| Development minimises impacts on the natural environment by: | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Environmental Codes of Practice for Industry. | |
| (1) minimising alteration of natural drainage patterns; and (2) avoiding any potential for release of contaminants. | | |
| PO18 | No acceptable outcome is nominated. | |
| L | 1 | |

| Performance outcomes | Acceptable outcomes |
|---|--|
| Development protects the ecological values and natural functions of nearby coastal, tidal and sub-tidal areas to the greatest extent practicable. | • |
| PO19 Development near Eprapah Creek does not necessitate further dredging; and facilitates consolidated slipping facilities and access arrangements. | No acceptable outcome is nominated. |
| PO20 Development involving the use, storage and disposal of hazardous materials, hazardous chemicals, dangerous goods and flammable or combustible substances does not cause a public health or safety hazard or environmental harm or nuisance. | AO20.1 Off site impacts do not exceed: (1) for any hazard scenario involving the release of gases or vapours: (a) AEGL2 (60 minutes) or if not available ERPG2; and (b) An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure; and (2) for any hazard scenario involving fire or explosion: (a) where adjoining a non industrial zone: (i) 7kPa overpressure; and (ii) 4.7kW /m² heat radiation; or (b) where adjoining an industrial zone: (i) 14kPa overpressure; and (ii) 12.6kW/m² heat radiation. OR AO20.2 The risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 50 x 10-6/year within industrial zoned |
| PO21 Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored safely and spill containment systems are provided that are adequate to contain | land and 0.5 x 10-6/year otherwise. AO21.1 Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored in accordance with AS1940 The Storage and Handling of Combustible |
| releases. Ship sourced pollutants | Liquids. |
| PO22 | No acceptable outcome is nominated. |
| Common user facilities for the handling and disposal of ship sourced pollutants including oil, garbage and sewage are provided at a suitable location in any development involving a marina or berthing facilities. Editor's note—Refer to: Australian and New Zealand | Tro acceptable outcome is nominated. |
| Environment and Conservation Council (ANZECC), 1997, Best Practice Guidelines for Waste Reception | |

| Performance outcomes | Acceptable outcomes |
|---|-------------------------------------|
| Facilities at Ports, Marinas and Boat Harbours in Australia and New Zealand. | |
| PO23 | No acceptable outcome is nominated. |
| Marinas or berthing facilities are designed and operated to ensure the risk of spillage from operations is minimised. | |
| PO24 | No acceptable outcome is nominated. |
| Equipment to contain and remove spillages is stored in a convenient position near marina or berthing facilities and is available for immediate use. | |
| PO25 | No acceptable outcome is nominated. |
| Where practical, the marina pollutant reception facility is connected to sewerage or other waste reception infrastructure. | |
| Editor's note—Reception facilities require code assessment under the <i>Plumbing and Drainage Act 2002</i> . The plumbing code assessment process will ensure that the proposed facilities address peak load. | |

6.2.18 Mixed use zone code

6.2.18.1 Application

This code applies to assessable development:

- (1) within the mixed use zone as identified on the zoning maps contained in Schedule 2 (mapping); and
- (2) identified as requiring assessment against the mixed use zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.18.2 Purpose

- (1) The purpose of the mixed use zone is to provide for large format sales activities and a range of service and low impact industrial activities.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - the zone accommodates a mix of showrooms, outdoor sales and low intensity industry activities, including low impact industry, research and technology industry, service industry and warehouse uses;
 - (b) other large format or supporting activities, such as caretaker's accommodation, food and drink outlets, convenience stores, service stations, trade supplies and wholesale activities, agricultural supplies stores, indoor sport and recreation and certain community activities, may also be established;
 - development does not compromise the intended role or successful functioning of centres, and does not include supermarkets, discount department stores, department stores, shopping centres or large scale offices;
 - (d) medium impact industries and other uses that are not compatible with high levels of public activity, or would detract from the amenity of the locality are not established:
 - development makes a positive contribution to the Redland city image by incorporating a high quality of built form and landscape design, particularly along major roads; and
 - (f) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment, non-industrial land and sensitive land uses.

6.2.18.3 Mixed use zone code – Specific benchmarks for assessment

Table 6.2.18.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|---|--|
| For development that is accepted subject to development | requirements and assessable |
| Caretaker's accommodation and dwelling u | nits |
| PO1 Caretaker's accommodation and dwelling units do not compromise the productivity of the primary use. | AO1.1 Gross floor area of the caretaker's accommodation or dwelling unit does not exceed 100m². |
| | AO1.2 There is only one caretaker's accommodation or dwelling unit on the premises. |
| PO2 Caretaker's accommodation and dwelling units provide a reasonable level of amenity for occupants. | AO2.1 The caretaker's accommodation or dwelling unit is a permanent structure. |
| Amenity | |
| PO3 Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO3.1 Hours of opening are limited to 6am to 10pm. |
| PO4 Development minimises impacts on surrounding areas having regard to noise, odour, vibration, air or light emissions. | AO4.1 Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. |
| | AO4.2 When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) during opening hours: 25 lux; and (2) after opening hours, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. |
| | Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. AO4.4 |
| | Development achieves the air quality objectives stated in the Queensland |

| Performance outcomes | Acceptable outcomes |
|--|--|
| | Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. |
| | AO4.5 |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. Editor's note – for further information on odour reports |
| | and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. |
| For assessable development | |
| Uses | |
| PO5 Shops and offices are limited to those which primarily provide services primarily for local businesses and workers, and do not detract from the intended function of designated centres. | No acceptable outcome is nominated. |
| Built form | |
| PO6 Development is designed to incorporate building elements that: (1) exhibit a high degree of interest through the use of colour, angles, materials and shadows; (2) provide interesting, functional and attractive facades that contribute to the streetscape setting and pedestrian experience; and (3) incorporate articulated walls with horizontal and vertical variations, shadow detail and colour. | No acceptable outcome is nominated. |
| PO7 Buildings and structures have a height that is appropriate to the scale of activities in the locality and transitions down to match building heights in adjoining non industrial zones. | AO7.1 Building height does not exceed: (1) 8.5m within 10m of an adjoining low density, low-medium density or character residential zone; and (2) 15m otherwise. |
| PO8 Setbacks contribute to an attractive and consistent landscape appearance and are designed to avoid or mitigate the potential for adverse amenity impacts on adjoining or nearby non-industrial uses. | AO8.1 Buildings are set back: (1) at least 3m to street frontages; and (2) at least 3m from side and rear boundaries where adjoining land not in an industrial or mixed use zone, otherwise, no setback is required. |
| PO9 | AO9.1 |
| Site coverage provides adequate space for pedestrian and vehicle access, car parking, service areas and landscaping. | Site cover does not exceed 75%. |
| Amenity and streetscape | |

| Performance outcomes | Acceptable outcomes |
|--|--|
| PO10 Landscaping is provided to: (1) make a positive contribution to the streetscape; (2) break up and soften the visual bulk of buildings and hardstand areas; (3) screen outdoor storage and servicing areas; and (4) buffer to adjoining land in other zones or nearby sensitive land use. | AO10.1 At least 10% of the site area is provided as landscaped open space. AO10.2 A minimum 2m wide planted landscaped area is provided along street frontages. AO10.3 A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a non-industrial zone or sensitive land use. AO10.4 A minimum of 15% of all trees planted are capable of growing to the height of the eaves of the building. AO10.5 |
| | Utility elements and waste storage are screened by a 1.8m high solid wall or fence or landscaping having the same screening effect. |
| PO11 Site layout and building design maximises personal safety of users and discourages antisocial behaviour. | No acceptable outcome is nominated. Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime Prevention through environmental Design guidelines for Queensland. |
| PO12 The main entry to any building is easily identifiable and directly accessible from the street, and clear and legible street numbering is provided. | No acceptable outcome is nominated. |
| Environmental protection and public safety | |
| PO13 Development minimises impacts on the natural environment by: (1) minimising alteration of natural drainage patterns; and (2) avoiding any potential for release of contaminants. | No acceptable outcome is nominated. Editor's note—Guidance to assist applicants is contained within the Queensland Government's Environmental Codes of Practice for Industry. |
| PO14 Development involving the use, storage and disposal of hazardous materials, hazardous chemicals, dangerous goods and flammable or combustible substances does not cause a public health or safety hazard or environmental harm or nuisance. | AO14.1 Off site impacts do not exceed: (1) for any hazard scenario involving the release of gases or vapours: (a) AEGL2 (60 minutes) or if not available ERPG2; and (b) An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure; and (2) For any hazard scenario involving fire or explosion: (a) 7kPa overpressure; and |

| Performance outcomes | Acceptable outcomes |
|---|---|
| | (b) 4.7kW/m² heat radiation. OR |
| | AO14.2 |
| | The risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 0.5 x 10-6/year. |
| PO15 | AO15.1 |
| Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored safely and spill containment systems are provided that are adequate to contain releases. | Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored in accordance with AS1940 The Storage and Handling of Combustible Liquids. |

6.2.19 Community facilities zone code

6.2.19.1 Application

This code applies to development:

- (1) within the community facilities zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the community facilities zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.19.2 Purpose

- (1) The purpose of the community facilities zone code is to provide for community related activities and facilities that meet the needs of the existing and future users.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the zone primarily accommodates a range of specific community related activities in particular areas, including:
 - (i) in precinct CF1: cemeteries, crematoria and associated uses such as funeral parlours:
 - (ii) in precinct CF2: community facilities such as community uses, community care facilities and childcare centres:
 - (iii) in precinct CF3: educational establishments;
 - (iv) in precinct CF4: emergency services;
 - (v) in precinct CF5: places of worship;
 - (vi) in precinct CF6: infrastructure, such as wastewater treatment plants, waste disposal facilities, pumping stations, electricity sub-stations, local government depots and roads;
 - (vii) in precinct CF7: future transport/green space/trail corridors;
 - (viii) in precinct CF8: Commonwealth facilities radio receivers; and
 - (ix) in precinct CF9: passenger ferry terminals;
 - (b) other supporting or complementary uses may occur where they are compatible with and subordinate to the primary community related activity, and do not compromise the intended role or successful functioning of centres;
 - (c) community related activities are protected from the intrusion of incompatible activities that may constrain or conflict with their ongoing operation;
 - (d) is of a height and scale that allows for the community related activity for which the land is intended while minimising impacts on the locality:
 - (e) development makes a positive contribution to the Redland city image by incorporating a high quality of built form and landscape design; and
 - (f) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment and sensitive land uses.

6.2.19.3 Community facilities zone code – Specific benchmarks for assessment

Table 6.2.19.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|---|---|
| For development that is accepted subject to requirements and assessable development | |
| Caretaker's accommodation and dwelling u | nits |
| PO1 Caretaker's accommodation and dwelling units do not compromise the productivity of the primary use. | AO1.1 Gross floor area of the caretaker's accommodation or dwelling unit does not exceed 100m². AO1.2 |
| | There is only one caretaker's accommodation or dwelling unit on the premises. |
| PO2 Caretaker's accommodation and dwelling units provide a reasonable level of amenity for occupants. | AO2.1 The caretaker's accommodation or dwelling unit is a permanent structure. |
| Amenity | |
| PO3 Opening hours are consistent with maintaining a reasonable level of amenity for nearby land in a residential zone. | AO3.1 Opening hours are limited to 6am to midnight. |
| PO4 Development minimises impacts on sensitive land uses having regard to noise, odour, vibration, air or light emissions. | AO4.1 Development achieves the acoustic quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: Schedule 1. |
| | When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) before 11pm: 25 lux; and (2) after 11pm, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 – 1997. |
| | AO4.3 Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. |
| | AO4.4 Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: |

| Performance outcomes | Acceptable outcomes |
|--|---|
| | Environmental Protection (Air) Policy 2019: Schedule 1. |
| | AO4.5 |
| | Odour levels do not exceed 2.5 OU, 99.5%, 1 hour average. |
| | Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 – Environmental Emissions. |
| For assessable development | |
| Uses | |
| PO5 | No acceptable outcome is nominated. |
| Development: | |
| is for the community related activity identified for the precinct; or facilitates the co-location of a complementary community related activity; or | |
| (3) is for a purpose that directly supports the community related activity on the site and is ancillary in scale and nature. | |
| PO6 | No acceptable outcome is nominated. |
| Development does not constrain or conflict with the ongoing operation of community related activity or otherwise prejudice the integrity of the zone. | |
| Built form | |
| P07 | No acceptable outcome is nominated. |
| Development is designed to incorporate building elements that: | |
| (1) exhibit a high degree of interest through the use of colour, angles, materials and shadows; (2) establish a human scale; (3) provide interesting, functional and attractive facades that contribute to the | |
| streetscape setting and pedestrian experience; and (4) incorporate articulated walls with horizontal and vertical variations, shadow detail and colour. | |
| PO8 | AO8.1 |
| Buildings and structures have a height that is appropriate to the nature of the community related activity on the site and transitions down to match building heights in adjoining non industrial zones. | Building height does not exceed: (1) 8.5m within 15m of an adjoining low density, low-medium density or character residential zone; (2) 8.5m in precincts CF1, CF4 and CF7; (3) 14m in precinct CF2 Wrightson Road (Kinross Road); and (4) 12m otherwise. |
| PO9 | AO9.1 |

| Perf | ormance outcomes | Acceptable outcomes |
|---|--|--|
| considesiq | acks contribute to an attractive and sistent landscape appearance and are gned to avoid or minimise the potential dverse amenity impacts on adjoining or by land. | Buildings are set back: (1) 6m to street frontages; (2) 6m or half the height of that part of the building, whichever is the greater, to side and rear boundaries shared with land in a residential zone; and (3) 3m to side and rear boundaries otherwise. |
| P01 | 0 | No acceptable outcome is nominated. |
| spac | coverage of buildings retains sufficient be on the site to accommodate public in space, landscaping, services and ing. | |
| PO1 | 1 | No acceptable outcome is nominated. |
| Fend | ces and non-building walls: | |
| (1)(2)(3) | are visually attractive and contribute to or blend with planted landscaping and building materials; are designed and detailed to provide visual interest to the streetscape; and provide an effective visual and acoustic screen to adjoining sensitive land uses. | |
| PO1 | 2 | No acceptable outcome is nominated. |
| to th area | elopment provides clearly visible entries e site, to buildings and to car parking s. Directional signage assists users in gating the site. | · |
| pede and stop | all | No acceptable outcome is nominated. |
| | enity and streetscape | |
| PO1 | | AO14.1 |
| | Landscaping is provided to: | At least 10% of the site area is provided as landscaped open space. |
| | streetscape; | AO14.2 |
| (2) | (2) break up and soften the visual bulk of buildings and hardstand areas;(3) screen outdoor storage and servicing | A minimum 2m wide planted landscaped area is provided along street frontages. |
| | areas; | AO14.3 |
| (4) (5) | buffer to adjoining land in other zones or nearby sensitive land use; and define building entrances and pedestrian paths. | A densely planted 3m wide landscaped buffer, in combination with a 2m high solid fence, is provided along a boundary with a residential zone or sensitive land use. |
| | | AO14.4 |
| | | A minimum of 15% of all trees planted are capable of growing to the height of the eaves of the building. |

| Performance outcomes | Acceptable outcomes |
|---|---|
| | AO14.5 |
| | Utility elements and waste storage are screened by a 1.8m high solid wall or fence or landscaping having the same screening effect. |
| PO15 | AO15.1 |
| Site layout and building design maximises personal safety of users and discourages antisocial behaviour. | No acceptable outcome is nominated. Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime Prevention through environmental Design guidelines for Queensland. |
| PO16 | AO16.1 |
| Plant, equipment and waste storage areas do not detract from the streetscape. | Plant, equipment and waste storage areas are not visible from a road or public open space. |
| PO17 | AO17.1 |
| In precinct CF2 Wrightson Road, (Kinross Road), development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 6.2.19.3.1 road movement network and 6.2.19.3.2 pedestrian, cycle, public transport and parks network. | Roads, road closures, intersections, paths, fauna crossings, public transport stops and associated treatments are established in accordance with Figures 6.2.19.3.1 road movement network and 6.2.19.3.2 pedestrian, cycle, public transport and parks network. |
| PO18 | AO18.1 |
| In precinct CF2 Wrightson Road, (Kinross Road), new streets provide sufficient width for on street parking on both sides. | Streets have a minimum width of 18m. |
| Environmental protection and public safety | |
| PO19 | No acceptable outcome is nominated. |
| Development minimises impacts on the natural environment by: (1) minimising alteration of natural drainage patterns; (2) minimising earthworks; (3) avoiding any potential for release of contaminants; and (4) maximising the retention of existing | |
| vegetation and ecological corridors. | |
| PO20 | AO20.1 |
| Development involving the use, storage and disposal of hazardous materials, hazardous chemicals, dangerous goods and flammable or combustible substances does not cause a public health or safety hazard or environmental harm or nuisance. | Off site impacts do not exceed: (1) for any hazard scenario involving the release of gases or vapours: (a) AEGL2 (60 minutes) or if not available ERPG2; and (b) An oxygen content in air <19.5% or >23.5% at normal atmospheric pressure; and (2) for any hazard scenario involving fire or explosion: |

| Performance outcomes | Acceptable outcomes |
|---|---|
| | (a) 7kPa overpressure; and (b) 4.7kW/m² heat radiation. OR AO20.2 The risk of any foreseeable hazard scenario shall not exceed an individual fatality risk level of 0.5 x 10-6/year. |
| PO21 | AO21.1 |
| Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored safely and spill containment systems are provided that are adequate to contain releases. | Fire-risk hazardous chemicals, flammable and combustible liquids, toxic and very toxic materials and corrosive substances are stored in accordance with AS1940 The Storage and Handling of Combustible Liquids. |




Figure 6.2.19.3.1—Kinross Road: road movement network




Figure 6.2.19.3.2—Kinross Road: pedestrian, cycle, public transport and parks network

6.2.20 Emerging community zone code

6.2.20.1 Application

This code applies to development:

- (1) within the emerging community zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the emerging communities zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.20.2 Purpose

- (1) The purpose of the emerging community zone code is to guide the creation of functional, efficient and attractive communities in the newly developing parts of the city, and to ensure interim development does not compromise the ability to establish these communities or detract from their quality.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) structure planning of the area within the zone is undertaken in advance of any reconfiguration or development for urban purposes;
 - (b) interim development does not compromise or constrain the potential for well designed future urban communities;
 - (c) urban development facilitates the establishment of attractive, functional, resilient and walkable communities that are well supported by accessible centres and employment opportunities, community services and public transport;
 - (d) urban residential development provides for a mix of affordable housing types and achieves a net residential density of 12-15 dwellings per hectare;
 - (e) the area fronting Redland Bay Road east of the creek facilitates the establishment of large format retail uses, consistent with the mixed use zone;
 - (f) land is developed in a logical pattern that facilitates the efficient provision of urban infrastructure;
 - (g) transport networks are coordinated and interconnected to ensure a high level of accessibility for pedestrians, cyclists, public transport and private vehicles;
 - (h) development provides effective buffering to nearby sensitive land uses, rural activities and natural areas;
 - (i) development retains significant landscape, social, recreational and cultural features and values;
 - (j) development maximises the retention of natural habitat areas and corridors, and provides effective buffers to wetlands and waterways;

Editor's note—Applications should also be aware of the requirements of the Environmental significance and Waterway corridors and wetlands overlays.

- (k) development makes a positive contribution to the attractive, green, leafy image of Redland city; and
- (I) development is located, designed and managed to maintain public health and safety, and minimise adverse impacts on the natural environment and sensitive land uses.

Editor's note—Applications should note that a contaminated land search may be required where there is suspected contamination from previous uses of the site.

6.2.20.3 Emerging community zone code – Specific benchmarks for assessment

Table 6.2.20.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|--|--|
| For development that is accepted subject to requirements | |
| Roadside stall | |
| PO1 The roadside stall is associated with an agricultural use on the land on which the road side stall is erected. | AO1.1 Produce or goods sold are grown, made or produced on the land on which the roadside stall is erected. |
| PO2 The scale and operating characteristics of the use do not impact on the amenity and character of surrounding area or create a traffic problem. | AO2.1 The roadside stall does not exceed 40m² in gross floor area. |
| | AO2.2 There is only one roadside stall on each lot. |
| | AO2.3 The opening hours of roadside stall are limited to between 7am to 6pm. |
| For assessable development | |
| Interim uses | |
| PO3 Development does not compromise the long term use of the site or nearby area for urban purposes or compromise the implementation of a structure plan for the co-ordinated and efficient development of the locality. | No acceptable outcome is nominated. |
| PO4 Reconfiguration does not fragment land prior to its planned development for urban purposes. | No acceptable outcome is nominated. |
| Future communities | |
| PO5 Development facilitates: (1) a logical pattern of development; (2) efficient use of land and infrastructure; (3) integration with surrounding communities, through connected movement and open space networks, and shared use of community infrastructure; (4) walkable neighbourhoods with high levels of accessibility for pedestrians, cyclists and public transport; (5) efficient use and integrated management of water; (6) net residential densities of between 12-15 dwellings per hectare; | No acceptable outcome is nominated. Editor's note—In order to demonstrate compliance with the performance outcome, a structure plan for the locality may be required. |

| Performance outcomes | | Acceptable outcomes | | |
|---|---|---|--|--|
| (7) | balanced and affordable communities | | | |
| (8) | with a mix of affordable housing types; provision of community infrastructure and public transport services at an early stage of development; | | | |
| (9) | local or neighbourhood centres which establish the focus for local community life; | | | |
| (10) | higher residential densities, community and centre activities around existing or future public transport modes; | | | |
| (11) | land for community uses and public services, including open space education, health, social and | | | |
| (12) | emergency services; and retention of an urban landscape with substantive networks of habitat and open space within the locality and, where appropriate, inter-urban breaks. | | | |
| P06 | | No acceptable outcome is nominated. | | |
| | re local or neighbourhood centres are plished, they are: | | | |
| (1) | commensurate with the local community's needs; | | | |
| (2) | not of a scale or nature that would undermine the intended role of existing designated centres; and | | | |
| (3) | consistent with the centre zone intentions for the relevant centre type. | | | |
| PO7 | | No acceptable outcome is nominated. | | |
| Development fronting Redland Bay Road east of the creek incorporates provision for large format retail uses that: | | | | |
| (1) (2) | serve the southern part of the city; do not undermine the intended role of existing designated centres; and | | | |
| (3) | are consistent with the intentions for the mixed use zone. | | | |
| Ame | Amenity | | | |
| PO8 | | No acceptable outcome is nominated. | | |
| Development provides for separation and buffering from nearby activities, including primary production, poultry farms and other rural industries, such that amenity and reverse amenity impacts are avoided. | | | | |
| PO9 | | AO9.1 | | |
| Development that would increase the number of people living (including the creation of additional residential lots) in proximity to existing poultry farms does not occur until the poultry farm has ceased operations. | | No new lots or dwellings (other than a single detached house on a lot) are established within 500m of an existing poultry farm. | | |
| | | 1 | | |

Performance outcomes **Acceptable outcomes PO10** AO10.1 Development minimises impacts on Development achieves the acoustic quality objectives stated in the Queensland surrounding areas, including sensitive land uses, having regard to noise, vibration, odour, Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019: air or light emissions. Schedule 1. AO10.2 When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) before 11pm: 25 lux; and (2) after 11pm, 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 - 1997. AO10.3 Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. AO10.4 Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. AO10.5 Odour levels do not exceed 1.0 OU, 99.5%, 1 hour average. Editor's note - for further information on odour reports and methodology refer to Planning Scheme Policy 6 -Environmental Emissions. PO11 No acceptable outcome is nominated. Landscaping is provided to: make a positive contribution to the (1) streetscape; (2) break up and soften the visual bulk of buildings and hardstand areas; (3)screen outdoor storage and servicing areas; and buffer to adjoining land in other zones or nearby sensitive land use. **PO12** No acceptable outcome is nominated. Editor's note—Guidance to assist applicants is contained Site layout and building design maximises within the Queensland Government's Crime prevention personal safety of users and discourages through environmental design guidelines for Queensland. antisocial behaviour.

Environmental protection

| Performance outcomes | Acceptable outcomes |
|---|--|
| PO13 The site layout responds to topography, natural values and development constraints, such that: | No acceptable outcome is nominated. Editor's note—Applicants will also need to have regard to any relevant overlays applicable to the development site. |
| (1) impacts on ecological corridors and native vegetation are minimised and mitigated; (2) alteration to natural topography and drainage lines is minimised; and (3) interruption or change within areas of high scenic value is minimised. | |

6.2.21 Rural zone code

6.2.21.1 Application

This code applies to development:

- (1) within the rural zone as identified on the zoning maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the rural zone code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

6.2.21.2 Purpose

- (1) The purpose of the rural zone code is to provide for a wide range of primary production activities while protecting natural resources and significant environmental and landscape values.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the productive capacity of rural land is maintained, whether or not the land is identified as agricultural land class A or B;
 - (b) further fragmentation of land through subdivision does not occur;
 - development that has a direct nexus with, and adds value to, primary production activities is accommodated, including rural industries, wholesale nurseries and wineries;
 - (d) educational, recreational and tourism uses are accommodated where they do not significantly impact on the environmental and landscape values of the locality;
 - (e) other uses may occur where they require a rural location or separation from urban areas. These may include certain industries, agricultural supplies stores, bulk landscape supplies and garden centres;
 - (f) intensive animal industries, intensive horticulture and other larger scale and higher impacting activities are not established where they would adversely affect land within urban areas:
 - (g) sensitive land uses are not located where they are likely to be impacted by intensive animal industries and intensive horticulture operations or other enterprises;
 - (h) the residential amenity of smaller rural lots is not significantly impacted by new development:
 - (i) built form is generally a subservient element in the landscape, and does not significantly alter the rural or natural character or scenic quality of the locality; and
 - (j) all forms of development minimise impacts on the natural environment and maintain a connected network of habitat areas and corridors.

6.2.21.3 Rural zone code – Specific benchmarks for assessment

Table 6.2.21.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|--|--|
| For development that is accepted subject to | requirements |
| Roadside Stall | |
| PO1 The roadside stall is associated with an | AO1.1 Produce or goods sold are grown, made or |
| agricultural use on the land on which the road side stall is erected. | produced on the land on which the roadside stall is erected. |
| PO2 | AO2.1 |
| The scale and operating characteristics of the use do not impact on the amenity and | The roadside stall does not exceed 40m² in gross floor area. |
| character of surrounding area or create a traffic problem. | AO2.2 There is only one roadside stall on each lot. |
| | AO2.3 |
| | The opening hours of roadside stall are limited to between 7am to 6pm. |
| | AO2.4 |
| | Space to accommodate 4 customer vehicles is provided. |
| For assessable development | |
| PO3 | AO3.1 |
| Reconfiguration does not result in further fragmentation of land. | Reconfiguration does not result in a smaller lot size. |
| PO4 | No acceptable outcome is nominated. |
| Development does not prejudice the ongoing operation or expansion of nearby farming activities. | |
| PO5 | No acceptable outcome is nominated. |
| Recreational and tourist facilities have a direct nexus with the natural environment or rural activities on or near the site or provide small scale food and drink outlets for day trippers. | |
| PO6 | No acceptable outcome is nominated. |
| Intensive horticulture and intensive animal industries establish where they will not adversely impact on urban areas. | |
| P07 | No acceptable outcome is nominated. |
| Other enterprises are established only where they: | |
| (1) require a non urban setting or need to | |
| be isolated from urban activities; and (2) will not adversely impact on urban areas. | |

Performance outcomes Acceptable outcomes **PO8** No acceptable outcome is nominated. Sensitive land uses (including tourist accommodation and educational uses) are not located where they would prejudice the ongoing operation of existing or approved intensive animal industries, intensive horticulture and other potentially impacting activities. **PO9** AO9.1 Development does not significantly impact on Development achieves the acoustic quality the residential amenity of lots less than 2 objectives stated in the Queensland Environmental Protection Act 1994: hectares, and minimises impacts on dwelling houses on other lots having regard to odour, Environmental Protection (Noise) Policy 2019: Schedule 1. noise, vibration, air or light emissions or other potential nuisance. AO9.2 When measured from the windows of habitable rooms of the nearest dwelling, illumination does not exceed: (1) before 11pm: 25 lux; and (2) after 11pm: 4 lux. Editor's note—For measurement guidance, refer to the Australian Standard for the Control of the Obtrusive Effects of Outdoor Lighting AS4282 - 1997. Vibrations do not exceed the maximum acceptable levels identified in Australian Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz) when measured at the boundary of the site. AO9.4 Development achieves the air quality objectives stated in the Queensland Environmental Protection Act 1994: Environmental Protection (Air) Policy 2019: Schedule 1. AO9.5 Odour levels do not exceed: 2.5 OU, 99.5%, 1 hour average for a sensitive land use site in a rural, conservation, environment management or recreation and open space zone; and 1.0 OU, 99.5%, 1 hour average at the (2) boundary of land within any other zone. Editor's note – for further information on odour reports and methodology refer to Planning Scheme Policy 6 -Environmental Emissions.

PO10

No acceptable outcome is nominated.

| Perf | ormance outcomes | Acceptable outcomes |
|--|--|-------------------------------------|
| The extent of hardstand area is minimised on the site. | | |
| PO11 | | No acceptable outcome is nominated. |
| Deve | elopment is located and designed to: | |
| (1) | minimise the need for excavation and fill; | |
| (2) | prevent the unnecessary clearing of vegetation; | |
| (3) | maintain natural drainage patterns; | |
| (4) | maintain vegetated riparian corridors along drainage lines; and | |
| (5) | minimise disruption to the movement of native fauna. | |
| PO1 | 2 | No acceptable outcome is nominated. |
| Land | scaping and revegetation: | |
| (1) | incorporates plants that are native to the local area; | |
| (2) | recognises and enhances the landscape setting of the local area; and | |
| (3) | supports the retention and rehabilitation of ecological corridors. | |

Part 7 Local plans

Editor's note—This section has not been used.

This page is intentionally left blank.

Part 8 Overlays

8.1 Preliminary

- (1) Overlays identify areas within the planning scheme that reflect state and local level interests and that have one or more of the following characteristics:
 - (a) there is a particular sensitivity to the effects of development;
 - (b) there is a constraint on land use or development outcomes;
 - (c) there is the presence of valuable resources; or
 - (d) there are particular opportunities for development.
- (2) Overlays are mapped and included in Schedule 2.
- (3) The changed categories of development and assessment, if applicable, for development affected by an overlay are in Part 5.
- (4) Some overlays may be included for information purposes only. This may result in no change to the categories of development and assessment or any additional assessment benchmarks.
- (5) Assessment benchmarks for an overlay may be contained in one or more of the following:
 - (a) a map for an overlay;
 - (b) a code for an overlay;
 - (c) a zone code;
 - (d) a local plan code;
 - (e) a development code.

Editor's note—In this planning scheme, assessment benchmarks for an overlay are all contained within the overlay codes.

- (6) Where development is proposed on premises partly affected by an overlay, the assessment benchmarks for the overlay only relates to the part of the premises affected by the overlay.
- (7) The overlays for the planning scheme are:
 - (a) Airport environs overlay code;
 - (b) Bushfire hazard overlay code;
 - (c) Coastal protection (erosion prone area) overlay code;
 - (d) Environmental significance overlay code;
 - (e) Extractive resources overlay code;
 - (f) Flood and storm tide hazard overlay code;
 - (g) Heritage overlay code;
 - (h) Landslide hazard overlay code;
 - (i) Regional infrastructure corridors and substations overlay code;
 - (j) Water resource catchments overlay code;
 - (k) Waterway corridors and wetlands overlay code.
- (8) The following overlay for the planning scheme is for information purposes only and does not have a corresponding overlay code:
 - (a) Transport noise corridor overlay.

Note—The Transport noise corridor overlay is contained in the planning scheme for information purposes only. The transport noise overlay identifies land designated as a transport noise in accordance with Chapter 8B of the *Building Act 1975*. In these areas building work will be assessable against the Queensland Development Code Part 4.4 – Buildings in a Transport Noise Corridor.

8.2 Overlay codes

8.2.1 Airport environs overlay code

8.2.1.1 Application

This code applies to development:

- (1) within the airport environs overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the airport environs overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.1.2 **Purpose**

- (1) The purpose of the airport environs overlay code is to protect the safety and operation of the Brisbane Airport and aviation facilities located within Redland.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) development does not create incompatible intrusions or compromise aircraft safety within the Brisbane Airport operational airspace;
 - (b) aviation facilities are protected from development that may compromise their safe and efficient operation.

8.2.1.3 Airport environs overlay code - Specific benchmarks for assessment

Table 8.2.1.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

Performance Outcomes

Acceptable Outcomes

For development that is accepted subject to requirements and assessable development

Operational airspace

PO1

Development does not create a permanent or temporary physical or transient obstruction within operational airspace.

Editor's note—The Brisbane Airport is identified as a Commonwealth Airport under the Airports Act (Airports Act) 1996 and the Airports (Protection of Airspace) Regulations 1996. Where a development proposal involves a building, structure, crane or other construction equipment which encroaches into the operational airspace of the Brisbane Airport, the development proposal must be referred to the airport manager for assessment, who will on refer the proposal to the Australian Government if required.

PO₂

Emissions do not adversely impact on air turbulence, aircraft engine operation or visibility in operational airspace.

AO1.1

Buildings, structures, ancillary rooftop objects such as satellite dishes and antennae, construction equipment and vegetation at its mature height do not exceed the OLS contour level shown on overlay map OM-001 (measured in metres AHD).

A01.2

Development involving transient aviation activities such as parachuting, hang gliding or hot air ballooning, does not occur on land within the OLS layer of overlay map OM-001.

AO2.1

Development does not result in the release of the following emissions above the OLS contour level shown on overlay map OM-001 (measured in metres AHD):

- gaseous plumes with a velocity exceeding 4.3m per second;
- (2) smoke, dust, ash or steam;
- (3) emissions with depleted oxygen content.

PO₃

Wildlife, in particular flying vertebrates such as birds and bats, are not attracted into operational airspace in numbers that increase the risk of strike.

AO3.1

Development does not involve the bulk handling or disposal of putrescible wastes, food processing industries, major sports facilities, aquaculture, cropping or intensive animal or horticultural uses within the 13km radius of the airport runway shown on overlay map OM-001.

Aviation facilities

PO4

Development does not create interference with the functioning of the Mount Hardgrave surveillance radar and VHF tower or Birkdale SGS facility.

Editor's note—A development proposal which encroaches into the building restricted area identified for either of these aviation facilities should be referred to Airservices Australia for assessment. It is recommended that advice is sought prior to lodgement of any application.

AO4.1

Development does not generate a radio frequency, electrical or electromagnetic field, or create reflective surfaces that could interfere with functioning of the aviation facility.

AO4.2


Development does not create a permanent or temporary obstruction within the following areas:

(1) at the Mount Hardgrave VHF tower:

| Performance Outcomes | Acceptable Outcomes |
|----------------------|--|
| | (a) 100m of the tower (VHF zone A shown on the overlay map); or (b) between 100m and 600m of the tower(VHF zone A/B shown on the overlay map) and encroaching above an elevation created by an angle extending at 2 degrees measured from a point 10m above ground level as shown in Figure 8.2.1.3.1 Mount Hardgrave VHF tower building restriction area; |
| | Editor's note—Although not within the building restricted area, Airservices Australia should be advised of development proposals between 600m and 2,000m distance (the VHF area of interest shown on the overlay map) from the tower or below the elevation identified in (b) (within VHF zone A/B). |
| | (2) at the Mount Hardgrave Surveillance Radar: |
| | (a) 500m of the antenna (SR zone A shown on the overlay map) and above a horizontal plane measured from a point 4m below the base of the antenna as shown in Figure 8.2.1.3.2 Mount Hardgrave surveillance radar building restriction area; or (b) 4,000m of the antenna (SR zone A/B shown on the overlay map) and encroaching above an elevation created by an angle extending at 0.5% measured from a point 8m below the height of the antenna as shown in Figure 8.2.1.3.2 Mount Hardgrave surveillance radar building restriction area; or (c) 15,000m of the antenna (SR area of interest shown on the overlay map) and encroaching above an elevation created by an angle extending at 0.25 degrees measured from the height of the antenna as shown in Figure 8.2.1.3.2 Mount Hardgrave surveillance radar |
| | building restriction area; Editor's note – Applicants should refer to the "State Planning Policy – State interest guidance material – Strategic Airports and Aviation Facilities" to establish the height of the Mount Hardgrave surveillance radar. |
| | (3) At the Birkdale satellite ground station:,(a) within Area A shown on the overlay map; or |

| Performance Outcomes | Acceptable Outcomes |
|----------------------|--|
| | (b) within Area B shown on the overlay map and encroaching above an elevation of 10m above ground level as shown in Figure 8.2.1.3.3 Birkdale |
| | satellite ground station building restriction area; or (c) within Area C shown on the overlay map and encroaching above an elevation of 15m above the base of the guyed |
| | mast; or (d) within Area D shown on the overlay map and encroaching above an elevation of 9m above the base of the tower; or |
| | (e) within Area E shown on the overlay map and encroaching above an elevation of 35m above the base of the tower. |
| 10m | 600m——————————————————————————————————— |

Figure 8.2.1.3.1—Mount Hardgrave VHF tower building restriction area






Figure 8.2.1.3.2—Mount Hardgrave surveillance radar building restriction area




Figure 8.2.1.3.3—Birkdale satellite ground station building restriction area

8.2.2 Bushfire hazard overlay code

Editor's note – the bushfire hazard overlay mapping is sourced from the Queensland Government's *State Planning Policy 2017* (SPP) Interactive Mapping System (IMS). Review of the SPP IMS should be undertaken and may provide more recent bushfire hazard mapping (refer to section 8(4) of the *Planning Act 2016*).

Editor's note—Redland City Council designates the hazard area shown on the bushfire hazard overlay map as the bushfire prone area for the purposes of section 7 of the *Building Regulation 2021*. The bushfire hazard area (bushfire prone area) includes land covered by the very high, high and medium hazard areas as well as the buffer area category on the overlay map.

8.2.2.1 Application

This code applies to development:

- (1) within the bushfire hazard overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the bushfire hazard overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.2.2 Purpose

- (1) The purpose of the bushfire hazard overlay code is to ensure that risk to life, property, and the environment as a result of bushfire is mitigated to an acceptable or tolerable level.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the establishment or intensification of uses involving the accommodation or congregation of vulnerable sectors of the community is avoided;
 - (b) development in areas at risk from bushfire is designed and located to minimise risks to people and property;
 - (c) development does not result in a material increase in the extent or severity of bushfire hazard;
 - (d) bushfire risk mitigation treatments avoid or minimise impacts on the natural environment;
 - (e) the cost to the public of measures to mitigate the risks of bushfire is minimised;
 - (f) development involving the manufacture or storage of hazardous materials does not increase the risk to public safety or the environment in a bushfire event:
 - (g) facilities with a role in emergency management and community support are located and designed to function effectively during and after a bushfire hazard event; and
 - (h) development contributes to effective and efficient disaster management response and recovery capabilities.

Editor's note—A site based assessment may ground truth the extent of hazardous vegetation and extent and nature of the bushfire hazard area (bushfire prone area). In addition, a bushfire management plan prepared by a suitably qualified person may be required to demonstrate compliance with this code. The bushfire management plan should be developed in accordance with the Public Safety Business Agency (PSBA) guideline entitled "Undertaking a Bushfire Protection Plan". Advice should be sought from the Queensland Fire and Emergency Services, as appropriate.

8.2.2.3 Bushfire hazard overlay code – Specific benchmarks for assessment

Table 8.2.2.3.1—Benchmarks for assessable development

| Performance outcomes | Acceptable outcomes | | |
|--|---|--|--|
| For assessable development | | | |
| Compatible development | | | |
| PO1 Development involving the accommodation or congregation of vulnerable sectors of the community such as childcare centres, community care centres, educational establishments, detention facilities, hospitals, rooming accommodation, retirement facilities or residential care facilities, is not located on land subject to bushfire hazard, unless there is an overriding community need or the development is located in the specialised centre zone. | AO1.1 The following uses do not occur within bushfire hazard area (bushfire prone area): (1) childcare centres; (2) community care centres; (3) educational establishments; (4) detention facilities; (5) hospitals; (6) rooming accommodation; (7) retirement facilities; and (8) residential care facilities. | | |
| PO2 Emergency services and uses providing community support services are able to function effectively during and immediately after a bushfire hazard event. | No acceptable outcome is nominated. | | |
| PO3 Development involving hazardous materials manufactured or stored in bulk is not located on land subject to bushfire hazard. | AO3.1 The manufacture or storage of hazardous material in bulk does not occur within bushfire hazard area (bushfire prone area). | | |
| Development design and separation from bu | ushfire hazard – reconfiguration of lots | | |
| Where reconfiguration creates lots of 2,000m² or less, a separation distance from hazardous vegetation is provided to achieve a radiant heat flux level of 29kW/m² at the edge of the proposed lot(s). Editor's note—The radiant heat levels and separation distances are to be established in accordance with method 2 set out in AS3959-2018 Construction of buildings in bushfire prone areas. | AO4.1.1 No new lots are created within the bushfire hazard area (bushfire prone area). OR AO4.1.2 Lots are separated from hazardous vegetation by a distance that achieves radiant heat flux level of 29kW/m² at all boundaries. Editor's note—Where a separation distance is proposed to be achieved by utilising existing cleared developed areas external to the site, certainty must be established (through tenure or other means) that the land will remain cleared of hazardous vegetation. Editor's note—For staged developments, temporary separation distances, perimeter roads or fire trails may be absorbed as part of subsequent stages. Editor's note—The achievement of a cleared separation distance may not be achievable where other provisions within the planning scheme seek the protection of certain ecological, slope, visual or character features or functions. | | |
| PO5 Where reconfiguration creates lots of more than 2,000m², a building envelope of reasonable dimensions is provided on each lot | No acceptable outcome is nominated. | | |

Performance outcomes Acceptable outcomes which is separated from hazardous vegetation such that it achieves radiant heat flux level of 29kW/m² at any point. AO6.1 **PO6** Lot boundaries are separated from hazardous Where reconfiguration is undertaken in an urban area, a constructed perimeter road with vegetation by a public road which: reticulated water supply is established (1)has a two lane sealed carriageway; between the lots and the hazardous contains a reticulated water supply: (2) vegetation, and is readily accessible at all (3) is connected to other public roads at times for urban fire fighting vehicles. both ends and at intervals of no more than 500m: The access is available for both fire fighting (4) and maintenance/defensive works. accommodates geometry and turning radii in accordance with Qld Fire and Editor's note—Applicants should also have regard to the Emergency Services' Fire Hydrant and relevant standards set out in the reconfiguration of a lot Vehicle Access Guidelines: code and infrastructure works codes in this planning scheme. (5) has a minimum of 4.8m vertical clearance above the road: (6) is designed to ensure hydrants and water access points are not located within parking bay allocations; and incorporates roll-over kerbing. (7) AO6.2 Fire hydrants are designed and installed in accordance with AS2419.1 2005. **PO7** A07.1 Outside an urban area, either a constructed Lot boundaries are separated from hazardous perimeter road or a formed, all weather fire vegetation by a public road or fire trail which trail is established between the lots or building envelopes and the hazardous vegetation, and a reserve or easement width of at least (1) is readily accessible at all times for the type of 20m: fire fighting vehicles servicing the area. (2) a minimum trafficable (cleared and The access is available for both fire fighting formed) width of 4m capable of and maintenance/hazard reduction works. accommodating a 15 tonne vehicle and which is at least 6m clear of vegetation; (3)no cut or fill embankments or retaining walls adjacent to the 4m wide trafficable path: (4) a minimum of 4.8m vertical clearance; (5)turning areas for fire-fighting appliances in accordance with Qld Fire and Emergency Services' Fire Hydrant and Vehicle Access Guidelines; (6)a maximum gradient of 12.5%; a crossfall of no greater than 10 (7) degrees; (8) drainage and erosion control devices in accordance with the standards in Planning Scheme Policy 2 -Infrastructure works: (9) vehicular access at each end which is

(10)

connected to the public road network at

intervals of no more than 500m;

designated fire trail signage;

| Perf | formance outcomes | Acceptable outcomes |
|---|-------------------|---|
| | | (11) if used, has gates locked with a system authorised by Qld Fire and Emergency Services; and (12) if a fire trail, has an access easement that is granted in favour of council and Qld Fire and Emergency Services. |
| PO8 The lot layout: (1) minimises the length of the development perimeter exposed to, or adjoining hazardous vegetation; (2) avoids the creation of potential bottleneck points in the movement network; (3) establishes direct access to a safe assembly/evacuation area in the event of an approaching bushfire; and (4) ensures roads likely to be used in the event of a fire are designed to minimise traffic congestion. Editor's note—For example, developments should avoid finger-like or hour-glass subdivision patterns or substantive vegetated corridors between lots. | | No acceptable outcome is nominated. Editor's note—In order to demonstrate compliance with the performance outcome, a bushfire management plan prepared by a suitably qualified person may be required. The bushfire management plan should be developed in accordance with the Public Safety Business Agency (PSBA) guideline entitled "Undertaking a Bushfire Protection Plan. Advice from the Queensland Fire and Emergency Services (QFES) should be sought as appropriate. |
| PO9 Critical or potentially hazardous infrastructure such as water supply, electricity, gas and | | No acceptable outcome is nominated. |

Development design and separation from bushfire hazard - material change of use

PO10

Development is located and designed to ensure proposed buildings or building envelopes achieve the following radiant heat flux level at any point:

telecommunications are located underground.

- (1) 10kW/m² where the use involves the accommodation or congregation of vulnerable sectors of the community such as childcare centres, community care centres, educational establishments, detention facilities, hospitals, rooming accommodation, retirement facilities or residential care facilities; or
- (2) 29kW/m² otherwise.

Editor's note—The radiant heat levels and separation distances are to be established in accordance with method 2 set out in AS3959-2018 – Construction of buildings in bushfire prone areas.

The radiant heat flux of 10KW/m² does not relate to a specific Bushfire attack level (BAL) in the AS3959, but reflects the Critical Limit for emergency services (firefighters cannot operate)

Life threatening with less than 1 minute exposure in protective clothing

(Bushfire Resilient Communities Figure 5: Potential effects of radiant heat)

AO10.1

Buildings or building envelopes are separated from hazardous vegetation by a distance that achieves a radiant heat flux level at any point on the building or envelope respectively, of 10kW/m² for a use mentioned in the performance outcome, or 29kW/m² otherwise.

Editor's note—Where a separation distance is proposed to be achieved by utilising existing cleared developed areas external to the site, certainty must be established (through tenure or other means) that the land will remain cleared of hazardous vegetation.

Editor's note—For staged developments, temporary separation distances, perimeter roads or fire trails may be absorbed as part of subsequent stages.

Editor's note—The achievement of a cleared separation distance must be achieved in a way that ensures compliance with other provisions within the planning scheme seeking protection of certain ecological, slope, visual or character features or functions.

| | T | |
|---|--|--|
| Performance outcomes | Acceptable outcomes | |
| PO11 Effective safety and evacuation procedures and measures are established. | No acceptable outcome is nominated. Editor's note—A bushfire management plan prepared by a suitably qualified professional may be required to demonstrate compliance with the performance outcome. | |
| Performance outcomes | Acceptable outcomes | |
| A constructed perimeter road or a formed, all weather fire trail is provided between the hazardous vegetation and the site boundary or building envelope, and is readily accessible at all times for the type of fire fighting vehicles servicing the area. However, a fire trail will not be required where it would not serve a practical fire management purpose. | Development is separated from hazardous vegetation by a public road or fire trail which has: (1) a reserve or easement width of at least 20m; (2) a minimum trafficable (cleared and formed) width of 4m capable of accommodating a 15 tonne vehicle and which is at least 6m clear of vegetation; (3) no cut or fill embankments or retaining walls adjacent to the 4m wide trafficable path; (4) a minimum of 4.8m vertical clearance; (5) turning areas for fire-fighting appliances in accordance with Qld Fire and Emergency Services' Fire Hydrant and Vehicle Access Guidelines; (6) a maximum gradient of 12.5%; (7) a cross fall of no greater than 10 degrees; (8) drainage and erosion control devices in accordance with the standards in Planning Scheme Policy 2 – Infrastructure works; (9) vehicular access at each end which is connected to the public road network at intervals of no more than 500m; (10) designated fire trail signage; (11) if used, has gates locked with a system authorised by Qld Fire and Emergency Services; and (12) if a fire trail, has an access easement that is granted in favour of council and Qld Fire and Emergency Services. | |
| All development | | |
| PO13 All premises are provided with vehicular access that enables safe evacuation for occupants and easy access by fire fighting appliances. | AO13.1 Private driveways: (1) do not exceed a length of 60m from the street to the building; (2) do not exceed a gradient of 12.5%; (3) have a minimum width of 3.5m; (4) have a minimum of 4.8m vertical clearance; (5) accommodate turning areas for firefighting appliances in accordance with Qld Fire and Emergency Services' Fire | |

| Performance outcomes | Acceptable outcomes | |
|---|---|--|
| | Hydrant and Vehicle Access Guidelines; and (6) serve no more than 3 dwellings or buildings. | |
| PO14 | AO14.1 | |
| Development outside reticulated water supply areas, includes a dedicated static supply that is available solely for fire fighting purposes and can be accessed by fire fighting appliances. | A water tank is provided within 10m of each building (other than a class 10 building) which: (1) is either below ground level or is constructed or screened by non combustible materials; Editor's note—Non-combustible is a defined in AS 3959:2018 Construction of buildings in bushfire prone areas and means: "not deemed combustible as determined by AS 1530.1 or not deemed combustible in accordance with the BCA." (2) has a take-off connection at a level that allows the following dedicated, static water supply to be left available for access by fire fighters: (a) 10,000 litres for residential buildings; (b) 45,000 litres for industrial buildings; and (c) 20,000 litres for other buildings; (3) includes a hardstand area allowing medium rigid vehicle (15 tonne fire appliance) access within 6m of the tank; (4) is provided with fire brigade tank fittings – 50mm ball valve and male camlock coupling and, if underground, an access hole of 200mm (minimum) to accommodate suction lines; and (5) is clearly identified by directional signage provided at the street frontage. | |
| PO15 | AO15.1 | |
| Landscaping uses species that are not likely to exacerbate a bushfire event, and does not increase fuel loads within separation areas. | Low flammability plant species identified in Table 8.2.2.2 are used for any planted landscaping within 10m of a building or structure. | |
| PO16 Bushfire risk mitigation treatments do not have a significant impact on the natural environment or landscape character of the locality. | No acceptable outcome is nominated. | |

Table 8.2.2.3.2—Low flammability plant species

| Mainland | | SMBI | |
|-------------------------------|----------------------|---------------------------|----------------------|
| Species | Common Name | Species | Common Name |
| Acacia melanoxylon | Blackwood | Acacia melanoxylon | Blackwood |
| Acacia sophorae | Coastal Wattle | Acacia sophorae | Coastal Wattle |
| Banksia spinulosa var collina | | Casuarina glauca | Swamp Oak |
| Brachychiton acerifolius | Flame | Cupaniopsis anacardioides | Tuckeroo |
| Buckinghamia celcissima | Ivory Curl | Dodoneaea spp. | |
| Casuarina glauca | Swamp Oak | Elaeocarpus reticulatus | Blueberry Ash |
| Cupaniopsis anacardioides | Tuckeroo | Ficus macrophylla | Moreton Bay Fig |
| Dodoneaea spp. | | Glochidion ferdinandii | Cheese Wood |
| Elaeocarpus reticulatus | Blueberry Ash | Hymenosporum flavum | Native Frangipani |
| Ficus macrophylla | Moreton Bay Fig | Jacksonia scoparia | Dog Wood |
| Glochidion ferdinandii | Cheese Wood | Lophostemon confertus | Brushbox |
| Guioa semiglauca | | Mallotus philippensis | Red Kamala |
| Hymenosporum flavum | Native Frangipani | Myoporum acuminatum | Boobialla |
| Jacksonia scoparia | Dog Wood | Pittosporum revolutum | Brisbane Laurel |
| Lophostemon confertus | Brushbox | Rapanea variabilis | |
| Mallotus philippensis | Red Kamala | Carpobrotus glaucescens | Pigs Face |
| Myoporum acuminatum | Boobialla | Hardenbergia violacea | |
| Pittosporum revolutum | Brisbane Laurel | Kennedia rubicunda | |
| Pittosporum rhombifolium | | Lomandra longifolia | |
| Rapanea variabilis | | Themeda triandra | |
| Stenocarpus sinuatus | | Viola hederacea | |
| Carpobrotus glaucescens | Pigs Face | Chrysocephalum apiculatum | |
| Hardenbergia violacea | | | |
| Kennedia rubicunda | | | |
| Lomandra longifolia | | | |
| Themeda triandra | | | |
| Viola hederacea | | | |
| Chrysocephalum apiculatum | | | |

8.2.3 Coastal protection (erosion prone areas) overlay code

Editor's note – The coastal protection (erosion prone area) overlay mapping is sourced from the Queensland Government's State *Planning Policy 2017* (SPP) Interactive Mapping System (IMS). Review of the SPP IMS should be undertaken and may provide more recent mapping (refer to section 8(4) of the *Planning Act 2016*).

8.2.3.1 Application

This code applies to development:

- (1) within the coastal protection (erosion prone areas) overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the coastal protection (erosion prone areas) overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.3.2 Purpose

- (1) The purpose of the coastal protection (erosion prone areas) overlay code is to ensure that development in erosion prone areas is designed, constructed and operated to:
 - (a) mitigate risk to life and property to an acceptable or tolerable level;
 - (b) minimise the need for and the cost of coastal protection works; and
 - (c) protect coastal resources and allow for the fluctuations of natural coastal processes as far as possible.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) within the low density residential zone in the erosion prone area and inside the coastal management district at Amity, North Stradbroke Island, development does not occur, unless it cannot feasibly be located elsewhere on the site and:
 - (i) it is coastal-dependent development; or
 - (ii) it is temporary, readily relocatable or able to be abandoned;
 - (b) elsewhere, development does not occur within erosion prone areas inside the coastal management district, unless it cannot feasibly be located elsewhere on the site and:
 - (i) it is coastal-dependent development; or
 - (ii) it is temporary, readily relocatable or able to be abandoned; or
 - (iii) it does not extend closer to the erosion hazard than existing buildings and infrastructure on or adjacent to the site;
 - (c) development within the erosion prone area but outside the coastal management district minimises the risk from the erosion hazard to an acceptable level:
 - (d) the number of lots within the erosion prone area is not increased;
 - (e) development mitigates the coastal erosion risk through private erosion control works;
 - development and erosion control works do not interfere with physical coastal processes beyond the development site, having regard to changes associated with climate change;
 - (g) the costs to the public of erosion control works are minimised;
 - (h) public access to the foreshore is maintained and enhanced for current and future generations:
 - (i) development involving the manufacture or storage of hazardous materials does not increase the risk to public safety or the environment in the event of coastal erosion: and
 - (j) facilities with a role in emergency management and vulnerable community services are located outside erosion prone areas.

Editor's note—The term coastal-dependent development is defined in the State Planning Policy.

8.2.3.3 Coastal protection (erosion prone areas) overlay code – Specific benchmarks for assessment

Table 8.2.3.3.1—Benchmarks for assessable development

Performance outcomes Acceptable outcomes For assessable development Development in the Low Density Residential Zone inside the coastal management district at Amity, North Stradbroke Island **PO1** A01.1 Development is not located within the erosion Development is not located within the erosion prone area unless it is: prone area unless it is: for coastal-dependent development; or (1)

All other development

be abandoned.

PO2

(2)

Development is not located within the erosion prone area unless it is:

temporary, readily relocatable or able to

- consistent with the intentions for the relevant zone and there is no part of the lot outside the erosion prone area that is capable of accommodating the development; or
- for coastal-dependent development; or (2)
- (3)temporary, readily relocatable or able to be abandoned.

Editor's note—Coastal-dependent development is defined in the State Planning Policy.

AO2.1

(1)

(2)

Development:

(1) is for a dwelling house, dwelling unit or caretaker's residence; or

for coastal-dependent development; or

not anticipated to remain in place for

more than 10 years or is capable of being disassembled and removed.

- is for multiple dwelling, rooming (2) accommodation or short term accommodation and the land is in the tourist accommodation zone; or
- (3)involves a gross floor area of less than 500m²;

and buildings or structures cannot fit within parts of the lot outside the erosion prone area. OR

AO2.2

Development is for coastal dependent development.

Editor's note—Development within the waterfront and marine industry zone that is consistent with the intentions for that zone will be taken to be coastal-dependent development.

OR

AO2.3

Development is not anticipated to remain in place for more than 10 years or is capable of being easily disassembled and removed.

All development (whether or not at Amity, North Stradbroke Island)

PO₃

Buildings and structures are not established further seaward or closer to the coastal erosion hazard than existing buildings on the site or on a site in the immediate vicinity, unless they are:

for coastal-dependent development: or (1)

No acceptable outcome is nominated.

| Performance outcomes | Acceptable outcomes |
|---|--|
| (2) temporary, readily relocatable or able to be abandoned. | |
| Editor's note—Coastal-dependent development is defined in the State Planning Policy. Development within the waterfront and marine industry zone that is consistent with the intentions for that zone will be taken to be coastal-dependent development. | |
| PO4 | AO4.1 |
| Development does not increase the number of lots within the erosion prone area. | No new lots are created. |
| PO5 | No acceptable outcome is nominated. |
| Risks to permanent buildings, structures and infrastructure are minimised through design and, where necessary, erosion control structures or works. | Editor's Note—A report certified by a registered professional engineer with coastal engineering experience may be needed to demonstrate compliance with this and other performance outcomes. |
| PO6 | No acceptable outcome is nominated. |
| Erosion control structures or works undertaken pursuant to PO5 are located wholly on private land. | |
| P07 | No acceptable outcome is nominated. |
| Erosion control structures or works are designed to ensure physical coastal processes outside the development footprint are maintained. | |
| PO8 | No acceptable outcome is nominated. |
| Erosion control structures or works are consistent with any shoreline erosion management plan that has been adopted for the area. | |
| PO9 | No acceptable outcome is nominated. |
| Development provides for safe and convenient public access to and along the foreshore where ever practicable. | |

8.2.4 Environmental significance overlay code

Editor's note – The MSES overlay mapping is sourced from the Queensland Government's State *Planning Policy* 2017 (SPP) Interactive Mapping System (IMS). Review of the SPP IMS should be undertaken and may provide more recent MSES mapping (refer to section 8(4) of the *Planning Act 2016*).

8.2.4.1 Application

This code applies to development:

- within the environmental significance overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the environmental significance overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.4.2 Purpose

- (1) The purpose of the environmental significance overlay code is to manage development to avoid or minimise and mitigate significant impacts on matters of national, state and local environmental significance.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) areas of high biodiversity or environmental significance are retained and protected;
 - (b) development maximises the retention of native vegetation and significant habitat features;
 - (c) development minimises the loss of koala habitat trees;
 - impacts on matters of state or local environmental significance are minimised and mitigated;
 - (e) development does not cause substantial fragmentation of habitat areas;
 - opportunities for safe and viable wildlife movement within and between habitat areas are facilitated;
 - (g) landscaping and planting is undertaken in a manner that contributes to the ecological values of the site; and
 - (h) where they occur, significant residual impacts on matters of local environmental significance or another prescribed environmental matter in accordance with section 15(4) of the *Environmental Offsets Act 2014*, may need to be offset.

Editor's note—Applicants should be aware that in addition to the requirements of this planning scheme, obligations for the protection of many matters of environmental significance are established by the Commonwealth and Queensland governments. Additional approvals or referrals may be required as a consequence. Any environmental offset for matters of state or local significance are to be consistent with the Queensland Government's *Environmental Offsets Act 2014*.

8.2.4.3 Environmental significance overlay code – Specific benchmarks for assessment

Table 8.2.4.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

Editor's note—Applicants should have regard to Planning Scheme Policy 1 – Environmental significance for guidance in demonstrating compliance with the performance outcomes in this code.

| Performance Outcomes | Acceptable Outcomes | |
|---|---|--|
| For development that is accepted subject to requirements | | |
| PO1 Development does not result in a significant reduction in the level or condition of biodiversity and ecological processes in the locality. | AO1.1 Compensatory planting is undertaken on-site that is equal in area to the area of the vegetation cleared. | |
| Editor's note— See Planning Scheme Policy 1 – Environmental significance for advice on achieving compliance with this outcome. | | |
| For assessable development | | |
| Values to be protected | | |
| PO2 Development does not result in a significant reduction in the level or condition of biodiversity and ecological processes in the locality. | No acceptable outcome is nominated. | |
| PO3 Development does not cause substantial fragmentation of habitat areas. | No acceptable outcome is nominated. | |
| PO4 Connections between habitat areas are retained, so that: | No acceptable outcome is nominated. | |
| movement of species is not inhibited or made less safe: and | | |
| normal gene flow between populations is continued. | | |
| Connections may include both continuous corridors and "stepping stone" patches and refuges. | | |
| Minimising and mitigating impacts | | |
| PO5 Edge effects on retained habitat areas are minimised by providing the smallest possible perimeter to area ratio. | No acceptable outcome is nominated. | |
| PO6 The design, scale and intensity of development minimises impacts on retained habitat. | No acceptable outcome is nominated. | |

| Performance Outcomes | Acceptable Outcomes |
|--|---|
| PO7 Retained habitat is protected to ensure its ongoing condition and resilience, and to avoid degradation as a result of edge effects. | No acceptable outcome is nominated. |
| PO8 Barriers restricting the movement and dispersal of wildlife are removed, except where they are necessary for the safety of people or animals. | No acceptable outcome is nominated. Editor's note—Guidance on fencing design, fauna movement structure and the like is provided in Planning Scheme Policy 1 – Environmental significance. |
| PO9 Development does not result in the introduction of pest species (plant or animal), that pose a risk to ecological integrity or disturbance to native species. | No acceptable outcome is nominated. Editor's note—Weed species are identified in Council's Pest Management Plan 2012 – 2016, Part B. |
| PO10 Development minimises alterations to natural landforms, flow regimes, groundwater recharge and surface water drainage patterns. | No acceptable outcome is nominated. |
| PO11 Development minimises potential for disturbance of wildlife as a result of noise, light, vibration or other source. | No acceptable outcome is nominated. |
| PO12 Roads and public access within and adjacent to areas of ecological significance are located and designed to avoid disturbance of ecological values or danger to wildlife. | No acceptable outcome is nominated. |
| Corridors and enhancement planting | |
| PO13 Development contributes to the restoration of waterway or land based ecological corridors, where they would significantly enhance the condition and resilience of habitat and wildlife on and near the site. | No acceptable outcome is nominated. |
| PO14 | AO14.1 |
| Corridors have sufficient width to maintain viable wildlife or habitat linkages. | Ecological corridors have a minimum width of 100m. |
| PO15 Development incorporates opportunities for revegetation to enhance habitat condition, biodiversity and wildlife movement. | No acceptable outcome is nominated. |
| PO16 Enhancement plantings and landscaping utilise endemic native species which replicate or complement the composition of the habitat it is connected to, unless this would increase bushfire risk. | No acceptable outcome is nominated. Editor's note—Guidance to assist applicants is contained within the Queensland Government's Regional Ecosystem Mapping |

| · | | |
|---|--|--|
| Performance Outcomes | Acceptable Outcomes | |
| PO17 Where clearing occurs, it is sequenced and undertaken in a manner that provides opportunities for fauna to vacate affected land. | No acceptable outcome is nominated. Editor's note—It is likely that a wildlife habitat management plan, prepared by an ecologist with suitable experience may be needed to address survival and ongoing access to habitat trees during construction and operation of the development. | |
| Offsets | | |
| PO18 | AO18.1 | |
| Where development results in, or is likely to result in, a significant residual impact on matters of local environmental significance, despite all reasonable on-site mitigation measures, the impact will be offset. | Offsets are provided in accordance with offset arrangements set out in Planning Scheme Policy 1 – Environmental significance. | |

8.2.5 Extractive resources overlay code

8.2.5.1 Application

This code applies to development:

- (1) within the extractive resources overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the extractive resources overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.5.2 Purpose

- (1) The purpose of the extractive resources overlay code is to protect key resource areas and associated haulage routes and separation areas, and to ensure development is compatible with existing or future extractive industry.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) sensitive uses are not intensified near extractive resource areas or their haulage routes;
 - development does not impair the operation of existing or potential extractive industries;
 - (c) development near a transport route for an extractive resource does not constrain or otherwise conflict with the safe and efficient transportation of the extractive resource; and
 - the negative impacts of extractive industries on sensitive land uses are minimised.

8.2.5.3 Extractive resources overlay code – Specific benchmarks for assessment

Table 8.2.5.3.1—Benchmarks for assessable development

| Performance Outcomes | Acceptable Outcomes | |
|---|---|--|
| For assessable development | | |
| Resource processing area | | |
| PO1 Development within an identified resource processing area does not compromise: (1) the ability to extract natural resources in a safe and efficient manner; or (2) the potential of the extractive industry to expand in the future. | No acceptable outcome is nominated. | |
| PO2 Development within an identified resource processing area does not introduce or increase uses that are sensitive to the impacts of extractive industry operations. | No acceptable outcome is nominated. | |
| Extractive resource separation area or trans | sport route separation area | |
| Except where on land included in a residential zone, development does not materially increase the number of people living in an extractive resource separation area or transport route separation area. | Within an extractive resource separation area or transport route separation area, development does not: (1) result in an increase in the number of lots unless the land is included in a residential zone and all lots meet the nominated acceptable outcome for minimum lot size; and (2) involve more than one dwelling being established on an existing lot. | |
| PO4 Development within an extractive resource separation area or transport route separation area is established in a manner that ensures impacts from existing or future extractive operations are minimised. | No acceptable outcome is nominated. | |
| PO5 Noise attenuation measures utilised: (1) do not restrict access or movement for people or native animals; (2) are integrated with the streetscape and landscape setting; (3) are designed and constructed for longevity and a low level of maintenance. | No acceptable outcome is nominated. | |
| Transport routes | | |
| PO6 Development does not adversely affect the safe and efficient transportation of extractive materials along an identified transport route. | AO6.1 The number of access points to an identified haulage route is not increased. | |

| Performance Outcomes | Acceptable Outcomes | |
|---|-------------------------------------|--|
| Mining tenements | | |
| PO7 Development in the vicinity of a mining tenement does not compromise current or future utilisation of the mineral resource and is compatible with the impacts of existing or future mining activities. | No acceptable outcome is nominated. | |

8.2.6 Flood and storm tide hazard overlay code

Editor's note—Redland City Council designates land shown as flood and storm tide hazard areas on the overlay map as the flood hazard area for the purposes of section 8 of the *Building Regulation 2021* and declares the defined flood level to be the level to which flood waters would reasonably be expected to rise within the flood hazard area during the defined flood event or defined storm tide event. The requirements of the Queensland Development Code will apply in the hazard area subject to river or creek flooding.

8.2.6.1 Application

This code applies to development:

- (1) within the flood and storm tide hazard overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the flood and storm tide hazard overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.6.2 Purpose

- (1) The purpose of the flood and storm tide hazard overlay code is to ensure that risk to life, property, and the environment as a result of flood and storm tide inundation, as well as drainage constraints on the southern Moreton Bay Islands, is mitigated to an acceptable or tolerable level, and that risks are managed having regard to changes associated with climate change.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) development avoids intensifying the use of land affected by the defined flood event or defined storm tide event, unless:
 - (i) it is in an urban area (other than the emerging community zone); and
 - (ii) the impacts of inundation on the development can be mitigated so that risk to life and property is minimised;
 - (b) in other areas, development avoids intensifying the use of land within area affected by the defined flood event or defined storm tide event;
 - (c) development on drainage constrained land on the Southern Moreton Bay Islands minimises adverse impacts associated with overland flow paths and seepage from high water tables;
 - (d) development does not directly, indirectly or cumulatively increase adverse impacts of drainage, flood or storm tide inundation on other properties;
 - (e) development maintains the flood storage and discharge capacity of the flood and storm tide hazard area;
 - (f) the cost to the public of measures to mitigate the risks of drainage, flood and storm tide hazard are minimised;
 - (g) development involving the manufacture or storage of hazardous materials does not increase the risk to public safety or the environment in a flood or storm tide event:
 - (h) development does not reduce the functions of landforms or vegetation in providing protection against inundation;
 - facilities with a role in emergency management and community support are located and designed to function effectively during and after a defined flood event or defined storm tide event; and
 - (j) development contributes to effective and efficient disaster management response and recovery capabilities.

8.2.6.3 Flood and storm tide hazard overlay code – Specific benchmarks for assessment

Table 8.2.6.3.1—Benchmarks for assessable development

Editor's note—To demonstrate compliance with the performance outcomes in this code, a flood or storm tide inundation report, prepared by a suitably qualified professional in accordance with Planning Scheme Policy 3 – Flood, storm tide and drainage constrained land may be required.

| Performance outcomes | Acceptable outcomes | |
|--|-------------------------------------|--|
| For assessable development | | |
| In areas affected by the defined flood event or defined storm tide event, development which results in the creation of additional lots or an increase in the number of dwellings on the land only occurs on land zoned for residential, commercial or industrial purposes. Note—Zones for residential, commercial or industrial include the low density residential, low-medium density residential, medium density residential, principal centre, specialised centre, major centre, district centre, local centre, neighbourhood centre, low impact industry, medium impact industry, waterfront and marine industry and mixed use zones. To remove any doubt, it does not include the community facilities, emerging community, rural, recreation and open space, environmental management or conservation zones. | No acceptable outcome is nominated. | |
| PO2 Development involving the accommodation or congregation of vulnerable sectors of the community such as childcare centres, community care centres, educational establishments, detention facilities, hospitals, rooming accommodation, retirement facilities or residential care facilities, is not located within flood or storm tide hazard areas. | No acceptable outcome is nominated. | |
| PO3 Infrastructure that is likely to become a public asset is designed to withstand hydrodynamic forces of a defined flood event or defined storm tide event. | No acceptable outcome is nominated. | |
| PO4 Development does not increase the number of people living on the site unless it is provided with at least one road route that is trafficable for evacuation by a motor vehicle during a reasonable period prior to the defined flood event or defined storm tide event. | No acceptable outcome is nominated. | |
| PO5 The extent of filling utilised to achieve the necessary finished floor levels, evacuation routes and flood immunity for infrastructure is minimised. | No acceptable outcome is nominated | |

| Performance outcomes | Acceptable outcomes |
|--|--|
| PO6 Development does not change inundation characteristics outside the subject site in ways that result in: (1) loss of flood storage; (2) loss of or changes to flow paths; (3) acceleration or retardation of flows; (4) any reduction in flood warning times elsewhere on the floodplain; (5) any other worsening of inundation impacts on other properties or public infrastructure. | No acceptable outcome is nominated. |
| PO7 Development on land shown as drainage constrained on the southern Moreton Bay islands only occurs where floor levels are established above the water level affecting the site. | No acceptable outcome is nominated. Editor's note—To demonstrate compliance with this performance outcome, a drainage report prepared by a suitably qualified professional may be required to establish the relevant flow paths and water table conditions affecting the site. |
| PO8 Any structures or works intended to mitigate the risk or impacts of inundation on a development site are located wholly on private land. | No acceptable outcome is nominated. |
| PO9 Emergency services and uses providing community support services are able to function effectively during and immediately after inundation events. | AO9.1 The following are not established within flood and storm tide hazard areas: (1) emergency services; (2) stores of valuable records, heritage or cultural items; (3) substations; (4) major electricity infrastructure; (5) telecommunications facilities; and (6) utility installations. |
| PO10 Minor electricity infrastructure which supplies new subdivision is designed and located to be able to function effectively during and immediately after inundation events. | AO10.1 Pad mount transformers for the subdivision are located on land that is above the defined flood level. |
| PO11 Development involving hazardous materials manufactured or stored in bulk is not located in areas at risk of inundation. | AO11.1 The manufacture or storage of hazardous material in bulk does not occur within flood or storm tide hazard areas. |
| PO12 Development contributes to effective and efficient disaster management response and recovery capabilities. | No acceptable outcome is nominated. |

8.2.7 Heritage overlay code

8.2.7.1 Application

This code applies to development:

- (1) within the heritage overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the heritage overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.7.2 Purpose

(1) The purpose of the heritage overlay code is to protect the heritage values of the city's identified local heritage places.

Editor's note—This overlay does not address State Heritage Places which are protected under the *Queensland Heritage Act* or places of indigenous cultural heritage which are protected under the *Aboriginal Cultural Heritage Act*.

- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) identified local heritage places are not demolished, removed or altered in a way that removes or reduces their heritage values; and
 - (b) local heritage places are used in a way that is compatible with their cultural heritage values.

8.2.7.3 Heritage overlay code – Specific benchmarks for assessment

Table 8.2.7.3.1—Benchmarks for assessable development

| Perf | ormance Outcomes | Acceptable Outcomes | |
|---|--|--|--|
| For | For assessable development | | |
| | illding or structure on a local heritage e is not demolished or relocated unless: it is structurally unsound and is not reasonably capable of being made structurally sound; or the change does not result in the loss of the particular heritage values of the place. | AO1.1 Development does not result in the partial or total demolition or removal of a building or structure on the site. Editor's note—Where an alternative outcome is proposed, a structural report or heritage impact statement, prepared by suitably qualified persons may be needed to demonstrate compliance with PO1. | |
| Vege unles haza | etation of heritage value is retained ss it is in poor health and a safety ard, and is not reasonably capable of g restored to good health. | Vegetation of heritage value on the site is retained and is not damaged by new development. Editor's note—A report prepared by an Australian Qualification Framework level 5 qualified aboriculturalist may be required to demonstrate compliance with PO2. | |
| dam | elopment does not alter, remove, age or conceal the heritage features or es of the place. | No acceptable outcome is nominated. | |
| PO4 | į. | AO4.1 | |
| (1)(2)(3)(4) | are sympathetic to, but do not reproduce traditional building forms; are visually subservient to a heritage building; incorporate similar proportions and building lines, such as window shape, size and positioning and eaves heights; and utilise materials and finishes that do not detract from or draw attention away from the existing building. | Alterations to existing buildings or structures do not alter the external appearance of the building. | |
| PO5 | | No acceptable outcome is nominated. | |
| | ag and excavation does not diminish the age or streetscape values, including: reducing public access or views to and from the local heritage place; or causing the removal of significant landscape features; or introducing large incongruent or overbearing retaining walls. | | |
| herit | onfiguration of land does not diminish the age, character, context and streetscape es of the place, including by: | No acceptable outcome is nominated. | |

| Perf | ormance Outcomes | Acceptable Outcomes |
|------|--|---------------------|
| (1) | a reduction of public access or views | |
| | to and from the local heritage place; or | |
| (2) | the potential for overshadowing of the | |
| | local heritage place; or | |
| (3) | the removal of significant landscape | |
| | features or contextual elements; or | |
| (4) | the disruption of the historic | |
| | subdivision pattern of the area. | |

8.2.8 Landslide hazard overlay code

8.2.8.1 Application

This code applies to development:

- (1) within the landslide hazard overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the landslide hazard overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.8.2 Purpose

- (1) The purpose of the landslide hazard overlay code is to ensure that risk to life, property, and the environment as a result of landslide is mitigated to an acceptable or tolerable level.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) development in areas at risk from landslide is designed and located to protect people and property;
 - (b) development does not result in a material increase in the extent or severity of landslide hazard;
 - (c) landslide risk mitigation treatments do not have a significant impact on the natural environment;
 - (d) the cost to the public of measures to mitigate the risks of landslide are minimised:
 - development involving the manufacture or storage of hazardous materials does not increase the risk to public safety or the environment in a landslide hazard event;
 - (f) facilities with a role in emergency management and community support are located and designed to function effectively during and after a landslide event; and
 - (g) development contributes to effective and efficient disaster management response and recovery capabilities.

8.2.8.3 Landslide hazard overlay code – Specific benchmarks for assessment

Table 8.2.8.3.1—Benchmarks for assessable development

| Performance Outcomes | Acceptable Outcomes |
|--|---|
| For assessable development | |
| PO1 Development does not result in an increase in risk to people and buildings from landslide hazard. | No acceptable outcome is nominated. Editor's note—A geotechnical engineering report prepared by an experienced geotechnical professional may be required to demonstrate compliance with the performance outcome. Planning Scheme Policy 4 – Landslide hazard will provide applicants with guidance in meeting requirements of this code. |
| PO2 Access is available to the site during and after a landslide event. | AO2.1 Vehicular and pedestrian access to the site does not traverse medium, high or very high hazard areas. |
| PO3 Landslide control structures or works are located wholly on private land. | No acceptable outcome is nominated. |
| PO4 Landslide risk mitigation treatments do not have a significant impact on the natural environment. | No acceptable outcome is nominated. |
| PO5 Development involving hazardous materials manufactured or stored in bulk is not located in areas at risk of landslide. | AO5.1 The manufacture or storage of hazardous material in bulk does not occur within or adjoining medium, high or very high hazard areas. |
| PO6 Emergency services and uses providing community support services are able to function effectively during and immediately after landslide events. | AO6.1 The following uses do not occur within or adjoining low, medium, high or very high hazard areas: (1) emergency services; (2) stores of valuable records, heritage or cultural items; (3) substations; (4) major electricity infrastructure; (5) telecommunications facilities; and (6) utility installations. |

8.2.9 Regional infrastructure corridors and substations overlay code

8.2.9.1 Application

This code applies to development:

- (1) within the regional infrastructure corridors and substation overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the regional infrastructure corridors and substation overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.9.2 Purpose

- (1) The purpose of the regional infrastructure corridors and substations overlay code is to ensure that development does not undermine the safe, efficient and unencumbered operation or expansion of key infrastructure corridors and sites, including:
 - (a) electricity transmission lines;
 - (b) electricity substations;
 - (c) water supply pipelines;
 - (d) water treatment plants, water quality facilities, pump stations and reservoirs; and
 - (e) wastewater treatment plants.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) existing and planned regional infrastructure facilities and corridors are protected from encroachment by sensitive land uses or incompatible development;
 - (b) development does not create any threat to the provision of a safe and reliable supply of services to all users, and avoids any potential interference with the ongoing operation, maintenance and augmentation of the infrastructure;
 - (c) development does not increase the potential for safety concerns, nuisance and complaints and minimises the need for measures to be introduced in the operation of the infrastructure to reduce potential impacts on surrounding areas; and
 - (d) development minimises overlooking of and visual exposure to the infrastructure sites and corridors.

Editor's note—Additional requirements relating to electricity infrastructure are contained in the reconfiguration of a lot code.

8.2.9.3 Regional infrastructure corridors and substations overlay code – Specific benchmarks for assessment

Table 8.2.9.3.1—Benchmarks for assessable development

| Performance outcomes | Acceptable outcomes | |
|--|---|--|
| For assessable development | | |
| PO1 Development does not increase risk to community health or safety, or the operation and reliability of the infrastructure. | No acceptable outcome is nominated. | |
| PO2 | AO2.1 | |
| Development is separated from bulk water supply infrastructure to protect the integrity and safety of the infrastructure. | Development is undertaken in accordance with the requirements of the Seqwater Network Consent Guidelines. | |
| PO3 | AO3.1 | |
| Development involving a sensitive land use is sufficiently separated from major electricity infrastructure and substations to minimise the | Buildings (other than class 10 buildings) associated with a sensitive land use maintain a setback of at least: | |
| likelihood of nuisance or complaint. | (1) 50m from a transmission substation; (2) 10m from any other substation; and (3) 30m from a transmission line easement. | |
| | AO3.2 | |
| | Buildings (other than class 10 buildings) are not located within an easement for a distribution line. | |
| PO4 | AO4.1 | |
| Development is located and designed to avoid noise nuisance from infrastructure. | Noise emissions do not exceed 5db(A) above background noise level at the fascia of a building measured in accordance with AS 1055. | |
| PO5 | No acceptable outcome is nominated. | |
| New lots likely to be occupied by sensitive land uses are sufficiently separated from substations or major electricity infrastructure to minimise visual prominence and overlooking of electricity infrastructure. | | |
| PO6 | No acceptable outcome is nominated. | |
| Wherever practicable, lots and buildings are oriented to avoid direct overlooking of electricity infrastructure. | | |
| Figure 8.2.9.3.1 provides an illustration of buildings oriented away from infrastructure. | | |

Performance outcomes



Figure 8.2.9.3.1—Building orientation

PO7

There is sufficient space within the site to establish landscaping which substantively assists in screening and softening poles, towers or other structures and equipment associated with major electricity infrastructure, substations or bulk water supply infrastructure.

Acceptable outcomes

A07.1

A minimum 3m wide densely planted landscaped buffer is provided along the boundary adjoining the electricity infrastructure, including provision for advanced trees and shrubs that will grow to a minimum height of 10m.

For other infrastructure, no acceptable outcome is nominated.

Figure 8.2.9.3.2 provides an example but is not drawn to scale.




Figure 8.2.9.3.2—Landscape buffer

Editor's note—Applicants may find additional guidance in Powerlink's "Screening your home from powerlines – A guide for planting trees and shrubs outside of easements to screen powerlines". Applicants should also note that vegetation will need to maintain statutory clearances (refer Ergon's Standard for Vegetation Management and Standard for Vegetation Clearance Profile).

PO8

Vegetation does not pose a risk to the safety or reliability of electricity infrastructure.

AO8.1

Vegetation planted within an easement of an overhead powerline or, where there is no easement, the area of influence of a powerline, has a mature height of no more than 3.5m.

AO8.2

Vegetation planted within an underground powerline easement does not have a mature root system in >150mm depth and is not located directly over the powerline.

Performance outcomes Acceptable outcomes AO8.3 Vegetation adjoining easements complies with the clearance dimensions illustrated in Figure 8.2.9.3.3. Figure 8.2.9.3.3—Vegetation clearance to infrastructure AO8.4 Planting complies with (as relevant to the infrastructure concerned): Energex's Safe Tree Guidelines; or (1) Ergon's Plant Smart brochures (2) https://www.ergon.com.au/network/safe ty/home-safety/trees-andpowerlines/plant-smart; or Powerlink's Screening Your Home from (3) Powerlines information sheet http://www.powerlink.com.au/brochures /ScreeningYourHomeFromPowerlines/. **PO9** AO9.1 Development is located and designed to Development does not involve: maintain access to major electricity or bulk (1) fences constructed along the water supply infrastructure. boundaries of, or traversing existing or proposed infrastructure easements; (2) storage of equipment or materials within or along the boundaries of existing or proposed infrastructure easements; (3)construction of buildings within or along the boundaries of existing or proposed infrastructure easements. AO10.1 PO10 Major electricity or bulk water supply Existing easements are maintained and infrastructure within private land is protected where none currently exist, new easements by easement in favour of the service are created which are sufficient for the provider. service provider's requirements.

Performance outcomes Acceptable outcomes PO11 No acceptable outcome is nominated. There is no worsening of flooding, drainage or erosion conditions affecting the infrastructure. PO12 For electricity infrastructure (no acceptable outcome is nominated for other Any earthworks are undertaken in a way infrastructure): which: AO12.1 (1) ensures stability of the land on or adjoining the infrastructure; No earthworks are undertaken for overhead (2) does not otherwise impact on the distribution infrastructure, within 10m of a safety and reliability of the tower, pole or stay. infrastructure; and Figure 8.2.9.3.4 illustrates the concept. (3)does not restrict the placement or use of the infrastructure provider's NO EXCAVATIONS, FILLING OR EQUIPMENT CLOSE equipment. TO TOWER BASE 10m (distribution) 20m (transmission 10m (distribution)



Figure 8.2.9.3.4—Earthworks near infrastructure

PO13

Other services and infrastructure works (such as stormwater, sewerage, water and the like) do not impact on the safety and reliability of substations or major electricity infrastructure.

AO13.1

Underground services are not located within 20m of a tower, pole, stay or substation boundary.

AO13.2

No valve pits occur within:

- (1) for transmission infrastructure, 60m of a tower, pole or stay; or
- (2) for distribution infrastructure, 20m of a tower, pole or stay.

| Performance outcomes | Acceptable outcomes |
|----------------------|---|
| | AO13.3 |
| | Pipelines with cathodic protection systems, comply with part 11 of <i>Electrical Safety Regulation</i> . |
| | AO13.4 |
| | Underground services traversing an easement, cross at right angles to the overhead or underground lines. |
| | AO13.5 |
| | Trenches for services are backfilled to be compacted in 150mm layers to at least 95% modified dry density compaction ratio. |
| | AO13.6 |
| | Trenches under construction are not left open overnight. |

8.2.10 Water resource catchments overlay code

8.2.10.1 Application

This code applies to development:

- (1) within the water resource catchments overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the water resource catchments overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.10.2 Purpose

- (1) The purpose of the water resource catchments overlay code is to protect the following water supply catchments:
 - (a) Leslie Harrison Dam;
 - (b) North Stradbroke Island groundwater; and
 - (c) Herring Lagoon.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the quality of surface and ground water within the catchments is not reduced;
 - (b) development is managed to prevent contaminants or sedimentation from entering surface water or groundwater:
 - (c) development is managed to prevent leaching or discharging of solid and liquid waste into ground or surface waters; and
 - (d) the physical integrity of waterways, wetlands, lakes, springs, riparian areas and natural ecosystems that support water quality are protected.

8.2.10.3 Water resource catchments overlay code – Specific benchmarks for assessment

Table 8.2.10.3.1—Benchmarks for assessable development

| Performance outcomes | Acceptable outcomes |
|--|---|
| For assessable development | |
| PO1 Development is separated from the high water level of ponded water supply and other waterways within a catchment, and from water supply bores and wells, sufficient to minimise risk to water supply. | AO1.1 Development complies with the horizontal separation distances (setbacks) specified in the Seqwater Guidelines: Development Guidelines for Water Quality Management in Drinking Water Catchments. |
| PO2 Stormwater quality, quantity and velocity is managed to ensure there is no adverse impact on water quality within the catchments. | No acceptable outcome is nominated. Editor's note—Applicants will also need to address the Healthy waters code contained within section 9 of this planning scheme. |
| PO3 The retention of vegetation within the catchment is maximized. | AO3.1 Development does not involve clearing of vegetation. |
| PO4 Drainage lines are retained in their natural state. | AO4.1 Development does not alter natural drainage lines in any way. |
| PO5 Changes to landform by way of excavation or fill are minimized. | AO5.1 Development does not involve cutting and filling. |
| Potential contaminants are managed to ensure they do not leach or are not discharged within the catchment, and minimise risk to water supply. | Potential contaminants stored on a site do not exceed 25 litres and are stored in an area that is: (1) roofed and has an impermeable floor surface; (2) bunded; and (3) of a sufficient size to contain, in an impermeable area/system, a spill of equivalent volume to the total volume of material being stored, until removal from the site by an approved means. |
| PO7 Wastewater is managed so that there is no worsening of surface or ground water quality. | AO7.1 Development is connected to a reticulated wastewater network. |
| PO8 Development does not result in the introduction or spread of weed species. | No acceptable outcome is nominated. |

8.2.11 Waterway corridors and wetlands overlay code

8.2.11.1 Application

This code applies to development:

- (1) within the waterway corridors and wetlands overlay as identified on the overlay maps contained within Schedule 2 (mapping); and
- (2) identified as requiring assessment against the waterway corridors and wetlands overlay code by the tables of assessment in Part 5 (tables of assessment).

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

8.2.11.2 Purpose

- (1) The purpose of the waterway corridors and wetlands overlay code is to manage development to avoid significant impacts on matters of national, state and local environmental significance, specific to the environmental values of waterways and wetlands.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) development is compatible with the environmental values of a waterway or wetland:

Editor's note—Environmental values for Redland's waterways are identified in Environmental Protection (Water) Policy – Redland Creeks environmental values and water quality objectives (July 2010).

- (b) water quality in waterways and waterbodies is maintained or improved;
- (c) riparian vegetation, in-stream aquatic ecology and biodiversity along waterway corridors and around wetlands are maintained or enhanced;
- (d) natural hydrological and geomorphological processes (including bank stability) are maintained;
- (e) impacts on waterways and wetlands are minimised and mitigated; and
- (f) development does not increase long term maintenance or management costs of natural or man-made water bodies to the community.

Editor's note—The healthy waters code may also contain requirements that applicants must have regard to.

Editor's note—Applicants should be aware that in addition to the requirements of this planning scheme, obligations for the protection of many matters of ecological significance are established by the Commonwealth and Queensland governments. Additional approvals or referrals may be required as a consequence. Any environmental offsets are to be consistent with the Queensland Government's *Environmental Offsets Act 2014*.

8.2.11.3 Waterway corridors and wetlands overlay code – Specific benchmarks for assessment

Table 8.2.11.3.1—Benchmarks for assessable development

| Performance Outcomes | Acceptable Outcomes |
|---|--|
| For assessable development | |
| PO1 | No acceptable outcome is nominated. |
| Development does not adversely impact on the hydrological regime or recharge of a wetland or waterway. | |
| PO2 | AO2.1 |
| A riparian buffer is maintained along and around waterways and wetlands that is vegetated, development free, and is of a sufficient width to: | A development free, vegetated buffer area is provided in accordance with Table 8.2.11.3.2. AO2.2 |
| (1) protect water quality;(2) protect the stability of stream bank and bed; | No clearing occurs within the buffer area provided in accordance with Table 8.2.11.3.2. |
| (3) allow for natural hydrological and geomorphological processes; (4) minimise erosion; (5) maintain or achieve healthy water temperatures and in-stream conditions; and | |
| (6) support viable wildlife habitat and movement. | |
| PO3 | AO3.1 |
| Riparian vegetation provides sufficient shade over the stream to protect in-stream habitat, biodiversity and ecological processes. | Vegetation achieves 70% canopy cover over streams 10m or less in width and 70% canopy cover over riparian areas along other streams. |
| PO4 | No acceptable outcome is nominated. |
| Development maximises opportunities for natural filtration of sediments, nutrients and other pollutants, and slowing of overland flow. | |
| PO5 | No acceptable outcome is nominated. |
| The development is designed to avoid any worsening of water quality in a waterway or wetland. | |
| Editor's note—Applicants must also have regard to the Healthy waters code. | |
| PO6 | No acceptable outcome is nominated. |
| Bank erosion and slumping is avoided and hydrological and geomorphological processes of a waterway or wetland are maintained by: | Editor's note—An environmental management plan may be required to support any proposed hydrology reinstatement works. |
| (1) providing an area either side of the existing channel to allow for natural lateral and longitudinal movement; (2) restoring riparian vegetation and large woody debris within the channel; | |

| Perf | ormance Outcomes | Acceptable Outcomes |
|------------------|---|--|
| (3) | implementing bank and bed stabilisation measures; and reinstating a stable hydrology and geomorphology where it is modified or unstable. | |
| P07 | | No acceptable outcome is nominated. |
| move natur | ers to in-stream or land based wildlife ement are removed unless they are rally occurring or necessary for the y of wildlife. | |
| PO8 | | No acceptable outcome is nominated. |
| reveo cond | elopment incorporates opportunities for getation to enhance stream and habitat ition, biodiversity and wildlife movement ever possible. | |
| PO9 | | No acceptable outcome is nominated. |
| utilise or co | encement plantings and landscaping endemic native species which replicate mplement the composition of the habitat connected to. | |
| PO10 |) | No acceptable outcome is nominated. |
| introd or an | elopment does not result in the duction of non-native pest species (plant imal) and removes existing pest species cose a risk to ecological or stream rity. | Editor's note—Weed species are identified in Council's Pest Management Plan 2012–2016, Part B. |
| PO1 | 1 | No acceptable outcome is nominated. |
| | rbance or predation of native fauna by estic pets and livestock is prevented. | |
| PO12 | 2 | No acceptable outcome is nominated. |
| wildli | elopment minimises disturbance of fe as a result of noise, light, vibration or source. | |
| PO13 | 3 | No acceptable outcome is nominated. |
| wetla | c access to or along waterways and ands is located and designed to minimise rbance. | |

Table 8.2.11.3.2—Minimum buffer distances and riparian vegetation requirements

| Category | Riparian buffer requirements (measured as the distance from the defining banks) |
|----------------------------|---|
| Stream order 3 and 4 | 25 |
| Stream order 5 and greater | 50 |

Editor's note—Stream order can be determined by reference to Redland City Council's online waterway mapping.

Part 9 Development codes

9.1 Preliminary

- (1) Development codes are codes for assessment where identified as an applicable code in Part 5.
- (2) Use codes and other development codes are specific to each planning scheme area.
- (3) The following are the use codes for the planning scheme:
 - (a) Extractive industry use code;
 - (b) Home-based business use code;
 - (c) Telecommunications facilities, substations and utilities use code.
- (4) The following are the other development codes for the planning scheme:
 - (a) Healthy waters code;
 - (b) Infrastructure works code;
 - (c) Landscape code;
 - (d) Reconfiguring a lot code;
 - (e) Transport, servicing, access and parking code.

9.2 Use codes

9.2.1 Extractive industry use code

9.2.1.1 Application

This code applies to assessable development for extractive industry.

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

9.2.1.2 Purpose

- (1) The purpose of the extractive industry code is to manage the impacts of extractive industries.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) where involving the extraction of a site identified on overlay map OM-009 or OM-010, extractive industry is undertaken in a manner that minimises and mitigates:
 - (i) any adverse impact on the visual character of the locality;
 - (ii) as far as practical, loss of or damage to environmental values of the site and surrounding area; and
 - (iii) impacts on the amenity or safety nearby sensitive uses;
 - (b) in areas other than those identified on overlay map OM-009 or OM-010, extractive industry only occurs where it is compatible with the intentions of the zone and overlays applying to the site, and does not significantly impact on:
 - (i) the visual character of the locality;
 - (ii) environmental values of the site or surrounding area; and
 - (iii) the safety and amenity of nearby sensitive uses;
 - (c) transport routes allow extractive materials to be transported with the least amount of impact on development along those roads, on the function of those roads, and the safety of road users;
 - (d) sites are progressively rehabilitated to stabilise land, restore ecological and landscape values, and provide land suitable for adaptive re-use.

9.2.1.3 Extractive industry use code – Specific benchmarks for assessment

Table 9.2.1.3.1—Benchmarks for assessable development

Performance outcomes Acceptable outcomes For assessable development Where on a site identified on overlay map OM-009 or OM-010 PO₁ AO1.1 Extractive industry minimises and mitigates Buildings and structures are setback from impacts on the visual character of the locality. any site boundary by minimum of 10m and screened by a densely planted buffer. AO1.2 Extractive and processing activities are not carried out within 250m of any boundary of the site. AO1.3 Extraction is carried out at least 40m below any ridgeline on the site, as measured horizontally from the ridge peak. Ridgeline 40m Indicative mining cut Building / structure height 15m Figure 9.2.1.3.1—Extraction below ridgeline PO₂ AO2.1 Extractive industry incorporates measures to Blasting and other operations are undertaken in a manner which complies with Australian minimise the impacts of air blast overpressure and ground vibration. Standard AS2670 Evaluation of human exposure to whole of body vibration, Part 2: continuous and shock induced vibration in buildings (1-80Hz), and AS2187.2 Explosives storage and use. AO2.2 Blasting operations are confined to the hours of 9am to 5pm Monday to Friday. AO2.3 Notices of blasting operations are placed at any road boundary of the site. PO₃ No acceptable outcome is nominated. Editor's note—Applicants should have regard to the Extractive industry incorporates measures to Environmental Protection (Air) Policy 2019, minimise the impacts of air, noise and light Environmental Protection (Noise) Policy 2019 and emissions on nearby sensitive uses. relevant legislation for further information on noise and air quality impacts.

| Performance outcomes | Acceptable outcomes |
|---|---|
| PO4 | No acceptable outcome is nominated. |
| Loss of or impact on environmental valu- the site are minimised, having particular regard to: | es on |
| (1) maximising the retention of existin vegetation and ecological corridor (2) controlling the spread of weeds; a providing buffers to protect the ecological functions of waterways | s; nd |
| Where not on a site identified on over | lay map OM-009 or OM-010 |
| PO5 | No acceptable outcome is nominated. |
| Extractive industry does not significantly impact on the visual character of the local | |
| PO6 | No acceptable outcome is nominated. |
| Extractive industry does not significantly impact on the amenity of surrounding are having regard to air blast overpressure a ground vibration, noise, air or light emiss or other source. | eas, and |
| P07 | No acceptable outcome is nominated. |
| Extractive industry does not significantly impact on environmental values on the sin the surrounding area. | |
| All extractive industry (whether or not | t on a site identified on overlay man OM-009 or |

All extractive industry (whether or not on a site identified on overlay map OM-009 or OM-010)

Editor's note—The preparation of suitable technical reports detailing the following may be requested to assist in demonstrating achievement of performance outcomes. Such reporting may include:

- Ecological assessment of environmental values of the site and surrounding area;
- Geotechnical and geological reports and plans;
- Air and noise assessments;
- Visual impact assessment;
- Economic and need assessment where the site is not identified on overlay map OM-009 or OM-010;
- Environmental management plans including vegetation management, stormwater quality management, air and noise management, scenic amenity, landscaping, monitoring;
- Safety and hazard management plan;
- Haulage route management plan; and
- · Staging and rehabilitation plan.

| - Claging and Tondomication plans | |
|--|---|
| PO8 | No acceptable outcome is nominated. |
| Nearby uses are protected from foreseeable hazard scenarios. | |
| PO9 | AO9.1 |
| The site is fenced to prevent unauthorised or accidental public entry. | A 1.8m high chain wire fence is provided around all operational, storage, and processing areas. |
| PO10 | No acceptable outcome is nominated. |
| Extractive industry is undertaken to: | Editor's note—Applicants should be aware that the |
| (1) maintain surface and groundwater quality outside the site; | Healthy waters code will also apply to development. |
| (2) provide opportunities to recycle water | |
| for use in extractive or processing | |
| operations including the washing and screening of extracted material; and | |
| screening of extracted material, and | |

| Performance outcomes | | Acceptable outcomes | |
|---|---|---|--|
| (3) | maximise retention of natural drainage patterns. | | |
| PO1 | 1 | No acceptable outcome is nominated. | |
| Rehabilitation of the site occurs in a manner that provides for progressive or staged rehabilitation of excavated areas which includes: | | | |
| (1) | remediation of any contamination of soil or water; | | |
| (2) | reinstatement of landforms and soil profiles that are suitable for an appropriate end use for the site; and | | |
| (3) | the restoration of ecological and landscape values of the site, to the extent possible. | | |
| PO1: | 2 | No acceptable outcome is nominated. | |
| _ | cle access and movement ngements: | Editor's note—Applicants should be aware that the transport, servicing, access and parking code will also apply to development. | |
| (1) | is adequate for the type and volume of | арру то ососторители. | |
| (2) | traffic generated by the operation; and makes adequate provision for safe and efficient haulage of materials. | | |
| PO1: | 3 | AO13.1 | |
| ensu | transport of materials is managed to re impacts arising from dust and air | Internal and external vehicle haulage roads are sealed. | |
| emissions are minimised. | | AO13.2 | |
| | | Extractive material in haulage vehicles is covered. | |

9.2.2 Home-based business code

9.2.2.1 Application

This code applies to home-based businesses where the code is identified as applicable in the tables of assessment.

When using this code reference should be made to section 5.3.2 and where applicable, section 5.3.3 in Part 5.

9.2.2.2 Purpose

- (1) The purpose of the home-based business code is to manage the impacts of home-based businesses.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) a home-based business does not unduly affect the amenity of the surrounding area; and
 - (b) a home-based business does not undermine the role and function of centres or industrial areas.

9.2.2.3 Home-based business code – Specific benchmarks for assessment

Table 9.2.2.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

Performance outcomes

Acceptable outcomes

For development that is accepted subject to requirements and assessable development

Home-based business

PO₁

The use is consistent with the character of the locality and does not impact on neighbouring sensitive land uses or local character to a greater degree than the primary residential use of the dwelling.

AO1.1

The use is contained within the dwelling or associated outbuildings, and does not use more than 60m² of gross floor area.

AO1.2

The use is carried out by permanent residents of the dwelling and involves no more than:

- (1) 3 non resident employees where in the rural or environmental management zones: and
- (2) 1 non-resident employee otherwise.

AO1.3

Other than where a bed and breakfast or home based child care, the number of customers or clients visiting the site will be a maximum of:

- (1) 2 present at any one time;
- (2) 8 present in any one day; and
- (3) 40 maximum per week.

AO1.4

The use does not involve the display of goods or materials related to the use that can be seen from outside the building.

AO1.5

The use does not emit noticeable vibration, odour, fumes, smoke, vapour, steam, soot, ash, dust, grit, oil, radio, electrical interference, or other similar emissions.

AO1.6

Development achieves the acoustic quality objectives stated in the Queensland *Environmental Protection Act 1994: Environmental Protection (Noise) Policy 2019:* Schedule 1.

AO1.7

Other than where a bed and breakfast, customer or client visits only occur between 7am to 6pm Monday to Friday and 8am to 4pm on Saturday.

AO1.8

| Performance outcomes | Acceptable outcomes | |
|---|---|--|
| | Where for home based child care, the use has a maximum of 7 below school age children on the premises at any time, including children who permanently reside in the house. | |
| | Editor's note —Commercial child care activities are to comply with the relevant child care regulations established by other levels of government. | |
| PO2 | AO2.1 | |
| Traffic and parking generated by the use is compatible with the residential environment | When the dwelling is located: | |
| compatible with the residential environment. | (1) in the rural zone, not more than two heavy vehicles of 4.5 tonnes gross vehicle mass (GVM) or more are kept on the site; or (2) in all other zones, only one vehicle of up to 4.5 tonnes gross vehicle mass (GVM) associated with the use is kept on site. | |
| | AO2.2 | |
| | A car parking space is provided on-site for each non-resident employee. These spaces are in addition to the spaces required for the residential use of the property. | |
| | AO2.3 | |
| | Where a bed and breakfast, one visitor space per guest bedroom is provided on-site. For other home-based businesses, one visitor car parking space is provided. These spaces are in addition to the spaces required for the residential use of the property. | |
| | AO2.4 | |
| | On-site car parking (other than the spaces required for the residential use of the property) is not provided within the front setback. | |
| | AO2.5 | |
| | Other than in the rural zone, the use generates a maximum of 2 delivery vehicle visits per week by a delivery vehicle that has a GVM of 4.5 tonnes or more. | |
| | AO2.6 | |
| | Vehicles associated with the business: | |
| | are not operated between the hours of 10pm and 6am; are not left idling for more than 5 minutes at any one time; and do not have a refrigeration unit running. | |
| PO3 | AO3.1 | |
| The home-based business is compatible with the level of infrastructure provided to a | The use does not impose a significantly greater load on stormwater, water supply, | |

| Performance outcomes | Acceptable outcomes | | |
|--|--|--|--|
| dwelling unit under normal residential circumstances. | gas, sewerage or waste collection services than a single dwelling on the site. | | |
| | AO3.2 | | |
| | The use does not generate wastes which are: | | |
| | (1) regulated, infectious or clinical wastes; or | | |
| | (2) contaminated wastes requiring collection by a licensed waste collector. | | |
| Bed and breakfast | | | |
| PO4 | AO4.1 | | |
| The scale of the use and intensity of activity are not substantially greater than that | The maximum number of guests and rooms is: | | |
| expected at a private residence. | (1) 4 guests and 2 bedrooms where in a dwelling that is not a dwelling house (such as a dual occupancy or unit in a multiple dwelling); or | | |
| | (2) 12 guests and 6 bedrooms where on land within the rural or emerging community zones; and | | |
| | (3) 6 guests and 3 bedrooms otherwise. | | |

9.2.3 Telecommunications facilities, substations and utilities code

9.2.3.1 Application

This code applies to assessable telecommunications facilities, substations or utility installations.

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

Editor's note—Low impact telecommunications facilities and minor electricity infrastructure is not regulated by the planning scheme. The Telecommunications (Low Impact Facilities) Determination 1997 provides a full list of low impact facilities. Low impact facilities remain the responsibility of the Commonwealth Government. Minor electricity infrastructure is defined as an administrative term in Schedule 1.2.

9.2.3.2 Purpose

(1) The purpose of the telecommunications facilities, substations and utilities code is to facilitate the provision of infrastructure that is required to meet community needs, in a manner that is cost effective and minimises impacts on amenity and environmental values.

9.2.3.3 Overall Outcomes

The purpose of the code will be achieved through the following overall outcomes:

- development does not unreasonably impact on the character and amenity of the locality;
- (2) the visual obtrusiveness of telecommunications infrastructure is minimised;
- (3) risks to public health and safety are avoided; and
- (4) development minimises adverse impacts on the natural environment.

9.2.3.4 Telecommunications facilities, substation and utilities code – Specific benchmarks for assessment

Table 9.2.3.4.1—Benchmarks for assessable development

| Performance outcomes | Acceptable outcomes | | |
|---|---|--|--|
| For assessable development | | | |
| Telecommunications facilities | | | |
| PO1 Telecommunications facilities are sited and designed to minimise their visual obtrusiveness and proliferation, and to maximise opportunities for co-location. | AO1.1 Telecommunications facilities are either: (1) mounted flush on community infrastructure, such as water supply reservoirs, sports complexes or light poles; or (2) on building rooftops; or (3) within existing underground conduits or ducts; or (4) co-located on existing carrier infrastructure. AO1.2 Where attached to existing structures, telecommunications facilities are located at the centre of rooftops or mounted flush on | | |
| PO2 Freestanding telecommunications towers do not unduly detract from the continued use and enjoyment of land included in a residential zone or of any other existing | the sides of buildings and not protruding above the side edges of the building. AO2.1 Towers are not located within: (1) 200m of a residential zone; or (2) 300m of education facilities, childcare centres, aged and special needs | | |
| sensitive land use. | housing, or other sensitive land use. AO2.2 Towers do not exceed a height of 25m above ground level, unless surrounding vegetation or structures are higher, in which case the height may exceed 5m above the tree canopy or structure, to a maximum of 35m. | | |
| | AO2.3 Towers are installed with outriggers rather than head frames. | | |
| All development | | | |
| PO3 Corridors and facilities are co-located wherever practicable to minimise impacts on landscapes, the natural environment and communities. | No acceptable outcome is nominated. | | |
| PO4 As far as possible, equipment, buildings, poles, towers and other structures are located on the site to minimise their visual prominence. | No acceptable outcome is nominated. | | |

| outcome is nominated. outcome is nominated. ide strip of dense planting side and rear boundaries. |
|--|
| ide strip of dense planting |
| |
| SCREEN PLANTING |
| House |
| outcome is nominated. |
| outcome is nominated. |
| outcome is nominated. |
| nications facilities: ations facilities are designed or restrict electromagnetic E) in accordance with: nmunications nagnetic Radiation - Human e) Standard 2003; and Protection Standard for |
| 2 E |

| Performance outcomes | Acceptable outcomes | |
|--|---|--|
| PO12 | AO12.1 | |
| Security fencing and signage is provided at the boundaries of the land to prevent unauthorised access. | The site is securely fenced along all boundaries, including areas used for vehicle parking and storage. | |
| | AO12.2 | |
| | Safety and warning signage to discourage unauthorised access is established. | |
| PO13 | AO13.1 | |
| Development minimises the generation of any noise such that no nuisance is caused and ambient noise levels are maintained. | Development achieves the acoustic quality objectives stated in the <i>Queensland Environmental Protection Act 1994:</i> Environmental Protection (Noise) Policy 2019: Schedule 1. | |
| PO14 | No acceptable outcome is nominated. | |
| Access is safe and unobtrusive, minimises the number and width of crossovers and, wherever possible, locates entries to the side of the facility. | | |
| PO15 | No acceptable outcome is nominated. | |
| Upon cessation of the use, decommissioned or obsolete facilities, including structures are removed and the site is restored to an acceptable condition, including: | | |
| (1) remediation of any contamination of | | |
| soil or water; (2) reinstatement of landforms and soil profiles that are suitable for an appropriate end use for the site; and | | |
| (3) the restoration of ecological and landscape values of the site, to the extent possible. | | |

9.3 Other Development Codes

9.3.1 Healthy waters code

9.3.1.1 Application

This code applies to development where the healthy waters code is identified as applicable in the tables of assessment.

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

9.3.1.2 Purpose

- (1) The purpose of the healthy waters code is to ensure that development manages stormwater run-off and protects the receiving waterways.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the environmental values of the city's waterways are protected or enhanced;
 - (b) stormwater run-off does not adversely impact on the quality of receiving waters, including waterways, wetlands and Moreton Bay;
 - (c) stormwater is managed to ensure the impacts of overland flow or flooding are not worsened for people or property;
 - (d) a natural flow regime, including flow paths and quantity, is maintained as far as possible;
 - (e) potential adverse impacts as a result of disturbing acid sulfate soils, erosion or sediment flow are avoided;
 - (f) stormwater, water quality and erosion control infrastructure is provided in a costeffective and efficient manner; and
 - (g) stormwater, water quality and erosion control infrastructure is designed and located to minimise whole-of-lifecycle costs.

Editor's note—The location, design and functionality of the trunk stormwater network is identified in the local government infrastructure plan which forms part 4 of this planning scheme.

9.3.1.3 Healthy waters code – Specific benchmarks for assessment

Table 9.3.1.3.1—Benchmarks for assessable development

| Performance outcomes | Acceptable outcomes | | |
|--|--|--|--|
| For assessable development | | | |
| Stormwater Drainage Design Editor's note—In order to demonstrate compliance with the performance outcomes in this section, a stormwater management plan is likely to be required. This should be prepared in accordance with the matters specified in Planning Scheme Policy 2 – Infrastructure works. | | | |
| PO1 To the extent practicable, natural drainage lines are retained, and their hydraulic capacity and channel characteristics are maintained or re-established. | AO1.1 All existing natural waterways and overland flow paths are retained. AO1.2 The stormwater management system is designed in accordance with Planning Scheme Policy 2 – Infrastructure works. | | |
| On-site stormwater management systems do not rely on the retention of existing artificial water bodies, except where such water bodies: (1) perform significant ecological, water quality or recreation functions; (2) do not pose a significant risk to stream health or water quality; (3) are structurally sound; (4) do not pose any risk to community health and safety; and (5) will not impose a significant maintenance or cost burden on the community in the short or long terms. | No acceptable outcome is nominated. Editor's note—Council would generally expect that such waterbodies are not retained as many are currently in poor condition and need substantial remediation. Where an existing waterbody is proposed to be retained as an integral component of water management on the site, an assessment should be done in accordance with Planning Scheme Policy 2 – Infrastructure works. This assessment should be done in conjunction with an ecological assessment report so that conflicts between competing environmental values can be identified and resolved. | | |
| PO3 The stormwater drainage system maintains pre-development velocity and volume of runoff external to the site and does not otherwise worsen or cause nuisance to adjacent, upstream and downstream land. | AO3.1 Stormwater drainage is designed in accordance with Planning Scheme Policy 2 – Infrastructure works. | | |
| PO4 Stormwater drainage is designed and constructed to convey stormwater flow resulting from the relevant design storm event under normal operating conditions. | AO4.1 Stormwater drainage design meets the stormwater flow capacity requirements of the following design storm events: (1) where for the minor drainage system - as detailed in Table 9.3.1.3.2 - Minor Drainage System Design Storm Event by Road Frontage Classification and Zone; or (2) where for the major drainage system - 1% AEP. Editor's note—Refer to section 7 of the Queensland Urban Drainage Manual for descriptions of major and minor drainage systems. | | |
| PO5 | AO5.1 | | |

| Performance outcomes | Acceptable outcomes |
|---|---|
| The stormwater drainage system is designed to function in the event of a minor system blockage. | The major drainage system caters for 50% blockage in the minor drainage system without causing inundation of building floor levels. |
| PO6 | AO6.1 |
| Roof and surface run-off is managed to prevent stormwater flows from entering buildings and be directed to a lawful point of discharge. | Roof and allotment drainage is provided in accordance with Planning Scheme Policy 2 – Infrastructure works. |
| PO7 | No acceptable outcome is nominated. |
| Where located within open space, stormwater devices or functions do not reduce the utility of that space for its intended recreational or ecological functions. | |
| PO8 | No acceptable outcome is nominated. |
| Maintenance requirements and costs associated with the devices used within the system are minimised. | |
| Water modition and and | |

Water quality - general

Editor's note—In order to demonstrate compliance with the performance outcomes in this section, a waste water and stormwater quality management plan may be required. Such assessments should be prepared in accordance with the matters specified in Planning Scheme Policy 2 – Infrastructure works.

PO9

Development protects and does not adversely impact the environmental values or water quality of receiving waterways.

For development involving a site area of 2,500m² or more, or six or more residential lots or dwellings:

AO9.1

Stormwater run-off complies with the following design objectives:

| Minimum reductions in mean annual load from unmitigated development (%) | | | |
|--|---------------------|-------------------|------------------------------|
| Total Suspended solids | Total phosphorus | Total nitrogen | Gross pollutants >5 mm |
| 80 | 60 | 45 | 90 |

Otherwise, no acceptable outcome is nominated.

PO10

The entry to and transport of contaminants in stormwater or waste water is avoided.

No acceptable outcome is nominated.

Editor's note—Applicants should refer to Planning Scheme Policy 2 – Infrastructure works for guidance.

Water quality - erosion prevention and sediment control

Editor's note—In order to demonstrate compliance with the performance outcomes in this section, an erosion and sediment control plan is likely to be required. An erosion hazard assessment may also be required to establish the level risk for erosion and sediment pollution. Such assessments should be prepared in accordance with the matters specified in Planning Scheme Policy 2 – Infrastructure works.

PO11 Development does not increase either: (1) sediment concentration in waters or stormwater outside the development's sediment treatment train; or (2) run-off which causes erosion either onsite or off-site.

| Performance outcomes | Acceptable outcomes |
|--|-------------------------------------|
| PO12 Development avoids unnecessary disturbance to soil, waterways or drainage channels. | No acceptable outcome is nominated. |
| PO13 All soil surfaces are effectively stabilised against erosion. | No acceptable outcome is nominated. |
| PO14 The functionality of the stormwater treatment train is protected from the impacts of erosion, turbidity and sedimentation, both within and external to the development site. | No acceptable outcome is nominated. |
| PO15 Areas outside the development site are not adversely impacted by erosion or sedimentation. | No acceptable outcome is nominated. |
| Water quality – acid sulfate soils | |
| PO16 | AO16.1 |
| Within the areas identified as potential acid | Development does not involve: |

Within the areas identified as potential acid sulfate soils on Figure 9.3.1.3.1 Potential acid sulfate soils, the generation or release of acid and metal contaminants into the environment is avoided by:

- (1) not disturbing acid sulfate soils when excavating or otherwise removing soil or sediment, draining or extracting groundwater, and not undertaking filling that results in actual acid sulfate soils being moved below the water table or previously saturated acid sulfate soils being aerated; or
- (2) where disturbance of acid sulfate soils will not be avoided, development:
 - (a) neutralises existing acidity and prevents the generation of acid and metal contaminants; and
 - (b) prevents the release of surface or groundwater flows containing acid and metal contaminants into the environment.

Editor's note—Where works are proposed within the areas identified as potential acid sulfate soils, it is likely that an on-site acid sulfate investigation will be requested. Such an investigation should conform to the Queensland Sampling Guidelines and the Laboratory Methods Guidelines or Australian Standard 4969. Where acid sulfate soils will be disturbed, an environmental management plan must be prepared which outlines how the release of acid and metal contaminants will be prevented.

Development does not involve:

- excavating or otherwise removing 100m³ or more of soil or sediment at or below 5m AHD; or
- (2) permanently or temporarily extracting groundwater resulting in the aeration of previously saturated acid sulfate soils;
- (3) filling in excess of 500m³ with an average depth of 0.5m or greater that results in:
 - (a) actual acid sulfate soils being moved below the water table; or
 - (b) previously saturated acid sulfate soils being aerated.




Figure 9.3.1.3.1—Potential acid sulfate soils

Table 9.3.1.3.2—Minor drainage system design storm event by road frontage classification and zone

| Zone | | Design storm event | | |
|--|--------------------------|--|----------------------------|--------------------------------------|
| Zones | Lot | Arterial, sub-arterial and trunk collector roads | | Access streets and collector roads |
| | | Longitudinal drainage | Cross road drainage in sag | Longitudinal and cross road drainage |
| Low density residential Low medium residential Character residential Tourist accommodation Environmental management Conservation Rural | N/A | 10% AEP (10 year ARI) | 2% AEP (50 year ARI) | 50% AEP (2 year ARI) |
| Medium density residential Any centre zone | 10% AEP (10 year ARI) | 10% AEP (10 year ARI) | 2% AEP (50 year ARI) | 10% AEP (10 year ARI) |
| Any industry zone Community facilities | 50% AEP (2 year ARI) | 10% AEP (10 year ARI) | 2% AEP (50 year ARI) | 50% AEP (2 year ARI) |
| Recreation and open space | N/A | 10% AEP (10 year ARI) | 2% AEP (50 year ARI) | 100% AEP (1 year ARI) |

9.3.2 Infrastructure works code

9.3.2.1 Application

This code applies to development where the infrastructure works code is identified as applicable in the tables of assessment.

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

9.3.2.2 Purpose

- (1) The purpose of the infrastructure works code is to ensure that development is provided with a level of infrastructure that meets users' needs, minimises risk to people and property and minimise adverse impacts on amenity and the natural environment.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) development is provided with a level of service that is appropriate for the use, and for the zone or precinct in which the land is located;
 - (b) infrastructure is provided in a cost-effective and efficient manner;
 - (c) infrastructure is designed and located to minimise whole-of-lifecycle costs;
 - (d) infrastructure is integrated with the existing networks;
 - (e) the design and operation of infrastructure does not result in adverse impacts on environmental or landscape values; and
 - (f) development does not increase risks to people and property.

Editor's note—The location, design and functionality of trunk infrastructure networks are identified in the local government infrastructure plan which forms part 4 of this planning scheme.

9.3.2.3 Infrastructure works code – Specific benchmarks for assessment

Table 9.3.2.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | Acceptable outcomes |
|---|---|
| For development that is accepted subject to requirements and assessable development | |
| Excavation and filling | |
| PO1 Excavation and filling is minimised and does not reduce the amenity of adjoining properties or of individual lots or dwellings within a development site. | AO1.1 Excavation and filling does not exceed: (1) a depth of 750mm either alone or combined with any previous excavation or filling; (2) an area of 600m²; and (3) a volume of 50m³. |
| PO2 Excavation and filling involving retaining walls or structures ensures that they: (1) are of an appropriate scale so they do not overbear or dominate buildings/structures and land uses in the locality; and (2) where they are visible from a public place, are constructed of materials that are of a high quality appearance and/or incorporate landscaping or other features to assist in reducing their visual prominence. | AO2.1 Retaining walls or structures do not exceed 1m in height. |
| PO3 Excavation and filling result in landforms and structures which are stable and designed to minimise the potential for failure over the long term. | AO3.1 Retaining walls or structures are: (1) designed in accordance with Section 3 of Australian Standard 4678:2002 - Earth Retaining Structures; (2) have a design life of not less than 60 years; and (3) where associated with reconfiguration, are not constructed of timber materials. AO3.2 Earthworks are carried out in accordance with Australian Standard 3798:1996 - Guidelines on earthworks for commercial and residential developments. |
| Excavation and filling does not result in land or water contamination, or the spread of vermin or pest species. Editor's note—Applicants should note that where the development requires the disturbance of soil within a fire ant restricted area, a risk management plan may be required by approved by Biosecurity Queensland within the Department of Agriculture, Fisheries and Forestry. | AO4.1 Excavation or filling involves the controlled use of clean, dry, solid, inert building material in accordance with section 4 of Australian Standard 3798:1996 - Guidelines on earthworks for commercial and residential developments. |

| Performance outcomes | Acceptable outcomes |
|--|---|
| In addition, where a site contains contaminated material, additional requirements under the <i>Environmental Protection Act 1994</i> may apply. | |
| For assessable development | |
| General | |
| PO5 | No acceptable outcome is nominated. |
| All infrastructure is connected to existing networks in a safe, efficient and functional way, and does not impose loads on those networks that exceed their capacity. | |
| PO6 | No acceptable outcome is nominated. |
| All infrastructure is designed and constructed in a manner that minimises whole of lifecycle costs, including short and long term maintenance requirements. | |
| PO7 | No acceptable outcome is nominated. |
| All infrastructure is designed and located to be easily and safely accessed for repair and maintenance purposes. | |
| PO8 | No acceptable outcome is nominated. |
| All infrastructure remains fit for purpose throughout its design life. | |
| Water supply | |
| PO9 | AO9.1 |
| A reliable water supply is provided that is sufficient to meet the anticipated use of the | Premises are connected to a reticulated water supply system. |
| premises, including potable and non-potable requirements. | AO9.2 |
| • | Water reticulation and connections are designed and constructed in accordance the South East Queensland Water Supply and Sewerage Design and Construction Code as applicable to Redland City Council. |
| Fire services in development accessed by o | common title |
| PO10 | AO10.1 |
| Developments accessed by common private title have appropriate fire hydrant infrastructure and unimpeded access to | Where part of the development or any dwelling is more than 90m from the nearest located fire hydrant: |
| emergency services vehicles. Editor's note—The term common private title covers areas such as access roads in community title developments or strata title unit access which are private and under group or body corporate control. | (1) if the development is for residential purposes, hydrants are placed at intervals of no more than 120m; or (2) if the development is for other purposes hydrants are placed at intervals of no more than 90m. |
| | AO10.2 |
| | Internal road access has minimum clearances of 3.5m wide and 4.8m high. |

| Performance outcomes | Acceptable outcomes |
|--|---|
| | AO10.3 Hydrants are identified as specified in 'Identification of street hydrants for fire fighting purposes' available under 'Publications' on the Department of Transport and Main Roads website www.tmr.qld.gov.au/~/media/busind/techstd pubs /trum/125Amend18.pdf |
| Sewage management | |
| P011 | AO11.1 |
| Wastewater is treated and disposed of in a manner that is sufficient for the volume of wastewater generated on the site and to a | Premises are connected to a reticulated sewage supply system where within a planned service area. |
| level that ensures risks to public health, water quality and the environment are minimised. | AO11.2 |
| quality and the environment are minimised. | Where a reticulated system is not available, an on-site wastewater disposal system is provided in accordance with the Queensland Plumbing and Wastewater Code (as amended). |
| | AO11.3 |
| | Sewerage reticulation and connections are designed and constructed in accordance with the South East Queensland Water Supply and Sewerage Design and Construction Code as applicable to Redland City Council. |
| Streetscape works | |
| PO12 Kerb, channel, street trees, street furniture, footpaths and pavement treatments are established or reinstated along the full frontage of the development site, and any redundant crossovers are removed. | No acceptable outcome is nominated. |
| Electricity and telecommunications | |
| PO13 | AO13.1 |
| Electrical infrastructure is provided that meets the needs of the intended use and telecommunications infrastructure ensures access to conduits for fibre optics or secure wireless networking enabling the | Underground electrical reticulation infrastructure is provided in accordance with the standards of the relevant authority and Planning Scheme Policy 2 – Infrastructure works. |
| development of high speed broadband services. | AO13.2 |
| GOLVICOS. | The development is connected to telecommunications infrastructure in accordance with the standards of the relevant authority. |
| Street and path lighting | |
| PO14 | AO14.1 |
| Street and path lighting is provided to enhance the safety of pedestrians, cyclists and road users. | New public or private roads, pedestrian or cycle paths or public open space are provided with street and path lighting in |

| Perf | ormance outcomes | Acceptable outcomes |
|---|---|---|
| | | accordance with AS1158 – Road Lighting (as amended) and Planning Scheme Policy 2 – Infrastructure works. |
| Was | te management | |
| PO1 | 5 | AO15.1 |
| Was | te management facilities are provided that: there is a dedicated, sealed waste and recycling container storage area that is convenient and safe to use; there is adequate volume and separate containers for waste and recyclables likely to be generated; spills or wash down from waste containers can be adequately contained; and nuisance to adjoining properties is | Waste management is provided in accordance with Planning Scheme Policy 2 – Infrastructure works. |
| (. / | minimised. | |
| PO1 | | AO16.1 |
| (1) | non residential development: access and manoeuvring for waste collection vehicles is unobstructed, safe and efficient; all bulk waste and recycling containers are serviced off-street; and | Waste management is provided in accordance with Planning Scheme Policy 2 – Infrastructure works. |
| (3) | sufficient vertical clearance is provided for collection of wastes. | |
| Exca | avation and filling – additional requirem | ents for assessable development |
| flood | 7 avation or filling does not worsen any ling or drainage problems on the site or eighbouring properties. | No acceptable outcome is nominated. |
| PO1 | 8 | No acceptable outcome is nominated. |
| On slopes in excess of 10%, excavation and filling is minimised to the extent practicable by avoiding slab on ground construction methods in preference of post supported construction methods. | | • |
| Con | Construction management | |
| not o | k is undertaken in a manner which does cause unacceptable impacts on bunding areas as a result of traffic, noise, ing, waste material or other cause. | No acceptable outcome is nominated. Editor's note—The Planning Scheme Policy 2 – Infrastructure works contains guidance on what an appropriate construction management plan may contain. |
| PO20 Emissions to air (including dust, odour or pollutants) as a result of construction are not discernable outside the site boundaries. | | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes | |
|--|--|--|
| PO21 Council's infrastructure is not damaged by construction activities and infrastructure to be contributed to Council following construction is provided in a safe and functional condition. | No acceptable outcome is nominated. Editor's note—The Planning Scheme Policy 2 – Infrastructure works contains guidance on Council's security bonding requirements. | |
| Kinross Road – integrated water management | | |
| PO22 Development is designed and located to incorporate trunk potable water, sewer and stormwater management infrastructure in locations generally as depicted on Figure 9.3.2.3.1 Kinross Road: integrated water management. | No acceptable outcome is nominated. | |




Figure 9.3.2.3.1—Kinross Road: integrated water management

9.3.3 Landscape code

9.3.3.1 Application

This code applies to assessing development where the landscape code is identified as applicable in the tables of assessment.

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

9.3.3.2 Purpose

- (1) The purpose of the landscape code to ensure that landscaping is designed and constructed to a high standard, provides a strong contribution to Redlands' image, is responsive to the local character, site and sub-tropical climatic conditions and remains fit for purpose over the long-term.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) landscaping:
 - (i) makes a positive contribution to the local streetscape character and landscape setting;
 - (ii) is appropriate to user requirements and its intended function;
 - (iii) is suited to Redlands' sub-tropical climate;
 - (b) landscaping design contributes to the creation of accessible, safe and comfortable places;
 - (c) plant species, landscape material and surface treatments are designed to remain attractive and easy to maintain over the long term; and
 - (d) landscaping work does not include any pest species.

9.3.3.3 Landscape code – Specific benchmarks for assessment

Table 9.3.3.3.1—Benchmarks for assessable development

| Perfe | ormance outcomes | Acceptable outcomes |
|-----------------------------|---|--|
| For a | assessable development | |
| All la | andscaping | |
| | Iscaping is undertaken to be consistent the streetscape and landscape setting. | No acceptable outcome is nominated. |
| throu | Iscaping provides for sensory interest igh form, texture, fragrance and tions in seasonal colour. | No acceptable outcome is nominated. |
| is fit | Iscaping within on-site open space areas for purpose, is predominantly comprised ift landscape elements and provides tantial shading for users. | AO3.1 Landscaping in open space areas achieves: (1) planted landscaping (other than turf) over a minimum of 50% the area; and (2) tree canopies which cover a minimum of 30% of the area within 8 years. |
| (1) (2) (3) PO5 Land and p | provide visual interest to the streetscape and complement the built form; assist in highlighting entrances and pedestrian paths; and allow casual surveillance of all public areas, pedestrian and cycle paths. | No acceptable outcome is nominated. No acceptable outcome is nominated. |
| (1) (2) (3) (4) | providing summer shade, especially to west-facing windows and open car parking areas; allowing winter sun to outdoor and indoor living areas; allowing summer breezes; and screening cold winter winds. | |
| | dscaped surfaces are stable, non-slip and ble in all weather conditions. | No acceptable outcome is nominated. |
| | Iscape design reduces the potential for e and vandalism by: maintaining sightlines to public and semi-public spaces, and along the entire length of pedestrian and cycle paths; avoiding the creation of concealment spots and 'blind' corners; and | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes |
|---|--|
| (3) incorporating adequate lighting, particularly: (a) at site and building entries; (b) in driveways; (c) in car parking areas; and (d) along pedestrian and cycle paths. | |
| PO8 Landscaping and planting is located and designed so that it does not interfere with or adversely affect structural integrity of buildings and structures or the function of existing or proposed utility infrastructure. | No acceptable outcome is nominated. |
| PO9 Plant species used are suited to: (1) the function of the open space area; (2) the local climate and soil conditions; (3) optimum long term survival and easy maintenance; (4) minimisation of water use; and (5) contribution to local ecological functions wherever possible. | AO9.1 Plant species used are selected from the species list contained in Planning Scheme Policy 2 – Infrastructure works. |
| PO10 Landscape design ensures maximum plant growth and health, having regard to: (1) access to sunlight; (2) clearance from buildings, hardstand areas and infrastructure; and (3) soil conditions. | No acceptable outcome is nominated. |
| PO11 Landscaping is designed for efficient and effective maintenance, with turfed areas accessible by standard lawn maintenance equipment, and where the area is not readily accessible, incorporates hardy plant species with long life expectancy and minimal litter drop, pruning, watering and fertilising requirements. | No acceptable outcome is nominated. |
| PO12 Landscaping avoids the introduction or spread of weed species and pests. | No acceptable outcome is nominated. Editor's note—Planning Scheme Policy 2 – Infrastructure works contains guidance regarding the risk of pest and weed species. Applicants may also refer to Council's pest management plan. |
| PO13 Landscaping is designed to: (1) be adequately drained; (2) avoid alteration to natural drainage flow paths; (3) minimise water usage; and (4) maximise permeable surfaces and water infiltration on site. | No acceptable outcome is nominated. |

| Perf | ormance outcomes | Acceptable outcomes |
|---|---|---|
| | | |
| plant outle | 4 re incorporating podium and container ing, connection is made to stormwater ts to allow for flush out and clearance of cages. | No acceptable outcome is nominated. |
| PO15 | 5 | AO15.1 |
| | ined vegetation is to be protected from age during construction. | Retained planting is protected by in accordance with AS 4970 2009 (as amended) – Protection of Trees on Development Sites. |
| Stree | et trees | |
| PO16 Stree (1) (2) (3) (4) | et trees are provided in road reserves to: reinforce the character and identity of a locality; provide shade for pedestrians; soften the appearance of hard stand areas and the built form; and avoid interfering with overhead and underground infrastructure. | AO16.1 Street trees: (1) are provided at whichever is the greater of: (a) 1 tree per 10m of road frontage; or (b) 1 tree per 400m² of site area; (2) are selected from Planning Scheme Policy 2 – Infrastructure works, Street Trees; and (3) are planted in accordance with Planning Scheme Policy 2 – Infrastructure works. |
| Stree | et furniture | |
| PO17 | 7 | AO17.1 |
| | reinforce the character and identity of a locality; create a safe, convenient and comfortable environment for pedestrians; avoid interfering with overhead and underground infrastructure; and be durable and low maintenance. | Street furniture is provided in accordance with the standards set out in Planning Scheme Policy 2 – Infrastructure works. |
| Car p | parks and accessways | |
| provi subs | barking and movement areas are ded with landscaping which provides tantial shade and softens the earance of hardstand areas. | AO18.1 Landscaping consists of: (1) shade trees: (a) provided at a rate of a minimum of one shade tree for every 4 car parking spaces as shown in Figure 9.3.3.3.1 landscaping in car parking areas; and (b) that achieve maximum shade coverage within 10 years; and (2) planted landscaping areas which include (as shown in Figure 9.3.3.3.1 landscaping in car parking areas): |

| Performance outcomes | Acceptable outcomes |
|--|---|
| | (a) planting beds 2m wide between every 4 car parking spaces or at the end of each row; and (b) planting beds 2m wide between every 4 rows of parking bays. |
| PO19 | AO19.1 |
| Landscaping maintains sight lines for vehicles and pedestrians, especially near intersections. | Landscaping is undertaken in accordance with the Australian Standard 2890.1: 1993 - Off-Street Parking. |
| PO20 | No acceptable outcome is nominated. |
| Landscaping within or beside vehicle movement areas is protected from damage by vehicles or pedestrians. | |




Figure 9.3.3.3.1—Landscaping in car parking areas

9.3.4 Reconfiguring a lot code

9.3.4.1 Application

This code applies to assessing development where the reconfiguring a lot code is identified as applicable in the tables of assessment.

When using this code reference should be made to section 5.3.2 and, where applicable, section 5.3.3 in Part 5.

9.3.4.2 Purpose

- (1) The purpose of the reconfiguring a lot code is to ensure that reconfiguration results in the creation of new lots of appropriate size, shape and density to support the outcomes for the zone and is sensitive to the environment, topography and landscape features of the land.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) reconfiguring a lot:
 - (i) creates safe, functional and attractive places that are consistent with the intended outcomes for the zone or precinct in which the land is located;
 - (ii) contributes to the provision of a safe, accessible, and useable network of open space for local communities;
 - (iii) contributes to an integrated, efficient and safe movement network, that promotes the use of public transport, walking and cycling;
 - (iv) occurs in a manner that enables the retention and protection of significant environmental and landscape values and provides movement corridors for wildlife;
 - (v) occurs in a manner that minimises the need for earthworks;
 - (vi) ensures new lots are provided with services which meet the needs of end users, while minimising risk of failure or environmental harm and the whole of lifecycle costs of the infrastructure;
 - (vii) facilitates the orderly and cost effective extension of infrastructure, which minimises public investment in the short and long terms;
 - (b) lot layout is oriented to facilitate climatically responsive site and building design;
 - (c) in non urban areas, reconfiguring a lot avoids fragmentation of land in order to protect the productive capacity, and scenic and environmental values of the land.

Editor's note—The location, design and functionality of trunk infrastructure networks (including the open space network) are identified in the local government infrastructure plan which forms part 4 of this planning scheme.

9.3.4.3 Reconfiguring a lot code – Specific benchmarks for assessment

Table 9.3.4.3.1—Benchmarks for assessable development

| Perf | ormance outcomes | Acceptable outcomes |
|----------------------------|--|---|
| For assessable development | | |
| Desi | gn | |
| PO1 Reco | onfiguration results in the creation of lots | AO1.1 New lots comply with Table 9.3.4.3.2—Lot size and dimensions. |
| (1) | are of a size and dimensions which facilitate the uses, character and other outcomes intended for the zone or precinct; have practical, generally regular | AO1.2 New lots are rectangular in shape. |
| (3) | shapes; and have a width and depth that can easily accommodate the intended end use, associated infrastructure, on-site open space and vehicular access. | |
| PO2 | | AO2.1 |
| mana acco | size of lots in the environmental agement, conservation, tourist emmodation or character residential es is maintained or increased. | Reconfiguration does not result in a smaller lot size. |
| PO3 | | No acceptable outcome is nominated. |
| (1) | design and layout of the reconfiguration: avoids or minimises alteration to natural features such as drainage lines and waterways; | Editor's note—Applicants will also need to have regard to any relevant overlays applicable to the development site. |
| (2) | minimises the need for vegetation clearing; retains or provides viable ecological | |
| (4) (5) | corridors for wildlife movement; minimises alteration to the natural topography and the amount of excavation and filling; and avoids increasing the risks associated | |
| (3) | with natural hazards. | |
| | et and lot orientation facilitates energy- ent buildings and site design by: | No acceptable outcome is nominated. |
| (1) | maximising solar access to the north in winter; | |
| (2) | minimising solar access to the west in summer; | |
| (3) | maximising access to prevailing summer breezes; and | |
| (4) | minimising exposure to prevailing winter winds. | |
| PO5 | | No acceptable outcome is nominated. |
| The | reconfiguration integrates with the bunding locality and creates an attractive, | |

| Perf | ormance outcomes | Acceptable outcomes |
|--------------------------------|--|--|
| I | ssible and functional neighbourhood, ng regard to: connecting to and extending | |
| (1) | movement, open space and recreational and other infrastructure networks; | |
| (2) | maintaining the continuity of habitat areas and ecological corridors; | |
| (3) | maintaining natural hydrological regimes; creating a compatible landscape and | |
| (5) | streetscape character; managing the interface between potentially incompatible uses or | |
| (6) | sources of noise or other impacts; and ensuring future development on adjacent and nearby land can occur in an orderly, efficient and cohesive manner. | |
| P06 | | No acceptable outcome is nominated. |
| perso crime | reconfiguration is designed to maximise onal safety and minimise potential for e, vandalism and anti-social behaviour, reating: | |
| (1) | through-routes for vehicles and pedestrians; and | |
| (2) | opportunities for clear sight lines and casual surveillance of streets, pedestrian and cyclist routes, parks and other public spaces. | |
| outco Preve | 's note—To assist in achieving this performance me applicants should have regard to the Crime ntion through Environmental Design Guidelines for nsland. | |
| P07 | | No acceptable outcome is nominated. |
| buffe prima rural | elopment provides for separation and ering from nearby activities, including ary production, poultry farms and other industries, such that amenity and rse amenity impacts are avoided. | |
| PO8 | | AO8.1 |
| of re poult impa cons | elopment that would increase the number sidential lots in proximity to existing try farms does not occur until odour act has been reduced to levels that are sistent with a reasonable level of lential amenity. | No new lots are established within 500m of an existing poultry farm, measured from the perimeter of any poultry shed on the land. |
| PO9 | | No acceptable outcome is nominated. |
| | ewly developing urban areas, nfiguration facilitates: | Editor's note—In order to demonstrate compliance with the performance outcome a structure plan for the locality may be required where none currently exists. |
| (1) | a logical pattern of development both for the site and for surrounding land; efficient use of land and infrastructure; | |

| Perfo | ormance outcomes | Acceptable outcomes |
|-------|--|-------------------------------------|
| (3) | balanced and affordable communities with a mix of affordable housing types, consistent with the intentions of the relevant zone; | |
| (4) | net residential densities which achieve: (a) a minimum of 15 dwellings per hectare in the LMDR2 Kinross Road precinct in the lowmedium density residential zone: | |
| | (b) a minimum of 44 dwellings per hectare in the MDR8 Kinross and Boundary Road and MDR9 Kinross Road precincts in the medium density residential zone; and | |
| | (c) otherwise, an average 12-15 dwellings per hectare in the emerging community zone; | |
| (5) | access to community infrastructure and public transport services at an early stage of development; and | |
| (6) | land for community uses and public services, including open space, education, health, social and emergency services where appropriate. | |
| PO10 |) | No acceptable outcome is nominated. |
| by no | onfiguration of land potentially affected bise from roads and rail corridors is pned to minimise noise impacts. | |
| PO11 | I | No acceptable outcome is nominated. |
| | re used, acoustic walls and associated ments along transport corridors: | |
| (1) | allow for convenient pedestrian and | |
| (2) | cyclist access to public transport stops; are designed to be of a high quality appearance; | |
| (3) | are screened from the carriageway by landscaping; and | |
| (4) | are designed to facilitate fauna movement and crossings where relevant. | |
| PO12 | 2 | No acceptable outcome is nominated. |
| state | re it is intended to incorporate an entry ment to an existing or proposed lopment, the entry statement: | |
| (1) | is located wholly within the property being reconfigured; | |
| (2) | does not obstruct sight lines to the road(s) accessing the development; | |
| (3) | is an architectural feature that reflects the character of the development; is low maintenance; and | |
| (4) | is low maintenance, and | |

| (5) does not incorporate gates to residential development. Movement network PO13 Lots are provided with safe and efficient access for vehicles, cyclists and pedestrians, which maintain the safety and efficiency of the road hierarchy. Wherever possible, reconfiguration enables alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street network: | |
|--|------|
| residential development. Movement network PO13 Lots are provided with safe and efficient access for vehicles, cyclists and pedestrians, which maintain the safety and efficiency of the road hierarchy. Wherever possible, reconfiguration enables alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street AO13.1 All lots have legal road access that proclear sight lines for pedestrians, cyclist vehicles entering and exiting the lot. AO13.2 New access points are not created on a collector, sub arterial or arterial roads. Editor's note—The servicing, access and parking also contains relevant requirements for new development. | |
| Lots are provided with safe and efficient access for vehicles, cyclists and pedestrians, which maintain the safety and efficiency of the road hierarchy. Wherever possible, reconfiguration enables alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street AO13.1 All lots have legal road access that proclear sight lines for pedestrians, cyclists vehicles entering and exiting the lot. AO13.2 New access points are not created on a collector, sub arterial or arterial roads. Editor's note—The servicing, access and parking also contains relevant requirements for new development. | |
| Lots are provided with safe and efficient access for vehicles, cyclists and pedestrians, which maintain the safety and efficiency of the road hierarchy. Wherever possible, reconfiguration enables alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street All lots have legal road access that proclear sight lines for pedestrians, clear sight lines for pedestrians, clear sight lines for pedestrians, clear sight lines for pedestrians, cyclists vehicles entering and exiting the lot. AO13.2 New access points are not created on collector, sub arterial or arterial roads. No acceptable outcome is nominated. Editor's note—The servicing, access and parking also contains relevant requirements for new development. | |
| access for vehicles, cyclists and pedestrians, which maintain the safety and efficiency of the road hierarchy. Wherever possible, reconfiguration enables alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street clear sight lines for pedestrians, cyclists vehicles entering and exiting the lot. AO13.2 New access points are not created on a collector, sub arterial or arterial roads. Editor's note—The servicing, access and parking also contains relevant requirements for new development. | |
| Wherever possible, reconfiguration enables alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street | |
| alternative access for lots adjoining major roads. PO14 The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street No acceptable outcome is nominated. Editor's note—The servicing, access and parking also contains relevant requirements for new development. | |
| The movement network provides: (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street | runk |
| (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street | |
| (1) a high level of internal access and external connections for pedestrians, cyclists, vehicles and public transport; (2) safe conditions for pedestrians, cyclists and vehicles for day and night usage; (3) a connected and legible street | code |
| safe conditions for pedestrians, cyclists and vehicles for day and night usage; a connected and legible street | |
| , , | |
| (4) safe and efficient access for service | |
| vehicles; | |
| (5) as far as possible, continuous road adjacent to foreshore and open space areas; and | |
| (6) connections for future development that do not compromise the ability to achieve the outcomes listed above. | |
| PO15 No acceptable outcome is nominated. | |
| Development maximises use of a grid pattern layout and avoids the use of culs-de-sac. | |
| PO16 No acceptable outcome is nominated. | |
| Rear laneways are designed to: | |
| (1) provide enough width to enable safe vehicle movement, including service vehicles; | |
| (2) connect to other streets at both ends; (3) enable safe access into and out of garages without doors opening into the laneway; | |
| (4) ensure any rear boundary treatment does not create concealed recesses, obstructed access or allow uninvited access opportunities into rear yards; and | |
| (5) prevent visitor parking within the laneway. | |
| South East Thornlands – movement networks | |
| PO17 AO17.1 | |
| In the South East Thornlands precincts, safe, permeable, legible and functional movement network that is generally in accordance with | |

| Perf | ormance outcomes | Acceptable outcomes |
|---|---|---|
| Figures 9.3.4.3.3 road movement network and 9.3.4.3.4 pedestrian, cycle and public transport network. | | 9.3.4.3.3 road movement network and 9.3.4.3.4 pedestrian, cycle and public transport network. |
| PO18 | | AO18.1 |
| Development adjoining Cleveland Redland Bay Road and Boundary Road accommodates a road cross section that incorporates: | | In addition to any widening of the road reserve required by the Queensland Government, development provides a 15m wide strip to the frontage of Cleveland |
| (1) | substantive landscaping to retain a | Redland Bay Road and Boundary Road |
| (2) | heavily vegetated landscape character; fauna friendly fencing and crossings; and | which is densely vegetated by trees and shrubs. |
| (3) | an appropriate level of noise attenuation. | |
| PO1 | 9 | No acceptable outcome is nominated. |
| | ere development involves esplanade ls adjoining open space, the road design: | |
| (1) (2) | creates a low speed environment; facilitates safe, shared use for vehicles, pedestrians and cyclists; | |
| (3) | incorporates grassed swales instead of kerb and channel adjacent to the open space; and | |
| (4) | minimises disturbance to vegetation. | |
| PO2 | 0 | AO20.1 |
| Where development involves or adjoins | | Total width of the boulevard is: |
| | inated boulevard roads, the road design: | (1) central boulevard - 50m; and |
| (1) | creates a grand avenue character, being 50m wide for the central boulevard and 25m wide for the southern boulevard: | (2) southern boulevard - 25m. |
| (2) | incorporates very wide landscaped medians that are of a sufficient width to | |
| (3) | support fauna movement; and wide shoulders and verges which accommodate separated pedestrian and cyclist paths and dense landscaping. | |
| PO2 | 1 | AO21.1 |
| Access streets in the medium density residential zone are capable of accommodating substantial street parking on both sides of the street. | | Reserve width of access streets in the medium density residential zone are 18m. |
| Kinr | oss Road area – movement network | |
| PO2 | 2 | AO22.1 |
| Development does not create any additional vehicular access points to Boundary Road or Panorama Drive. New lots are provided with access from internal roads. | | No new access points from lots are provided to Boundary Road or Panorama Drive. |
| PO2 | 3 | AO23.1 No new access points from lots are provided to Kinross Road for a distance of 835m from |

| Performance outcomes | Acceptable outcomes |
|---|---|
| Development does not create any additional vehicular access points to Kinross Road for a distance of 835m from the intersection of Kinross Road and Boundary Road. New lots are provided with access from internal roads. | the intersection of Kinross Road and Boundary Road. |
| PO24 | AO24.1 |
| Development facilitates the establishment of a safe, permeable, legible and functional movement network that is generally in accordance with Figures 9.3.4.3.5 road movement network and 9.3.4.3.6 pedestrian, cycle, public transport and parks network. | Roads, road closures, intersections, paths, fauna crossings, public transport stops and associated treatments are established in accordance with Figures 9.3.4.3.5 road movement network and 9.3.4.3.6 pedestrian, cycle, public transport and parks network. |
| PO25 | AO25.1 |
| Development adjoining Boundary Road or Panorama Drive accommodates acoustic | A 10m wide setback is provided along Boundary Road. |
| treatments and substantial landscaping. | No acceptable outcome is nominated for Panorama Drive. |
| PO26 Development adjoining Boundary Road or Panorama Drive attenuates noise to a level that achieves a high level of residential amenity. Any acoustic walls: (1) are screened by landscaping; and (2) incorporate breaks to allow for pedestrian and cyclist permeability. | No acceptable outcome is nominated. |
| PO27 | No acceptable outcome is nominated. |
| Development adjoining Boundary Road or Panorama Drive provides landscaping to create a heavily vegetated, high visual quality environment. | |
| PO28 | AO28.1 |
| Kinross Road extending from the intersection at Boundary Road to Goddard Road is designed to operate safely and efficiently and create a grand avenue character. | Kinross Road is designed as a boulevard style trunk collector having a reserve width of 32m, including: (1) a 6.5m landscaped verge on both sides of the road incorporating native canopy shade trees, utility services and shared pedestrian/bicycle concrete pathways; (2) a 1.5m on-road cycle lane on both sides of the road using differently textured materials; (3) one vehicular lane and breakdown lane, minimum dimension of 5m on both sides of the road; and (4) a 6m central median incorporating native canopy trees and water sensitive urban design features. |
| PO29 | AO29.1 |
| The nominated trunk collector / boulevard providing access to Panorama Drive is | The road is designed as a boulevard style trunk collector, having: |

| Performance outcomes | Acceptable outcomes |
|---|---|
| designed to operate safely and efficiently and create a grand avenue character. | (1) a minimum road width of 20m; (2) no direct vehicular access from new uses and lots adjoining the trunk collector; and (3) a left in, right in and left out only intersection to Panorama Drive. |
| PO30 | No acceptable outcome is nominated. |
| Where development involves nominated esplanade roads treatments adjoining open space, the road design: (1) creates a low speed environment; (2) facilitates safe, shared use for vehicles, pedestrians and cyclists; (3) incorporates grassed swales instead of kerb and channel adjacent to the open space; and (4) minimises disturbance to vegetation. | The addeptable outdome to norminated. |
| PO31 | AO31.1 |
| New streets within or adjoining land in the neighbourhood centre, community facilities or medium density residential zones are capable of accommodating substantial street parking on both sides of the street. | Reserve width of access streets in the medium density residential zone are 18m. |
| Kinross Road - Hilliards Creek open space | network |
| PO32 | AO32.1 |
| Neighbourhood and community parks are provided within the open space network in locations that minimise requirements for clearing and interruptions to fauna movement, and that are appropriate to community needs. | One community park and three neighbourhood parks are provided generally in the locations shown on Figure 9.3.4.3.6 pedestrian, cycle, public transport and parks network. |
| PO33 | No acceptable outcome is nominated. |
| The open space network prioritises protection of habitat and fauna movement corridors, and opportunities for enhancement of ecological functions are maximised. | Editor's note—The environmental significance overlay, waterway corridors and wetlands overlay and bushfire hazard overlay apply to this area. |
| PO34 | No acceptable outcome is nominated. |
| A local east-west koala and native fauna movement corridor linking Hilliards Creek with stands of remnant vegetation to the east is established and maintained. | |
| PO35 | No acceptable outcome is nominated. |
| Development is designed to provide safe koala movement opportunities and minimise impediments to a koala traversing the landscape. | |
| PO36 | No acceptable outcome is nominated. |
| To the extent practical, development minimises the amount of clearing and fragmentation of koala habitat. | |

| Perf | ormance outcomes | Acceptable outcomes |
|---|---|--|
| Infrastructure | | |
| PO3: New wate storm elect | | No acceptable outcome is nominated. Editor's note—The infrastructure works, healthy waters and transport, servicing, access and parking codes also contain relevant requirements for new development. |
| (6) | upgrades; and minimise whole of lifecycle costs of the infrastructure. | |
| mana wate | 8 elopment promotes integrated agement of the total water cycle, so that r is used efficiently and hydrological nes and water quality are protected. | No acceptable outcome is nominated. Editor's note—The healthy waters and waterway corridors and wetlands overlay codes also contain relevant requirements for new development. |
| infras overa the n (1) (2) (3) (4) | onfiguration integrates major electricity structure and substations within the all neighbourhood layout. In particular, neighbourhood design: ensures land of sufficient size and suitability is allocated to accommodate the existing and future electricity infrastructure network; as far as possible, minimises the likely visual prominence of electricity infrastructure; provides for an interface or relationship with surrounding uses that minimises the potential for nuisance, health and safety concerns; and as far as possible, facilitates the incorporation of major electricity infrastructure corridors within a useable open space network. It is note—Applicants should consult with the licity providers early in the master planning process ermine electricity infrastructure requirements. | No acceptable outcome is nominated. |
| PO40 Where major electricity infrastructure or substations are located within public open space, the dimensions and characteristics of the open space area are sufficient to accommodate the electricity easement or site, in combination with compatible | | No acceptable outcome is nominated. |

Performance outcomes

Acceptable outcomes

recreational facilities and landscaping, so that:

- it has an open and expansive character, with landscape design which assists in breaking up the linear and vertical dominance of the infrastructure;
- (2) landscaping is located outside the easement area and substantially screens and softens the appearance of poles, towers or other structures; and
- (3) recreational facilities and landscaping are compatible with the electricity infrastructure, having regard to safety, height, the conductivity of materials and access to the electricity infrastructure by the electricity provider.

Figures 9.3.4.3.1 and 9.3.4.3.2 provide an example of a well integrated transmission corridor.



Figure 9.3.4.3.1—Integrated transmission corridor



Figure 9.3.4.3.2—Integrated transmission corridor 2

PO41

Where major electricity infrastructure is located in a road:

 an attractive, functional and safe streetscape is achieved; No acceptable outcome is nominated.

| Performance outcomes | | Acceptable outcomes |
|------------------------|--|--|
| requir | street furniture, planting and lighting are compatible with the electricity infrastructure, having regard to safety, height, the conductivity of materials; the reserve has sufficient width to accommodate significant landscaping which assists in screening and softening poles, towers or other structures and equipment from nearby sensitive land uses; and convenient access to the infrastructure by the electricity provider is maintained. Applicants should note that the clearances ed under Schedules 4 and 5 of the Electrical y Regulation 2002 must also be achieved. | |
| PO4 | | AO42.1 |
| Elec | tricity infrastructure of any type or size on the land is included in an easement. | Existing easements are maintained and where none currently exist, new easements are created which are sufficient for the electricity provider's requirements. |
| deve | onfiguration does not intensify elopment within an easement held for structure purposes in a way which would: reduce ease of access to the infrastructure by the provider; increase risk to the safety of people and property; prejudice the operation or expansion of the infrastructure. | No acceptable outcome is nominated. |
| PO44 | | No acceptable outcome is nominated. |
| uses corri avoid | lots likely to be occupied by sensitive are separated from major infrastructure dors or sites (including substations) to d noise nuisance and overlooking of the structure. | |
| Open space | | |
| | onfiguration facilitates the provision of the ned open space network that: accommodates the desired location of open space; contributes to the legibility and character of the neighbourhood; connects components of the network within and external to the site; and maximises accessibility for pedestrians and cyclists. | No acceptable outcome is nominated. Editor's note—The local government infrastructure plan identifies the planned open space network and the desired standards of service required. |
| on th | 6 re significant environmental values exist ne land, additional open space is ided which: | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes |
|---|---|
| enables the retention and buffering of wetlands, waterways and significant habitat areas; and retains or enhances habitat links to facilitate wildlife movement. | |
| Boundary realignment | |
| PO47 The realignment of lot boundaries results in a use and its associated infrastructure being located on the same lot. | No acceptable outcome is nominated. |
| Creation of rear lots | |
| PO48 Access to rear lots is safe and convenient. | AO48.1 Minimum widths for accessways are: (1) in a residential zone category – 4.5m where serving one lot or 6m where serving more than one lot; or (2) 10m in any other zone. |
| Volumetric subdivision | |
| PO49 Reconfiguration of the space above or below ground level facilitates efficient delivery of development that is consistent with the intent of the zone. | No acceptable outcome is nominated. |
| PO50 Access to infrastructure and services is not compromised for the development site and surrounding premises. | No acceptable outcome is nominated. |
| Reconfiguration for the creation of an access easement | |
| PO51 An access easement: (1) is fit for its particular purpose; (2) has a safe access point; and (3) does not adversely affect the useability, privacy or access to adjoining premises. | No acceptable outcome is nominated. |

Table 9.3.4.3.2—Lot size and dimensions

| Zone | Minimum Frontage (metres) | Minimum Lot Area (excluding accessway where a rear lot) |
|---------------------------------|--|---|
| Low density residential | | |
| LDR1: Large lot precinct | 20 | 2,000m ² |
| LDR2: Park residential precinct | 40 | 6,000m ² |
| LDR4: Kinross Road | 30 | 1,600m ² |
| Otherwise | 10 | 400m ² |
| Low-medium density residential | 10 | 400m² |
| Medium density residential | 20 | 800m ² |
| Character residential | No reduction in existing lot size | es is intended |
| Tourist residential | No reduction in existing lot sizes is intended | |
| Emerging community | No acceptable outcome is nominated | |
| Principal centre | No acceptable outcome is nominated | |
| Major centre | No acceptable outcome is nominated | |
| District centre | No acceptable outcome is nominated | |
| Local centre | No acceptable outcome is nominated | |
| Neighbourhood centre | No acceptable outcome is nominated | |
| Specialised centre | No acceptable outcome is nominated | |
| Mixed use | 25 | 2,000m ² |
| Low impact industry | 25 | 2,000m ² |
| Medium impact industry | 40 | 4,000m ² |
| Waterfront and marine industry | 25 | 2,000m ² |
| Recreation and open space | No acceptable outcome is nominated | |
| Community facilities | No acceptable outcome is nominated | |
| Rural | 100m 100ha | |
| Conservation | No reduction in existing lot sizes is intended | |
| Environmental management | No reduction in existing lot sizes is intended | |





Figure 9.3.4.3.3—South East Thornlands: road movement network



South East Thornlands - Pedestrian, Cycle and Public Transport Network

- Primary Pedestrian Cycle Link
- Secondary Pedestrian
 Cycle Link
- Shared Pedestrian Cycle
 Bridge
- Controlled Pedestrian/Cycle Crossing Points
- Existing Bus Priority and Line Haul Routes
- Bus Station
- Existing Bus Stops
- Potential Bus Route
- Potential Bus Stop

Figure 9.3.4.3.4—South East Thornlands: pedestrian, cycle and public transport network




Figure 9.3.4.3.5—Kinross Road: road movement network




Figure 9.3.4.3.6—Kinross Road: pedestrian, cycle, public transport and parks network

9.3.5 Transport, servicing, access and parking code

9.3.5.1 Application

This code applies to development where the transport, servicing, access and parking code is identified as applicable in the tables of assessment.

When using this code, reference should be made to section 5.3.2 and, where applicable, section 5.3.3, in Part 5.

9.3.5.2 Purpose

- (1) The purpose of the transport, servicing, access and parking code is to ensure traffic, movement and end of trip facilities are managed appropriately.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the safety and efficiency of the movement network is maintained;
 - (b) development provides for a high level of accessibility, safety and convenience for pedestrians and cyclists;
 - (c) development is provided with safe and functional vehicular access and on-site parking;
 - (d) development facilitates clear and safe vehicle movements both on and off the site;
 - (e) car parking areas and structures are located and designed to minimise their visual impact, interruption of the streetscape and impact on pedestrian accessibility; and
 - (f) impacts on the surrounding environment and amenity are minimised.

Editor's note—The location, design and functionality of trunk infrastructure networks are identified in the local government infrastructure plan which forms part 4 of this planning scheme.

9.3.5.3 Transport, servicing, access and parking code – Specific benchmarks for assessment

Table 9.3.5.3.1—Benchmarks for development that is accepted subject to requirements and assessable development

| Performance outcomes | | Acceptable outcomes |
|---|---|---|
| For development that is accepted subject to requirements and assessable development | | requirements and assessable |
| Driveways | | |
| PO1 | | AO1.1 |
| | eways are located and designed having rd to: public safety and convenience; volume and type of traffic and parking generated by the use; servicing requirements; the characteristics of the frontage road including: (a) road type; (b) road target speed; | Driveway location and design complies with driveway access location and the standard drawings contained in Planning Scheme Policy 2 – Infrastructure works. |
| (5) (6) | (c) existing and future traffic volumes; (d) vertical and horizontal geometry; (e) queue and turn lane lengths; minimising loss of on-street parking opportunities; and ensuring adequate visibility between vehicles on a driveway and pedestrians on the verge. | |
| PO2 | | AO2.1 |
| taper | eway crossovers and their splays/kerb rs do not protrude across adjoining erty boundaries. | All parts of a driveway are entirely contained within the width of the lot frontage. |
| For a | assessable development | |
| Tran | sport networks and traffic impact | |
| and e | elopment maintains or improves the safe efficient operation of transport networks are regard to (amongst other things): the existing or planned function of the roads affected; available sight distances and the location and design of access points; accessibility by public transport, pedestrians and cyclists; the potential for conflict between vehicles, pedestrians and cyclists; the loss or increase of on-street parking; the location, construction and maintenance of utility infrastructure; | No acceptable outcome is nominated. |

| Performance outcomes | | Acceptable outcomes |
|--|--|---|
| (7) the nature and intensity of traffic and parking generated by the development. Editor's note–To demonstrate compliance with this performance outcome a traffic report in accordance with Planning Scheme Policy 2 – Infrastructure Works – Section 3 – Transport Servicing Access and Parking may be required. | | |
| PO4 | | AO4.1 |
| Where new roads are constructed, their design and construction is sufficient to accommodate: | | The roads are designed in accordance with Planning Scheme Policy 2 – Infrastructure works. |
| (1) (2) (3) | their intended function; safe and efficient movement of all users, including pedestrians and cyclists; on-street parking; | |
| (4) (5) (6) (7) | bus movement and public transport stops; street tree planting and streetscaping; utility infrastructure, including stormwater management; and treatments that prevent excessive | |
| | speeds. | |
| Internal accessways for large residential developments | | velopments |
| PO5 Internal accessways in residential developments provide safe and efficient internal traffic operations. | | AO5.1 Development complies with internal accessways for large residential developments in Planning Scheme Policy 2 – Infrastructure works. |
| Pedestrian and cyclist facilities | | |
| PO6 Safe and convenient pedestrian and cycle infrastructure is provided and, as far as possible, is integrated with external networks to maximise accessibility by walking and cycling. | | No acceptable outcome is nominated. |
| PO7 | | AO7.1 |
| desig | strian and cycle path infrastructure is ned and constructed to: | Development complies with standards for pedestrian and cyclist networks in Planning Scheme Policy 2 – Infrastructure works. |
| (1) | provide for convenient and direct movement within and external to the site; | Scheme rolley 2 – Illiastructure works. |
| (2) | have a stable, smooth unobstructed surface; | |
| (3) | have a width and gradient to cater for all users; | |
| (4) | create a safe environment for users and discourage antisocial behaviour; and | |
| (5) | be easily maintained. | |

| Perf | ormance outcomes | Acceptable outcomes |
|--------------------|---|--|
| | | |
| On-s | site parking | |
| PO8 On-s (1) | site vehicle parking: is clearly defined, safe and easily accessible; | AO8.1 Parking is provided in accordance with Table 9.3.5.3.2—Minimum On-Site Vehicle Parking Requirements. |
| (2) | accommodates a sufficient number of vehicles, having regard to: (a) the type and size of development; (b) expected resident, employee and customer movements; (c) the location of the use; | AO8.2 Where more than 50 car spaces are required, 2% of the number of spaces is provided for motorcycles, each measuring 2.5m by 1.2m, located immediately adjacent to major pedestrian access points. |
| (0) | (d) the capacity of the existing road network to accommodate onstreet parking; and (e) access to public transport; | AO8.3 Parking areas comply with Australian Standard 2890.1 – Parking Facilities. |
| (3) | includes dedicated parking spaces for people with a disability, motor cycles and bicycles. | |
| | parking and internal circulation is gned and constructed to: provide a clear internal movement hierarchy; separate servicing and customer parking and circulation functions as far as possible; | AO9.1 Parking is provided in accordance with minimum on-site vehicle parking requirements, minimum circulation road width in car parking areas and maximum longitudinal grades in car parking areas in Planning Scheme Policy 2 – Infrastructure works. |
| (3) (4) (5) | discourage high vehicular speed and short-cutting; be clearly distinguishable from pedestrian entries and paths; be easily negotiated by vehicles and pedestrians, including persons with a disability; | AO9.2 The layout of car parking areas and structures complies with the internal movement system in Section 3.7.1 in Planning Scheme Policy 2 – Infrastructure works. |
| (6) (7) | ensure vehicles do not reverse into areas of high pedestrian activity; and optimise safety and security of users. | AO9.3 Parking areas comply with: (1) Australian Standard 2890.1: 2004 - Parking Facilities – Off-Street Car Parking; and (2) the standards set out in Planning Scheme Policy 2 – Infrastructure works |
| night the p | ring areas are lit to provide security for t-time users where likely to be used by bublic or employees at night time. | AO10.1 Lighting is provided in accordance with Australian Standard 1158.1:1997 - Road Lighting - Vehicular Traffic (Category V) Lighting - Performance Installation and Design Requirements. |
| | 1 age or pavement markings are blished on-site to: | No acceptable outcome is nominated. |

| Performance outcomes | Acceptable outcomes |
|--|--|
| control traffic movement and driver behaviour; warn of any potential safety hazards; clearly indicate the existence and location of access points to car parking areas where not visible from the frontage road or access driveway. | |
| PO12 | No acceptable outcome is nominated. |
| Car parking areas accommodate landscaping that: | Editor's note—The landscape code also contains requirements for development. |
| (1) provides shade; (2) breaks up and softens the extent of hardstand area; and (3) optimises infiltration of stormwater run- | |
| off. | |
| PO13 Car parking areas and structures are designed and located so they do not dominate the streetscape. | No acceptable outcome is nominated. |
| On-street parking | |
| PO14 Road design and access location accommodates on-street parking that is appropriate to the function of the street and the demand generated by surrounding uses. | No acceptable outcome is nominated. |
| PO15 | No acceptable outcome is nominated. |
| The carriageway width, verge width and driveway dimensions allow for unobstructed and efficient access to properties when a vehicle is parked on the opposite side of the road. | |
| Site access | |
| PO16 Site access is located and designed to avoid adverse impact on existing or intended: (1) utility infrastructure, such as power poles, street lighting, gully pits and the like; (2) bus stops, taxi ranks, traffic control devices; and (3) pedestrian and cycle paths and crossings; and (4) street trees. | No acceptable outcome is nominated. |
| PO17 | No acceptable outcome is nominated. |
| Access to trunk collector, sub-arterial and arterial roads is restricted to optimise the safety and efficiency of those roads, having regard to (amongst other things): | 3.230 |
| (1) opportunities for shared access arrangements; | |

Performance outcomes Acceptable outcomes the ability for vehicles to enter and leave the premises in a forward direction: (3)turning movements and the need for medians and other traffic control devices: (4) the need for queuing, deceleration or passing lanes; and any future road improvement intentions. **PO18** AO18.1 Provision is made for any queuing to be Queuing is accommodated in accordance accommodated within the development site, with Section 3.8.1 and the standards so that external traffic operations are not contained in Planning Scheme Policy 2 obstructed, and designed to avoid conflict Infrastructure works. with internal intersections or manoeuvring areas. Editor's note—Entry queues are of primary importance since they have the potential to most readily obstruct external traffic operations, but exit queues can also disrupt internal circulating traffic thereby blocking entry Servicing and manoeuvring areas **PO19** AO19.1 Non residential development accommodates Servicing and manoeuvring complies with all servicing and manoeuvring areas on-site, minimum on-site vehicle parking including provision for loading, unloading and requirements and design dimensions for waste collection, as appropriate to the use. service aisles and loading/unloading bays in Planning Scheme Policy 2 – Infrastructure works. **PO20** AO20.1 Servicing and manoeuvring areas are located Servicing and manoeuvring complies with and designed to: minimum on-site vehicle parking requirements and design dimensions for be clearly defined, safe and easily service aisles and loading/unloading bays in accessible: Planning Scheme Policy 2 – Infrastructure (2) be separated from areas of pedestrian works. movement within the premises or on adjoining premises; AO20.2 provide for the vehicle dimensions and (3)Servicing and manoeuvring complies with: turning paths for the design vehicles Australian Standard 2890.1: 2004 -(1) expected to access the site; Parking Facilities - Off-Street Car (4) maintains clear access to waste Parking; and containers for collection vehicles; (2)the standards set out in Planning (5) ensures that service vehicles entering Scheme Policy 2 – Infrastructure a site do not queue across footpaths or works. onto external roads; and prevents any manoeuvring occurring (6)within the defined queuing area. PO21 No acceptable outcome is nominated. Servicing and manoeuvring areas do not detract from the streetscape or visual amenity of the area. Crime prevention through environmental design

| Performance outcomes | | Acceptable outcomes |
|--|--|--|
| PO22 | | No acceptable outcome is nominated. |
| Parking, access, pathways and other transport network infrastructure is designed to discourage crime and anti-social behaviour by: | | Editor's note—Guidance to assist applicants is contained within the Queensland Government's Crime prevention through environmental design guidelines for Queensland. |
| (1) | maximising opportunities for casual surveillance: | |
| (2) | ensuring places are well lit and well signed: | |
| (3) | minimising potential concealment and entrapment opportunities; and | |
| (4) | providing direct movements with clear unobscured sight lines. | |

Table 9.3.5.3.2—Minimum on-site vehicle parking requirements

| Use | Acceptable outcome |
|-----------------------------|--|
| Adult store | Where the site is within Capalaba Principal Centre, Cleveland Principal Centre or Victoria Point Major Centre |
| | 1 spaces per 30m ² gross floor area |
| | All other areas |
| | 1 spaces per 20m² gross floor area |
| Agricultural supplies store | 1 space per 25m ² gross floor area |
| Air service | No acceptable outcome nominated |
| Animal keeping | Catteries - 1 space per 10 cats to be lodged on site, with a minimum of 4 spaces |
| | Kennels - 1 space per 10 dogs to be lodged on site, with a minimum of 4 spaces |
| | Other - 1 space per 2 employees not residing on the site |
| Aquaculture | No acceptable outcome nominated |
| Bar | 1 space per 10m ² gross floor area |
| Brothel | 1 space per bedroom; plus |
| | 1 space per 2 employees (on duty) |
| Bulk landscape supplies | 1 space per 200m ² of gross floor area, with a minimum of 4 spaces |
| Caretaker's accommodation | 1 space per dwelling |
| Car wash | 4 spaces per car wash bay; plus |
| | 1 space per employee |
| Cemetery | No acceptable outcome nominated |
| Childcare centre | 1 space per 7 children (maximum licensed capacity); plus |
| | 1 space per employee (on duty) |
| Club | 6 space per 100m ² gross floor area; plus |
| | 1 space per 2 employees (on duty) |

| Use | Acceptable outcome | |
|-----------------------------|---|--|
| Community care centre | 1 space per 20m² gross floor area; plus | |
| | 1 space per employee (on duty) | |
| Community residence | 2 spaces per dwelling; plus | |
| | 1 space per employee (on duty) | |
| Community use | Community centre or community hall | |
| | 1 space per 10m ² gross floor area | |
| | Other | |
| | 3 spaces per 100m ² gross floor area | |
| Crematorium | 1 space per 10m² gross floor area | |
| Detention facility | No acceptable outcome nominated | |
| Dwelling unit | 1 space per unit | |
| Educational establishment | Primary | |
| | Setdown - 1 space per 20 students (maximum capacity); plus | |
| | Employee - 1 space per employee (on duty); plus | |
| | Ancillary - 1 space where a bus can stand without impeding other vehicle movements | |
| | Secondary | |
| | Setdown - 1 space per 100 students (maximum capacity); plus | |
| | Student - 1 space per 10 students over the age of 17; plu | |
| | Employee - 1 space per employee (on duty); plus Ancillary - 1 space where a bus can stand without impeding | |
| | Ancillary - 1 space where a bus can stand without impeding other vehicle movements | |
| | Tertiary | |
| | Setdown - 1 space per 100 students (maximum capacity); plus | |
| | Student - 1 space per 5 students. | |
| | Employee - 1 space per employee (on duty). | |
| | Ancillary - 1 space where a bus can stand without impeding other vehicle movements | |
| Emergency services | No acceptable outcome nominated | |
| Environmental facility | No acceptable outcome nominated | |
| Extractive industry | No acceptable outcome nominated | |
| Food and drink outlet | 1 space per 10m² gross floor area | |
| Function facility | 1 space per 10m² gross floor area | |
| Funeral parlour | 1 space per 10m ² gross floor area | |
| Garden centre | 1 space per 25m ² of sales area; plus | |
| | 0.75 spaces per 100m ² of indoor and outdoor garden display area; plus | |
| | 1 space per employee | |
| Hardware and trade supplies | 1 space per 40m ² of gross floor area or | |

| Use | Acceptable outcome | |
|--|--|--|
| | in the case where the gross floor area does not exceed 300m ² : | |
| | 1 space per 30m ² gross floor area | |
| Healthcare services | Whichever is the greater of: | |
| | 1 space per 3 beds; | |
| | OR | |
| | 1 space per employee (on duty); plus | |
| | 1 space per practitioner; plus 2 spaces per consulting room | |
| Ligh import industry | | |
| High impact industry | 2 spaces per tenancy; plus 1 space per 100m ² of gross floor area | |
| Hospital | 1 space per 2 beds; plus | |
| | 0.8 spaces per employee (on duty); plus | |
| | Ambulance parking spaces determined based on the | |
| | expected throughput | |
| Hotel | 6 spaces per 100m ² gross floor area | |
| Indoor sport and recreation | Gym (where 24 hours and no classes) | |
| | 1 space per 20m ² of gross floor area | |
| | Gym (other) | |
| | 1 space per 10m ² of gross floor area | |
| | Bowling Alley | |
| | 3 spaces per lane | |
| | Indoor Cricket/Soccer | |
| | 20 spaces per court | |
| | Indoor tennis/squash | |
| | 4 spaces per court | |
| | Swimming pool | |
| | 15 spaces; plus | |
| | 1 space per 100m ² of gross floor area | |
| | Other | |
| | 3 spaces per 100m ² of gross floor area | |
| Intensive animal industry | No acceptable outcome nominated | |
| Intensive horticulture | No acceptable outcome nominated | |
| Low impact industry | 2 spaces per tenancy; plus | |
| | 1 space per 100m ² of gross floor area | |
| Major electricity infrastructure | No acceptable outcome nominated | |
| Major sport, recreation and entertainment facilities | No acceptable outcome nominated | |
| Marine industry | 2 spaces per tenancy; plus | |
| | 1 space per 100m ² of gross floor area | |
| Market | 1 per stall; plus | |

| Use | Acceptable outcome | | |
|--------------------------------------|--|--|--|
| | 1 per 20m² of market area | | |
| Medium impact industry | 2 spaces per tenancy; plus | | |
| | 1 space per 100m ² of gross floor area | | |
| Motor sport facility | No acceptable outcome nominated | | |
| Multiple dwelling | Where any part of the site is within: | | |
| | (1) Capalaba Principal Centre, Cleveland Principal Centre or Victoria Point Major Centre; or | | |
| | (2) 800m walking distance of a pedestrian entry to a railway station; or | | |
| | (3) 400m walking distance of a bus stop that provides a minimum of 10 return services during normal business hours per day including Saturdays | | |
| | 1 visitor space per 10 units (tandem parking is not acceptable); plus | | |
| | 1 space per 1 bedroom unit; or | | |
| | 1.5 spaces per 2 bedroom unit; or | | |
| | 2 spaces per unit with 3 bedrooms or more | | |
| | All other areas | | |
| | 1 visitor space per 4 units (tandem parking is not acceptable); plus | | |
| | 1.5 space per 1 bedroom unit; or | | |
| | 2 spaces per unit with 2 bedrooms or more | | |
| Nature-based tourism | 1 space per site; plus | | |
| | 1 space per 2 employees (on duty) | | |
| Nightclub entertainment facility | 1 space per 100m ² gross floor area; plus 1 spaces per employee (on duty) | | |
| Non-resident workforce accommodation | No acceptable outcome nominated | | |
| Office | Where any part of the site is within Capalaba Principal Centre, Cleveland Principal Centre or Victoria Point Major Centre | | |
| | 1 per 60m² gross floor area | | |
| | All other areas | | |
| | 1 space per 30m² gross floor area | | |
| Outdoor sport and recreation | Sports field | | |
| • | 50 spaces per field | | |
| | Golf Course | | |
| | Whichever is the greater of: | | |
| | 4 spaces per tee; plus | | |
| | 3 spaces per 100m ² of club house gross floor area; or | | |
| | 6 spaces per 100m ² of club house gross floor area | | |
| | Lawn bowls | | |
| | 30 spaces for the first green plus 20 spaces for each additional green | | |

| Use | Acceptable outcome | | |
|------------------------------|---|--|--|
| | Swimming | | |
| | 15 spaces; plus | | |
| | 1 space per 100m ² of gross floor area | | |
| | Tennis court | | |
| | 4 spaces per court | | |
| | Other | | |
| | 20 spaces per court | | |
| Outstation | No acceptable outcome nominated | | |
| Permanent plantation | No acceptable outcome nominated | | |
| Place or worship | 15 spaces per 100m ² of gross floor area | | |
| Port service | No rate provided | | |
| Relocatable home park | 1 space per site; plus | | |
| · | 1 visitor space per 4 sites; plus | | |
| | 1 space for the manager | | |
| Renewable energy facility | No acceptable outcome nominated | | |
| Research and technology | 2 spaces per tenancy or lot; plus | | |
| industry | 1 space per 100m ² of gross floor area | | |
| Residential care facility | 1 visitor space per 10 beds; plus | | |
| | 1 space per employee (on duty); plus | | |
| | 1 space where a bus or ambulance can stand without impeding other vehicle movements | | |
| Resort complex | 1 visitor space per room; plus | | |
| · | 1 space per 2 employees (on duty) | | |
| Retirement facility | Semi-dependent or dependent living | | |
| | 1 space per 3 residents; plus | | |
| | 1 space per 2 employees (on duty); plus | | |
| | 1 visitor space per 10 units; plus | | |
| | 1 space where a bus or ambulance can stand without impeding other vehicle movements | | |
| | Independent living | | |
| | 1 space per unit; plus | | |
| | 1 space per 2 employees (on duty); plus | | |
| | 1 visitor space per 10 units | | |
| Rooming accommodation | 1 space per room; plus | | |
| | 1 space per 2 employees (on duty); plus | | |
| Described sectors | 1 visitor space per 10 units | | |
| Rural industry | 1 per employee in addition to parking provided for primary dwelling; plus | | |
| | 1 visitor space | | |
| Rural workers' accommodation | 1 space per bedroom | | |
| Service industry | 1 spaces per 20m ² of gross floor area | | |
| <u> </u> | 1 | | |

| Use | Acceptable outcome | |
|-----------------------------|--|--|
| Service station | 1 per 20m² gross floor area; plus 1 per 10m² gross floor area restaurant; plus 4 per service bay; plus 0.75 per utility, trailer or other vehicle for hire | |
| Shop | Where any part of the site is within Capalaba Principal Centre, Cleveland Principal Centre or Victoria Point Major Centre | |
| | 1 spaces per 30m² gross floor area | |
| | All other areas | |
| | 1 spaces per 20m² gross floor area | |
| Shopping centre | Where any part of the site is within Capalaba Principal Centre, Cleveland Principal Centre or Victoria Point Major Centre | |
| | 1 per 30m² gross floor area | |
| | All other areas | |
| | 1 spaces per 20m² gross floor area | |
| Short-term accommodation | 1 space per room; plus 1 space per employee (on duty) | |
| Showroom | 1 space per 40m ² of gross floor area; or 1 space per 30m ² gross floor area – where <300m ² gross floor area | |
| Special industry | 2 spaces per tenancy or lot; plus 1 space per 100m ² gross floor area | |
| Substation | No acceptable outcome nominated | |
| Telecommunications facility | No acceptable outcome nominated | |
| Theatre | 1 space per 5 seats | |
| Tourist attraction | No acceptable outcome nominated | |
| Tourist park | 1 space per site; plus 1 visitor space per 4 sites; plus 1 space per employee | |
| Transport depot | 1 space per vehicle; plus 0.75 spaces per employee | |
| Utility installation | No acceptable outcome nominated | |
| Veterinary service | 1 space per employee; plus 1 space per practitioner; plus 3 spaces per consulting room | |
| Warehouse | Whichever is the greater of: 1 space per 2 employees; or 1 space per 100m² of gross floor area | |
| Wholesale nursery | 1 space per 100m² gross floor area | |
| <u> </u> | | |

| Use | Acceptable outcome | |
|---------------|--|--|
| | 1 space per employee associated with viticultural activities | |
| Any other use | No acceptable outcome nominated | |

Note—If the number of parking spaces calculated is not a whole number, then the number of spaces provided is to be rounded up to the next whole number from the calculated number.

Part 10 Other plans

Editor's note—This section has not been used.

This page is intentionally left blank

Schedule 1 Definitions

SC1.1 Use definitions

Note – As prescribed by section 7 of the Planning Regulation the use terms and their definitions are located in schedule 3, columns 1 and 2 of the Regulation.

You can access the Planning Regulation here

SC1.1.1 Defined activity groups

There are no defined activity groups for the planning scheme

SC1.1.2 Industry thresholds

(1) The industry thresholds listed below are to be used in conjunction with the defined uses low impact industry, medium impact industry, high impact industry and special industry.

Table SC1.1.1—Industry thresholds

| Use | Additional examples include | | |
|------------------------|-----------------------------|--|--|
| Low impact industry | (1) | Repairing and servicing motor vehicles, including mechanical components, radiators, electrical components, wheel alignments, exhausts, tyres, suspension or air conditioning, not including spray painting | |
| | (2) | Repairing and servicing lawn mowers and outboard engines | |
| | (3) | Fitting and turning workshop | |
| | (4) | Assembling or fabricating products from sheet metal or welding steel, producing less than 10 tonnes a year and not including spray painting | |
| | (5) | Assembling wood products not involving cutting, routing, sanding or spray painting | |
| | (6) | Dismantling automotive or mechanical equipment, not including debonding brake or clutch components. | |
| Medium impact industry | (1) | Metal foundry producing less than 10 tonnes of metal castings per annum | |
| | (2) | Boiler making or engineering works producing less than 10 000 tonnes of metal product per annum | |
| | (3) | Facility, goods yard or warehouse for the storage and distribution of dangerous goods not involving manufacturing processes and not a major hazard facility under the <i>Work Health and Safety Act 2011</i> | |
| | (4) | Abrasive blasting facility using less than 10 tonnes of abrasive material per annum | |
| | (5) | Enamelling workshop using less than 15 000 litres of enamel per annum | |
| | (6) | Galvanising works using less than 100 tonnes of zinc per annum | |
| | (7) | Anodising or electroplating workshop where tank area is less than 400m ² | |
| | (8) | Powder coating workshop using less than 500 tonnes of coating per annum | |
| | (9) | Spray painting workshop (including spray painting vehicles, plant, equipment or boats) using less than 20 000 litres of paint per annum | |
| | (10) | Scrap metal yard (not including a fragmentiser), dismantling automotive or mechanical equipment including debonding brake or clutch components | |

| Use | Addi | tional examples include | |
|----------------------|--|---|--|
| | (11) | Manufacturing clay or ceramic products including bricks, | |
| | | tiles, pipes and pottery goods, less than 200 tonnes per annum | |
| | (12) | Processing, smoking, drying, curing, milling, bottling or | |
| | , | canning food, beverages or pet food, less than 200 | |
| | (,,=) | tonnes per annum | |
| | (13) | Vegetable oil or oilseed processing in works with a | |
| | | design production capacity of less than 1000 tonnes per annum | |
| | (14) | Manufacturing wooden products including cabinet | |
| | making, joinery, wood working, producing less than 500 | | |
| | tonnes per annum | | |
| | (15) | Manufacturing medium density fibreboard, chipboard, particle board, plywood, laminated board or wood veneer | |
| | | products, less than 250 tonnes per annum | |
| | (16) | Sawmilling, wood chipping and kiln drying timber and | |
| | | logs, producing less than 500 tonnes per annum | |
| | (17) | Recycling and reprocessing batteries | |
| | (18) (19) | Repairing or maintaining boats Manufacturing substrate for mushroom growing | |
| | (20) | Manufacturing or processing plaster, producing less than | |
| | | 5000 tonnes per annum | |
| | (21) | Recycling or reprocessing tyres including retreading | |
| | (22) | Printing advertising material, magazines, newspapers, packaging and stationery | |
| | (23) | Manufacturing fibreglass, foam plastic, composite plastic | |
| | | or rigid fibre-reinforced plastic or plastic products, less | |
| | | than 5 tonnes per annum (except fibreglass boats, tanks | |
| | (24) | and swimming pools) 4) Manufacturing PET, PETE, polypropylene and | |
| | (24) | polystyrene plastic or plastic products, less than 10 000 | |
| | | tonnes per annum | |
| | (25) | Reconditioning metal or plastic drums | |
| | (26) (27) | Glass fibre manufacture less than 200 tonnes per annum Manufacturing glass or glass products, where not glass | |
| | (21) | fibre, less than 250 tonnes per annum. | |
| High impact industry | (1) | Metal foundry producing 10 tonnes or greater of metal | |
| | | castings per annum | |
| | (2) | Boiler making or engineering works producing 10 000 | |
| | (3) | tonnes or greater of metal product per annum Major hazard facility for the storage and distribution of | |
| | (0) | dangerous goods not involving manufacturing processes | |
| | (4) | Scrap metal yard including a fragmentiser | |
| | (5) | Manufacturing clay or ceramic products including bricks, | |
| | | tiles, pipes and pottery goods, greater than 200 tonnes per annum | |
| | (6) | Processing, smoking, drying, curing, milling, bottling or | |
| | ` ′ | canning food, beverages or pet food, greater than 200 | |
| | (7) | tonnes per annum | |
| | (7) | Vegetable oil or oilseed processing in works with a design production capacity of greater than 1000 tonnes | |
| | | per annum | |
| | (8) | Manufacturing wooden products including cabinet | |
| | | making, joinery, wood working, producing greater than | |
| | (9) | 500 tonnes per annum Manufacturing medium density fibreboard, chipboard, | |
| | (3) | | |
| | | particle board, plywood, laminated board or wood veneer | |

| Use | Additional examples include | | |
|--------------------|-----------------------------|---|--|
| | (10) | Sawmilling, wood chipping and kiln drying timber and | |
| | , , | logs, producing greater than 500 tonnes per annum | |
| | (11) | Manufacturing or processing plaster, producing greater | |
| | | than 5000 tonnes per annum | |
| | (12) | Enamelling workshop using 15 000 litres or greater of | |
| | | enamel per annum | |
| | (13) | Galvanising works using 100 tonnes or greater of zinc | |
| | (1.1) | per annum Anodising or electroplating workshop where tank area is | |
| | (14) | 400m ² or greater | |
| | (15) | Powder coating workshop using 500 tonnes or greater of | |
| | (- / | coating per annum | |
| | (16) | Spray painting workshop (including spray painting | |
| | , , | vehicles, plant, equipment or boats) using 20 000 litres or | |
| | | greater of paint per annum | |
| | (17) | Concrete batching and producing concrete products | |
| | (18) | Treating timber for preservation using chemicals | |
| | | including copper, chromium, arsenic, borax and creosote | |
| | (19) | Manufacturing soil conditioners by receiving, blending, | |
| | | storing, processing, drying or composting organic | |
| | | material or organic waste, including animal manures, | |
| | (00) | sewage, septic sludges and domestic waste | |
| | (20) | Manufacturing fibreglass pools, tanks and boats | |
| | (21) | Manufacturing, fibreglass, foam plastic, composite plastic or rigid fibre-reinforced plastic or plastic products, 5 | |
| | | tonnes or greater per annum (except fibreglass boats, | |
| | | | |
| | (22) | tanks and swimming pools) Manufacturing PET, PETE, polypropylene and | |
| | (22) | polystyrene plastic or plastic products, 10 000 tonnes or | |
| | | greater per annum | |
| | (23) | Manufacturing tyres, asbestos products, asphalt, cement, | |
| | (- / | glass or glass fibre, mineral wool or ceramic fibre | |
| | (24) | Abattoir | |
| | (25) | Recycling chemicals, oils or solvents | |
| | (26) | Manufacturing batteries | |
| | (27) | Manufacturing wooden products including cabinet | |
| | | making, joinery, wood working, producing greater than | |
| | 4> | 500 tonnes per annum | |
| | (28) | | |
| | (20) | abrasive material per annum | |
| | (29) | Glass fibre manufacture producing 200 tonnes or greater | |
| | (30) | per annum Manufacturing glass or glass products, where not glass | |
| | (30) | fibre, 250 tonnes or greater per annum. | |
| Special industry | (1) | <u> </u> | |
| opoolal illadoli y | (1) (2) | Oil refining or processing Producing, refining or processing gas or fuel gas | |
| | (3) | Distilling alcohol in works producing greater than 2 500 | |
| | (3) | litres per annum | |
| | (4) | Producing, quenching, cutting, crushing or grading coke | |
| | (5) | Sugar milling or refining | |
| | (6) | Pulp or paper manufacturing | |
| | (7) | Tobacco processing | |
| | (8) | Tannery or works for curing animal skins, hides or | |
| | | finishing leather | |
| | (9) | Textile manufacturing, including carpet manufacturing, | |
| | | wool scouring or carbonising, cotton milling, or textile | |
| | | bleaching, dyeing or finishing | |
| | (10) | Rendering plant | |
| | (11) | Manufacturing chemicals, poisons and explosives | |

| Use | Additional examples include | | |
|-----|---|--|--|
| | (12) Manufacturing fertilisers involving ammonia(13) Manufacturing polyvinyl chloride plastic. | | |

SC1.2 Administrative definitions

- (1) Administrative definitions assist with the interpretation of the planning scheme but do not have a specific land use meaning.
- (2) A term listed in table SC1.2.1 column 1 has the meaning set out beside that term in column 2 under the heading.
- (3) The administrative definitions listed here are the definitions for the purpose of the planning scheme.

Note—As prescribed by section 8(1) of the Planning Regulation the administrative terms and their definitions are located in schedule 4 columns 1 and 2 of the Regulation.'

'Note – As prescribed by section 8(2) of the Planning Regulation, the Redland City Plan includes administrative terms, other than terms in schedule 4, column 1 of the Regulation. These additional administrative terms and their definitions are provided in Table SC1.2.1 – Additional administrative terms and their definitions'.

Table SC1.2.1—Additional administrative terms and their definitions

| Column 1 Administrative Term | Column 2 Definition | | |
|--------------------------------|---|--|--|
| Adult store sensitive use area | Means the area from the boundary of land occupied by a child care centre, educational establishment or place of worship (Adult Store Sensitive Use) which is within the greater of the following: | | |
| | 200 metres of an Adult Store Sensitive Use according to the shortest route a person may lawfully take, by vehicle or on foot; or | | |
| | 100 metres of an Adult Store Sensitive Use measured in a straight line. | | |
| Defined flood event | The 1% annual exceedance probability (AEP) flood event. | | |
| Defined storm tide event | The 1% annual exceedance probability (AEP) storm tide event, including allowance for 10% increase in storm intensity and a sea level rise of 0.8m. | | |
| Low-rise | One to two storeys. | | |
| Mid-rise | Three to six storeys. | | |
| Rear lot | A lot which has access to a road by means only of an access strip which forms part of the lot, or by means only of an easement over adjoining land. | | |
| Temporary use | Means a use that — (a) Is carried out on a non-permanent basis; and (b) does not involve the construction of, or significant changes to, permanent buildings or structure. Note: 'provisions for temporary use timeframes for defined uses are provided within section 1.7 Local government administrative matters.' | | |

Schedule 2 Mapping

SC2.1 Map index

The table(s) below list any strategic framework, zoning, local plan and overlay maps applicable to the planning scheme area.


Editor's note—Mapping for the LGIP is contained within Schedule 3 of the planning scheme.

Table SC2.1.1—Map index

| Map number | Map title | Gazettal date | | | | |
|-------------------------|--|------------------|--|--|--|--|
| Strategic framework map | | | | | | |
| SFM-001 | Strategic framework map | 18 November 2020 | | | | |
| Zone maps | · · · · · · · · · · · · · · · · · · · | | | | | |
| ZM-001 | City wide zoning map (mainland with island insets) | 9 February 2022 | | | | |
| ZM-002 | Mainland north zoning map (sheet 1/3) | 9 February 2022 | | | | |
| ZM-003 | Mainland central zoning map (sheet 2/3) | 9 February 2022 | | | | |
| ZM-004 | Mainland south zoning map (sheet 3/3) | 9 February 2022 | | | | |
| ZM-005 | North Stradbroke Island zoning map | 8 October 2018 | | | | |
| ZM-006 | Southern Moreton Bay Islands zoning map | 9 February 2022 | | | | |
| Local plan map | os | | | | | |
| There are no loc | cal plans | | | | | |
| Overlay maps | | | | | | |
| OM-001 | Airport environs overlay – Mainland (sheet 1/2) | 8 October 2018 | | | | |
| OM-002 | Airport environs overlay – Islands (sheet 2/2) | 8 October 2018 | | | | |
| OM-003 | Bushfire hazard overlay – Mainland (sheet 1/2) | 9 February 2022 | | | | |
| OM-004 | Bushfire hazard overlay – Islands (sheet 2/2) | 9 February 2022 | | | | |
| OM-005 | Coastal protection (erosion prone areas) overlay – Mainland (sheet 1/2) | 9 February 2022 | | | | |
| OM-006 | Coastal protection (erosion prone areas) overlay – Islands (sheet 2/2) | 9 February 2022 | | | | |
| OM-007 | Environmental significance overlay – Mainland (sheet 1/2) | 9 February 2022 | | | | |
| OM-008 | Environmental significance overlay – Islands (sheet 2/2) | 9 February 2022 | | | | |
| OM-009 | Extractive resources overlay – Mainland (sheet 1/2) | 8 October 2018 | | | | |
| OM-010 | Extractive resources overlay – Islands (sheet 2/2) | 8 October 2018 | | | | |
| OM-011 | Flood and storm tide hazard overlay – Mainland (sheet 1/2) | 18 November 2020 | | | | |
| OM-012 | Flood and storm tide hazard overlay –Islands (sheet 2/2) | 8 October 2018 | | | | |
| OM-013 | Heritage overlay – Mainland (sheet 1/2) | 17 July 2019 | | | | |
| OM-014 | Heritage overlay – Islands (sheet 2/2) | 8 October 2018 | | | | |
| OM-015 | Landslide hazard overlay – Mainland (sheet 1/2) | 9 February 2022 | | | | |
| OM-016 | Landslide hazard overlay – Islands (sheet 2/2) | 8 October 2018 | | | | |
| OM-017 | Regional infrastructure corridors and substations overlay – Mainland (sheet 1/2) | 8 October 2018 | | | | |
| OM-018 | Regional infrastructure corridors and substations overlay – Islands (sheet 2/2) | 8 October 2018 | | | | |

| Map number | Map title | Gazettal date |
|------------|--|-----------------|
| OM-019 | Transport noise corridor overlay – Mainland (sheet 1/2) | 9 February 2022 |
| OM-020 | Transport noise corridor overlay – Islands (sheet 2/2) | 9 February 2022 |
| OM-021 | Water resource catchments overlay – Mainland (sheet 1/2) | 8 October 2018 |
| OM-022 | Water resource catchments overlay – Islands (sheet 2/2) | 8 October 2018 |
| OM-023 | Waterway corridors and wetlands overlay – Mainland (sheet 1/2) | 8 October 2018 |
| OM-024 | Waterway corridors and wetlands overlay – Islands (sheet 2/2) | 8 October 2018 |

SC2.2 Strategic framework map



SFM-001: Strategic framework map

Redland City Plan 2018 – version 6 Schedule 2 Mapping—407

SC2.3 Zone maps

Table SC2.5.2—Zone maps

| Map number | Map title | |
|---------------|--|--|
| <u>ZM-001</u> | City wide zoning map (mainland with island insets) | |
| ZM-002 | Mainland north zoning map (sheet 1/3) | |
| ZM-003 | Mainland central zoning map (sheet 2/3) | |
| <u>ZM-004</u> | Mainland south zoning map (sheet 3/3) | |
| <u>ZM-005</u> | North Stradbroke Island zoning map | |
| ZM-006 | Southern Moreton Bay Islands zoning map | |

SC2.4 Local plan maps

There are no local plans in this planning scheme.

SC2.5 Overlay maps

Table SC2.5.3—Overlay maps

| Map number | Map title |
|---------------|--|
| <u>OM-001</u> | Airport environs overlay – Mainland (sheet 1/2) |
| <u>OM-002</u> | Airport environs overlay – Islands (sheet 2/2) |
| <u>OM-003</u> | Bushfire hazard overlay – Mainland (sheet 1/2) |
| <u>OM-004</u> | Bushfire hazard overlay – Islands (sheet 2/2) |
| <u>OM-005</u> | Coastal protection (erosion prone areas) overlay – Mainland (sheet 1/2) |
| <u>OM-006</u> | Coastal protection (erosion prone areas) overlay – Islands (sheet 2/2) |
| <u>OM-007</u> | Environmental significance overlay – Mainland (sheet 1/2) |
| OM-008 | Environmental significance overlay – Islands (sheet 2/2) |
| OM-009 | Extractive resources overlay – Mainland (sheet 1/2) |
| OM-010 | Extractive resources overlay – Islands (sheet 2/2) |
| OM-011 | Flood and storm tide hazard overlay – Mainland (sheet 1/2) |
| OM-012 | Flood and storm tide hazard overlay –Islands (sheet 2/2) |
| OM-013 | Heritage overlay – Mainland (sheet 1/2) |
| <u>OM-014</u> | Heritage overlay – Islands (sheet 2/2) |
| OM-015 | Landslide hazard overlay – Mainland (sheet 1/2) |
| <u>OM-016</u> | Landslide hazard overlay – Islands (sheet 2/2) |
| <u>OM-017</u> | Regional infrastructure corridors and substations overlay – Mainland (sheet 1/2) |
| <u>OM-018</u> | Regional infrastructure corridors and substations overlay – Islands (sheet 2/2) |
| <u>OM-019</u> | Transport noise corridor overlay – Mainland (sheet 1/2) |
| OM-020 | Transport noise corridor overlay – Islands (sheet 2/2) |
| OM-021 | Water resource catchments overlay – Mainland (sheet 1/2) |
| OM-022 | Water resource catchments overlay – Islands (sheet 2/2) |
| OM-023 | Waterway corridors and wetlands overlay – Mainland (sheet 1/2) |
| <u>OM-024</u> | Waterway corridors and wetlands overlay – Islands (sheet 2/2) |

SC2.6 Other plans maps

There are no other plans in this planning scheme.

This page is intentionally left blank

Schedule 3 Local government infrastructure plan mapping and support material

SC3.1 Planning assumption tables

Table SC 3.1.1—Existing and projected population

| Column 1 Projection | Column 2 LGIP | Column 3 Existing a | | ed populati | on | |
|---------------------|---------------------|---------------------|--------|-------------|--------|----------------------|
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development |
| Alexandra Hills | Detached dwelling | 17,075 | 17,457 | 17,777 | 17,710 | 17,505 |
| | Attached dwelling | 534 | 638 | 675 | 719 | 772 |
| | Total | 17,609 | 18,095 | 18,452 | 18,429 | 18,277 |
| Birkdale | Detached | 14,479 | 14,995 | 15,522 | 15,603 | 16,197 |
| | Attached dwelling | 1,004 | 1,137 | 1,333 | 1,477 | 1,583 |
| | Total | 15,483 | 16,132 | 16,855 | 17,080 | 17,780 |
| Capalaba | Detached dwelling | 15,129 | 15,394 | 15,616 | 15,774 | 16,951 |
| | Attached dwelling | 2,062 | 2,374 | 3,407 | 4,145 | 4,321 |
| | Total | 17,191 | 17,768 | 19,023 | 19,919 | 21,272 |
| Cleveland | Detached dwelling | 12,003 | 12,249 | 12,317 | 12,352 | 12,118 |
| | Attached dwelling | 3,876 | 5,064 | 6,344 | 7,327 | 8,207 |
| | Total | 15,879 | 17,313 | 18,661 | 19,679 | 20,325 |
| Ormiston | Detached dwelling | 5,389 | 5,646 | 5,879 | 5,956 | 6,196 |
| | Attached dwelling | 819 | 937 | 1,117 | 1,243 | 1,243 |
| | | | | | | |
| | Total | 6,208 | 6,583 | 6,996 | 7,199 | 7,439 |
| Redland Bay | Detached dwelling | 14,133 | 15,083 | 16,347 | 17,064 | 17,373 |
| | Attached dwelling | 352 | 709 | 1,164 | 1,542 | 1,542 |
| | | | | | | |
| | Total | 14,485 | 15,792 | 17,511 | 18,606 | 18,915 |

| Column 1 | Column 2 | Column 3 | | | | | | | |
|--------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|----------------------|--|--|--|
| Projection | LGIP | Existing a | and project | ed populati | on | | | | |
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development | | | |
| Redland Islands | Detached dwelling | 9,012 | 9,571 | 10,335 | 11,090 | 12,191 | | | |
| | Attached dwelling | 664 | 698 | 826 | 891 | 891 | | | |
| | Total | 9,676 | 10,269 | 11,161 | 11,981 | 13,082 | | | |
| Sheldon - Mount | Detached dwelling | 5,353 | 6,177 | 6,361 | 6,604 | 6,499 | | | |
| Cotton | Attached dwelling | 11 | 11 | 12 | 12 | 12 | | | |
| | Total | 5,364 | 6,188 | 6,373 | 6,616 | 6,511 | | | |
| Thorneside | Detached dwelling | 3,104 | 3,131 | 3,143 | 3,135 | 3,151 | | | |
| | Attached dwelling | 846 | 885 | 964 | 976 | 976 | | | |
| | Total | 3,950 | 4,016 | 4,107 | 4,111 | 4,127 | | | |
| Thornlands | Detached dwelling | 13,771 | 15,600 | 17,617 | 18,749 | 18,755 | | | |
| | Attached dwelling | 394 | 653 | 922 | 1,353 | 3,465 | | | |
| | Total | 14,165 | 16,253 | 18,539 | 20,102 | 22,220 | | | |
| Victoria Point | Detached dwelling | 14,801 | 14,932 | 15,013 | 14,996 | 15,813 | | | |
| | Attached dwelling | 1,393 | 1,525 | 1,883 | 2,090 | 2,512 | | | |
| | | 10.101 | | 40.000 | 17.000 | 40.005 | | | |
| Wellington | Total Detached | 16,194 | 16,457 | 16,896 | 17,086 | 18,325 | | | |
| Point | dwelling | 11,438 | 11,855 | 12,375 | 12,520 | 12,628 | | | |
| | Attached dwelling | 683 | 791 | 909 | 993 | 993 | | | |
| | Total | 10 101 | 12.646 | 12 204 | 12 512 | 12 621 | | | |
| Inside priority | Total Detached dwelling | 12,121 135,687 | 12,646 142,090 | 13,284 148,302 | 13,513 151,553 | 13,621 155,377 | | | |
| infrastructure area (total) | Attached dwelling | 12,638 | 15,422 | 19,556 | 22,767 | 26,517 | | | |
| | Total | 148,325 | 157,512 | 167,858 | 174,320 | 181,894 | | | |

| Column 1 Projection | Column 2 LGIP | Column 3 Existing and projected population | | | | | | |
|--------------------------------|---------------------|--|---------|---------|---------|----------------------|--|--|
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development | | |
| Outside priority | Detached dwelling | 5,268 | 5,732 | 6,202 | 6,175 | 6,091 | | |
| infrastructure area (total) | Attached dwelling | 73 | 174 | 286 | 428 | 428 | | |
| | Total | 5,341 | 5,906 | 6,488 | 6,603 | 6,519 | | |
| Redland City | Detached dwelling | 140,955 | 147,822 | 154,504 | 157,728 | 161,468 | | |
| | Attached dwelling | 12,711 | 15,596 | 19,842 | 23,195 | 26,945 | | |
| | Total | 153,666 | 163,418 | 174,346 | 180,923 | 188,413 | | |

Table SC 3.1.2—Existing and projected employees

| Column 1 Projection area | Column 2 LGIP | | Column 3 Existing and projected employees | | | | | | |
|--------------------------|-----------------------|-------|---|--------|--------|----------------------|--|--|--|
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development | | | |
| Alexander | Retail | 574 | 574 | 579 | 584 | 594 | | | |
| Hills | Commercial | 357 | 372 | 374 | 377 | 377 | | | |
| | Industrial | 278 | 278 | 278 | 278 | 278 | | | |
| | Community Purposes | 1,001 | 1,009 | 1,017 | 1,025 | 1,025 | | | |
| | Total | 2,210 | 2,233 | 2,248 | 2,264 | 2,274 | | | |
| Birkdale | Retail | 470 | 472 | 474 | 476 | 480 | | | |
| | Commercial | 417 | 440 | 446 | 465 | 502 | | | |
| | Industrial | 351 | 351 | 351 | 351 | 351 | | | |
| | Community Purposes | 724 | 736 | 745 | 751 | 757 | | | |
| | Total | 1,962 | 1,999 | 2,016 | 2,043 | 2,090 | | | |
| Capalaba | Retail | 4,255 | 4,739 | 5,223 | 5,707 | 6,675 | | | |
| | Commercial | 1,580 | 1,644 | 1,701 | 1,755 | 1,912 | | | |
| | Industrial | 3,008 | 3,018 | 3,026 | 3,034 | 3,050 | | | |
| | Community Purposes | 953 | 977 | 1,001 | 1,023 | 1,101 | | | |
| | Total | 9,796 | 10,378 | 10,951 | 11,519 | 12,738 | | | |
| Cleveland | Retail | 2,715 | 3,255 | 3,795 | 4,335 | 5,415 | | | |

| Column 1 | Column 2 | Column 3 | i | | | |
|-------------|-----------------------|--------------|--------------|--------------|--------------|----------------------|
| Projection | LGIP | Existing a | and project | ed employe | es | |
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development |
| | Commercial | 2,104 | 2,116 | 2,121 | 2,134 | 2,154 |
| | Industrial | 2,054 | 2,101 | 2,148 | 2,195 | 2,289 |
| | Community Purposes | 2,345 | 2,363 | 2,678 | 3,214 | 3,900 |
| | Total | 9,218 | 9,835 | 10,742 | 11,878 | 13,758 |
| Ormiston | Retail | 241 | 241 | 241 | 241 | 241 |
| Omnotori | Commercial | 333 | 363 | 384 | 403 | 437 |
| | Industrial | 222 | 222 | 222 | 222 | 222 |
| | Community Purposes | 390 | 404 | 416 | 424 | 440 |
| | | | | | | |
| | Total | 1,186 | 1,230 | 1,263 | 1,290 | 1,340 |
| Redland Bay | Retail | 426 | 462 | 498 | 534 | 606 |
| | Commercial | 456 | 535 | 573 | 619 | 781 |
| | Industrial | 630 | 657 | 684 | 711 | 765 |
| | Community Purposes | 332 | 345 | 355 | 361 | 369 |
| | Total | 1,844 | 1,999 | 2,110 | 2,225 | 2,521 |
| Redland | Retail | 554 | 570 | 586 | 602 | 635 |
| Islands | Commercial | 272 | 284 | 285 | 286 | 288 |
| | Industrial | 305 | 305 | 305 | 305 | 305 |
| | Community Purposes | 270 | 283 | 289 | 295 | 319 |
| | Total | 4 404 | 4.440 | 4.405 | 4 400 | 4.547 |
| Sheldon- | Total Retail | 1,401 137 | 1,442 182 | 1,465 227 | 1,488 272 | 1,547 362 |
| Mount | Commercial | 191 | 244 | 280 | 280 | 280 |
| Cotton | Industrial | 0 | 0 | 0 | 0 | 0 |
| | Community Purposes | 169 | 184 | 191 | 197 | 218 |
| | | | | | | |
| | Total | 497 | 610 | 698 | 749 | 860 |
| Thornlands | Retail | 233 | 249 | 265 | 281 | 313 |
| | Commercial | 420 | 516 | 554 | 583 | 585 |
| | Industrial | 510 | 510 | 510 | 510 | 510 |
| | Community Purposes | 693 | 742 | 799 | 855 | 936 |
| | Total | 1,856 | 2,017 | 2,128 | 2,229 | 2,344 |

| Column 1 | Column 2 | Column 3 | | | | |
|-------------------------|-----------------------------|------------|--------------|------------|-------------|-------------|
| Projection area | LGIP development type | Existing a | and projecto | ed employe | ees 2031 | Ultimate |
| | ** | 2016 | 2021 | 2026 | 2031 | development |
| Thorneside | Retail | 65 | 65 | 65 | 65 | 65 |
| | Commercial | 93 | 114 | 134 | 154 | 194 |
| | Industrial | 149 | 153 | 157 | 161 | 169 |
| | Community Purposes | 37 | 37 | 37 | 37 | 37 |
| | Total | 344 | 369 | 393 | 417 | 465 |
| Victoria | Retail | 1,719 | 1,784 | 1,922 | 2,065 | 2,561 |
| Point | Commercial | 678 | 733 | 837 | 947 | 1,408 |
| | Industrial | 401 | 401 | 401 | 401 | 401 |
| | Community Purposes | 1,061 | 1,123 | 1,228 | 1,325 | 1,576 |
| | Total | 3,859 | 4,041 | 4,388 | 4,738 | 5,946 |
| Wellington | Retail | 444 | 456 | 468 | 480 | 504 |
| Point | Commercial | 307 | 322 | 327 | 327 | 449 |
| | Industrial | 210 | 210 | 210 | 210 | 210 |
| | Community Purposes | 676 | 694 | 710 | 720 | 735 |
| | | | | | | |
| | Total | 1,637 | 1,682 | 1,715 | 1,737 | 1,898 |
| Inside | Retail | 11,833 | 13,049 | 14,343 | 15,642 | 18,451 |
| priority infrastructure | Commercial | 7,208 | 7,683 | 8,016 | 8,330 | 9,367 |
| area (total) | Industrial | 8,118 | 8,206 | 8,292 | 8,378 | 8,550 |
| | Community Purposes | 8,651 | 8,897 | 9,466 | 10,227 | 11,413 |
| | Total | 35,810 | 37,835 | 40,117 | 42,577 | 47,781 |
| Outside | Retail | 61 | 200 | 395 | 456 | 466 |
| priority infrastructure | Commercial | 77 | 243 | 494 | 596 | 652 |
| area (total) | Industrial | 1,350 | 1,351 | 1,352 | 1,353 | 1,355 |
| | Community Purposes | 254 | 278 | 294 | 309 | 343 |
| | Total | 1,742 | 2,072 | 2,535 | 2,714 | 2,816 |
| Redland | Retail | 11,894 | 13,249 | 14,738 | 16,098 | 18,917 |
| City | Commercial | 7,287 | 7,928 | 8,512 | 8,928 | 10,021 |
| | Industrial | 9,468 | 9,557 | 9,644 | 9,731 | 9,905 |
| | Community Purposes | 8,905 | 9,175 | 9,760 | 10,536 | 11,756 |

| Column 1 | Column 2 | Column 3 | Column 3 | | | | | | |
|------------|---------------------|------------|----------|--------|--------|----------------------|--|--|--|
| Projection | LGIP | Existing a | | | | | | | |
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development | | | |
| | Total | 37,554 | 39,910 | 42,655 | 45,294 | 50,599 | | | |

Table SC 3.1.3—Planned density and demand generation rate for a trunk infrastructure network

| Column 1 Area classification | Column 2 LGIP development | Column 3 Planned der | Column 3 Planned density ² | | Column 4 Demand generation rate for a trunk infrastructure network ² | | | | |
|---|---|---|---|---|--|---|---|---|--|
| oldosiliodioli | types | Total non- residential plot ratio | Residential density (dwellings/net dev ha) | Water supply network (EP/net dev ha) | Sewerage network (EP / net dev ha) | Transport network (vpd / net dev ha) | Parks and land for community facilities network (EP/net dev ha) | Stormwater network (imp ha/net dev ha) | |
| Residential develop | ment | | | | | | | | |
| Character residential zone | Detached dwelling | 0 | 15 | 45.0 | 45.0 | 98.0 | 45.0 | 0.5 | |
| Emerging community zone | Detached dwelling, Attached dwelling | 0 | 21 | 51.0 | 51.0 | 113.2 | 51.0 | 0.6 | |
| Low density residential zone | Detached dwelling | 0 | 15 | 45.0 | 45.0 | 97.5 | 45.0 | 0.5 | |
| Precinct LDR1 Large lot residential | Detached dwelling | 0 | 5 | 15.0 | 15.0 | 32.5 | 15.0 | 0.3 | |
| Precinct LDR2 Park residential | Detached dwelling | 0 | 1.67 | 5.0 | 5.0 | 10.8 | 5.0 | 0.2 | |
| Precinct LDR3 Point Lookout residential | Detached dwelling | 0 | 15 | 45.0 | 45.0 | 97.5 | 45.0 | 0.5 | |
| Precinct LDR4 Kinross Road | Detached dwelling | 0 | 6.25 | 18.8 | 18.8 | 40.6 | 18.8 | 0.3 | |

_

² The planned density and planned demand rates stated in Table SC 3.1.3 are subject to the maximum floor space and other restrictions on development under the Redland City Plan.

| Column 1 Area classification | Column 2 LGIP development types | Column 3 Planned der | nsity² | Column 4 Demand generation rate for a trunk infrastructure network ² | | | | |
|---|---|---|---|--|---|---|---|---|
| | 3,530 | Total non- residential plot ratio | Residential density (dwellings/net dev ha) | Water supply network (EP/net dev ha) | Sewerage network (EP / net dev ha) | Transport network (vpd / net dev ha) | Parks and land for community facilities network (EP/net dev ha) | Stormwater network (imp ha/net dev ha) |
| Low-medium density residential zone | Detached dwelling, Attached dwelling | 0 | 21 | 51.0 | 51.0 | 113.2 | 51.0 | 0.6 |
| Precinct LMDR1 SE Thornlands | Detached dwelling, Attached dwelling | 0 | 21 | 51.0 | 51.0 | 113.2 | 51.0 | 0.6 |
| Precinct LMDR2 Kinross Road | Detached dwelling, Attached dwelling | 0 | 21 | 51.0 | 51.0 | 113.2 | 51.0 | 0.6 |
| Medium density residential zone | Attached dwelling | 0 | 44 | 74.8 | 74.8 | 176.0 | 74.8 | 0.8 |
| Precinct MDR1 Park living, Capalaba | Attached dwelling | 0 | 80 | 136.0 | 136.0 | 320.0 | 136.0 | 0.8 |
| Precinct MDR2 Mount Cotton Road, Capalaba | Attached dwelling | 0 | 60 | 102.0 | 102.0 | 240.0 | 102.0 | 0.8 |
| Precinct MDR3 Shore Street East, Cleveland | Attached dwelling | 0 | 80 | 136.0 | 136.0 | 320.0 | 136.0 | 0.8 |
| Precinct MDR4 Cleveland | Attached dwelling | 0 | 60 | 102.0 | 102.0 | 240.0 | 102.0 | 0.8 |
| Precinct MDR5 Esplanade, Redland Bay | Attached dwelling | 0 | 60 | 102.0 | 102.0 | 240.0 | 102.0 | 0.8 |

| Column 1 Area classification | Column 2 LGIP development types | Column 3 Planned der | Column 3 Planned density ² | | Column 4 Demand generation rate for a trunk infrastructure network ² | | | | | |
|--|--|---|--|---|--|---|---|---|--|--|
| Classification | | Total non- residential plot ratio | Residential density (dwellings/net dev ha) | Water supply network (EP/net dev ha) | Sewerage network (EP / net dev ha) | Transport network (vpd / net dev ha) | Parks and land for community facilities network (EP/net dev ha) | Stormwater network (imp ha/net dev ha) | | |
| Precinct MDR6 SE Thornlands | Attached dwelling | 0 | 44 | 74.8 | 74.8 | 176.0 | 74.8 | 0.8 | | |
| Precinct MDR7 Eprapah Creek, SE Thornlands | Attached dwelling | 0 | 44 | 74.8 | 74.8 | 176.0 | 74.8 | 0.8 | | |
| Precinct MDR8 Kinross and Boundary Roads | Attached dwelling | 0 | 44 | 74.8 | 74.8 | 176.0 | 74.8 | 0.8 | | |
| Precinct MDR9 Kinross Road | Attached dwelling | 0 | 44 | 74.8 | 74.8 | 176.0 | 74.8 | 0.8 | | |
| Tourist accommodation zone | Attached dwelling | 0 | 44 | 74.8 | 74.8 | 176.0 | 74.8 | 0.8 | | |
| Non-residential dev | elopment and mixed d | evelopment ³ | | | | | | | | |
| Local centre zone | Commercial, Retail, Attached dwelling | 0.45 | 6 | 45.9 | 62.0 | 2,112.0 | 10.2 | 1.0 | | |
| District centre zone | Commercial, Retail, Attached dwelling | 0.6 | 44 | 70.8 | 92.8 | 2,112.0 | 10.2 | 1.0 | | |
| Major centre zone (Victoria Point) | Commercial, Retail | 1 | 0 | 105.2 | 142.5 | 3,610.0 | 0.0 | 1.0 | | |

³ **Table SC 3.1.3** Mixed development is development that includes residential development and non-residential development.

| Column 1 Area classification | Column 2 LGIP development types | Column 3 Planned density ² | | Column 4 Demand generation rate for a trunk infrastructure network ² | | | | | |
|--|--|---|---|--|---|---|---|---|--|
| ciassification | | Total non- residential plot ratio | Residential density (dwellings/net dev ha) | Water supply network (EP/net dev ha) | Sewerage network (EP / net dev ha) | Transport network (vpd / net dev ha) | Parks and land for community facilities network (EP/net dev ha) | Stormwater network (imp ha/net dev ha) | |
| Mixed use zone | Retail | 0.5 | 0 | 59.0 | 80.0 | 2,000.0 | 0.0 | 0.9 | |
| Principal centre zone (Cleveland) | Commercial, Retail, Attached dwelling | 2 | 124 | 151.6 | 196.2 | 4,649.6 | 21.1 | 1.0 | |
| Principal centre zone (Capalaba) | Commercial, Retail, Attached dwelling | 2.5 | 124 | 184.2 | 240.2 | 5,799.6 | 21.1 | 1.0 | |
| Specialised centre zone (Redland Hospital) | Commercial, Retail, Community purpose (Hospital) | 0.7 | 0 | 269.7 | 269.7 | 1,112.9 | 0.0 | 0.9 | |
| Low impact industry zone | Retail, Industrial (low impact) | 0.6 | 0 | 21.9 | 22.5 | 720.0 | 0.0 | 0.9 | |
| Medium impact industry zone | Retail, Industrial (medium impact) | 0.6 | 0 | 28.1 | 28.6 | 555.0 | 0.0 | 0.9 | |
| Waterfront and marine industry zone | Retail, Industrial | 0.5 | 0 | 22.5 | 23.1 | 542.3 | 0.0 | 0.9 | |
| Precinct CF1 cemeteries and crematoria | Community purpose | 0.1 | 0 | 6.0 | 6.0 | 100.0 | 0.0 | 0.1 | |
| Precinct CF2 community facilities | Community purpose | 0.24 | 0 | 43.0 | 27.0 | 240.0 | 0.0 | 0.5 | |
| Precinct CF3 educational establishments | Community purpose (secondary | 0.2 | 0 | 100.0 | 94.0 | 400.0 | 0.0 | 0.5 | |

| Column 1 Area | Column 2 LGIP development | Column 3 Planned density ² | | Column 4 Demand generation rate for a trunk infrastructure network ² | | | | | |
|---|--------------------------------|---|---|--|---|---|---|---|--|
| classification | types | Total non- residential plot ratio | Residential density (dwellings/net dev ha) | Water supply network (EP/net dev ha) | Sewerage network (EP / net dev ha) | Transport network (vpd / net dev ha) | Parks and land for community facilities network (EP/net dev ha) | Stormwater network (imp ha/net dev ha) | |
| | school/college/primary school) | | | | | | | | |
| Precinct CF4 emergency services | Community purpose | 0.2 | 0 | 36.0 | 23.0 | 200.0 | 0.0 | 0.9 | |
| Precinct CF5 places of worship | Community purpose | 0.24 | 0 | 43.0 | 27.0 | 240.0 | 0.0 | 0.5 | |
| Precinct CF6 infrastructure | | | (no c | density outcome n | ominated) | | | | |
| Precinct CF7 future transport/green space/trail corridors | | | (no c | density outcome n | ominated) | | | | |
| Precinct CF8 Commonwealth facilities | Community purpose | 0.1 | 0 | 18.0 | 11.0 | 100.0 | 0.0 | 0.1 | |
| Precinct CF9 passenger ferry terminals | Community purpose | 0.1 | 0 | 18.0 | 11.0 | 100.0 | 0.0 | 0.9 | |

Table SC 3.1.4—Existing and projected residential dwellings

| Column 1 Projection | Column 2 LGIP | Column 3 | | ed resident | ial dwellin | as |
|---------------------|---------------------|----------|-------|-------------|-------------|----------------------|
| area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate development |
| Alexander Hills | Detached dwelling | 5,296 | 5,448 | 5,559 | 6,096 | 6,136 |
| | Attached dwelling | 314 | 375 | 397 | 423 | 454 |
| | | | | | | |
| | Total | 5,610 | 5,823 | 5,956 | 6,519 | 6,590 |
| Birkdale | Detached dwelling | 4,301 | 4,491 | 4,672 | 5,174 | 5,472 |
| | Attached dwelling | 590 | 669 | 784 | 869 | 931 |
| | Takal | 4.004 | F 400 | F 450 | 0.040 | 0.400 |
| Canalaha | Total | 4,891 | 5,160 | 5,456 | 6,043 | 6,403 |
| Capalaba | Detached dwelling | 4,620 | 4,742 | 4,834 | 5,379 | 5,875 |
| | Attached dwelling | 1,213 | 1,397 | 2,004 | 2,438 | 2,542 |
| | | | | | | |
| | Total | 5,833 | 6,139 | 6,838 | 7,817 | 8,417 |
| Cleveland | Detached dwelling | 3,919 | 4,069 | 4,186 | 4,660 | 4,660 |
| | Attached dwelling | 2,280 | 2,979 | 3,732 | 4,310 | 4,828 |
| | Total | 6 100 | 7.049 | 7.019 | 9.070 | 0.488 |
| Ormiston | Detached | 6,199 | 7,048 | 7,918 | 8,970 | 9,488 |
| Offilision | dwelling | 1,694 | 1,794 | 1,886 | 2,110 | 2,229 |
| | Attached dwelling | 482 | 551 | 657 | 731 | 731 |
| | | | | | | |
| | Total | 2,176 | 2,345 | 2,543 | 2,841 | 2,960 |
| Redland Bay | Detached dwelling | 4,424 | 4,729 | 5,124 | 5,874 | 6,073 |
| | Attached dwelling | 207 | 417 | 685 | 907 | 907 |
| | | | | | | |
| | Total | 4,631 | 5,146 | 5,809 | 6,781 | 6,980 |
| Redland Islands | Detached dwelling | 5,646 | 6,049 | 6,586 | 7,802 | 8,754 |
| | Attached dwelling | 391 | 411 | 486 | 524 | 524 |
| | T | 0.007 | 0.400 | 7.070 | 0.000 | 0.070 |
| | Total | 6,037 | 6,460 | 7,072 | 8,326 | 9,278 |

| Column 1 | Column 2 | Column 3 | | ed resident | ial durallina | |
|--------------------------------|---------------------|----------|--------|-------------|---------------|-------------|
| Projection area | development type | 2016 | 2021 | 2026 | 2031 | Ultimate |
| | | 2010 | 2021 | 2020 | 2031 | development |
| Sheldon - Mount | Detached dwelling | 1,621 | 1,879 | 1,936 | 2,212 | 2,212 |
| Cotton | Attached dwelling | 6 | 7 | 7 | 7 | 7 |
| | | | | | | |
| | Total | 1,627 | 1,886 | 1,943 | 2,219 | 2,219 |
| Thorneside | Detached dwelling | 1,055 | 1,072 | 1,080 | 1,179 | 1,179 |
| | Attached dwelling | 498 | 521 | 567 | 574 | 574 |
| | | 4 === | 4.500 | 4.04= | 4 ==0 | . === |
| 71 | Total | 1,553 | 1,593 | 1,647 | 1,753 | 1,753 |
| Thornlands | Detached dwelling | 4,066 | 4,639 | 5,259 | 6,173 | 6,371 |
| | Attached dwelling | 232 | 384 | 542 | 796 | 2,038 |
| | | | | | | |
| | Total | 4,298 | 5,023 | 5,801 | 6,969 | 8,409 |
| Victoria Point | Detached dwelling | 4,611 | 4,693 | 4,744 | 5,253 | 5,649 |
| | Attached dwelling | 819 | 897 | 1,108 | 1,229 | 1,478 |
| | - | 5 400 | 5.500 | 5.050 | 0.400 | 7.407 |
| Mallin est e se | Total | 5,430 | 5,590 | 5,852 | 6,482 | 7,127 |
| Wellington Point | Detached dwelling | 3,478 | 3,628 | 3,801 | 4,234 | 4,333 |
| | Attached dwelling | 402 | 466 | 534 | 584 | 584 |
| | | | | | | |
| | Total | 3,880 | 4,094 | 4,335 | 4,818 | 4,917 |
| Inside priority | Detached dwelling | 44,731 | 47,233 | 49,667 | 56,144 | 58,943 |
| infrastructure area (total) | Attached dwelling | 7,434 | 9,074 | 11,503 | 13,392 | 15,598 |
| | | | | | | |
| | Total | 52,165 | 56,307 | 61,170 | 69,536 | 74,541 |
| Outside priority | Detached dwelling | 1,630 | 1,783 | 1,934 | 2,090 | 2,090 |
| infrastructure area (total) | Attached dwelling | 43 | 102 | 168 | 252 | 252 |
| | | | | | | |
| | Total | 1,673 | 1,885 | 2,102 | 2,342 | 2,342 |

| Column 1 | Column 2 | Column 3 | | | | | |
|------------------------------|-------------------|--|--------|--------|--------|----------------------|--|
| Projection LGIP develop type | | Existing and projected residential dwellings | | | | | |
| | - | 2016 | 2021 | 2026 | 2031 | Ultimate development | |
| Redland City | Detached dwelling | 46,361 | 49,016 | 51,601 | 58,235 | 61,033 | |
| | Attached dwelling | 7,477 | 9,176 | 11,671 | 13,644 | 15,850 | |
| | | | | | | | |
| | Total | 53,838 | 58,192 | 63,272 | 71,879 | 76,883 | |

Table SC 3.1.5—Existing and projected non-residential floor space (m² GFA)

| Column 1 | Column 2 | Column 3 | | | | | | | |
|--------------------|-----------------------|-----------------|---|---------|---------|-----------------------------|--|--|--|
| Projection area | LGIP developmen | Existing a GFA) | Existing and projected non-residential floor space (m ² GFA) | | | | | | |
| | t type | 2016 | 2021 | 2026 | 2031 | Ultimate developmen t | | | |
| Alexander Hills | Retail | 44,198 | 44,198 | 44,583 | 44,968 | 45,738 | | | |
| | Commercial | 8,925 | 9,300 | 9,350 | 9,425 | 9,425 | | | |
| | Industrial | 31,970 | 31,970 | 31,970 | 31,970 | 31,970 | | | |
| | Community Purposes | 72,072 | 72,648 | 73,224 | 73,800 | 73,800 | | | |
| | Total | 157,165 | 158,116 | 159,127 | 160,163 | 160,933 | | | |
| Birkdale | Retail | 36,190 | 36,344 | 36,498 | 36,652 | 36,960 | | | |
| | Commercial | 10,425 | 11,000 | 11,150 | 11,625 | 12,550 | | | |
| | Industrial | 40,365 | 40,365 | 40,365 | 40,365 | 40,365 | | | |
| | Community Purposes | 52,128 | 52,992 | 53,640 | 54,072 | 54,504 | | | |
| | | | | | | | | | |
| | Total | 139,108 | 140,701 | 141,653 | 142,714 | 144,379 | | | |
| Capalaba | Retail | 327,635 | 364,903 | 402,171 | 439,439 | 513,975 | | | |
| | Commercial | 39,500 | 41,100 | 42,525 | 43,875 | 47,800 | | | |
| | Industrial | 345,920 | 347,070 | 347,990 | 348,910 | 350,750 | | | |
| | Community Purposes | 68,616 | 70,344 | 72,072 | 73,656 | 79,272 | | | |
| | Total | 781,671 | 823,417 | 864,758 | 905,880 | 991,797 | | | |
| Cleveland | Retail | 209,055 | 250,635 | 292,215 | 333,795 | 416,955 | | | |
| | Commercial | 52,600 | 52,900 | 53,025 | 53,350 | 53,850 | | | |
| | Industrial | 236,210 | 241,615 | 247,020 | 252,425 | 263,235 | | | |
| | Community Purposes | 168,840 | 170,136 | 192,816 | 231,408 | 280,800 | | | |

| Column 1 | Column 2 | Column 3 | | | | |
|-----------------|-----------------------|-----------------|-------------|-------------|--------------|-----------------------------|
| Projection area | LGIP developmen | Existing a GFA) | nd projecte | d non-resid | dential floo | r space (m² |
| | t type | 2016 | 2021 | 2026 | 2031 | Ultimate developmen t |
| | Total | 666,705 | 715,286 | 785,076 | 870,978 | 1,014,840 |
| Ormiston | Retail | 18,557 | 18,557 | 18,557 | 18,557 | 18,557 |
| | Commercial | 8,325 | 9,075 | 9,600 | 10,075 | 10,925 |
| | Industrial | 25,530 | 25,530 | 25,530 | 25,530 | 25,530 |
| | Community Purposes | 28,080 | 29,088 | 29,952 | 30,528 | 31,680 |
| | Total | 80,492 | 82,250 | 83,639 | 84,690 | 86,692 |
| Redland Bay | Retail | 32,802 | 35,574 | 38,346 | 41,118 | 46,662 |
| | Commercial | 11,400 | 13,375 | 14,325 | 15,475 | 19,525 |
| | Industrial | 72,450 | 75,555 | 78,660 | 81,765 | 87,975 |
| | Community Purposes | 23,904 | 24,840 | 25,560 | 25,992 | 26,568 |
| | Total | 140,556 | 149,344 | 156,891 | 164,350 | 180,730 |
| Redland | Retail | 42,658 | 43,890 | 45,122 | 46,354 | 48,895 |
| Islands | Commercial | 6,800 | 7,100 | 7,125 | 7,150 | 7,200 |
| | Industrial | 35,075 | 35,075 | 35,075 | 35,075 | 35,075 |
| | Community Purposes | 19,440 | 20,376 | 20,808 | 21,240 | 22,968 |
| | Total | 103,973 | 106,441 | 108,130 | 109,819 | 114,138 |
| Sheldon- | Retail | 10,549 | 14,014 | 17,479 | 20,944 | 27,874 |
| Mount | Commercial | 4,775 | 6,100 | 7,000 | 7,000 | 7,000 |
| Cotton | Industrial | 0 | 0 | 0 | 0 | 0 |
| | Community Purposes | 12,168 | 13,248 | 13,752 | 14,184 | 15,696 |
| | Total | 27,492 | 33,362 | 38,231 | 42,128 | 50,570 |
| Thornlands | Retail | 17,941 | 19,173 | 20,405 | 21,637 | 24,101 |
| | Commercial | 10,500 | 12,900 | 13,850 | 14,575 | 14,625 |
| | Industrial | 58,650 | 58,650 | 58,650 | 58,650 | 58,650 |
| | Community Purposes | 49,896 | 53,424 | 57,528 | 61,560 | 67,392 |
| | Total | 136,987 | 144,147 | 150,433 | 156,422 | 164,768 |
| Thorneside | Retail | 5,005 | 5,005 | 5,005 | 5,005 | 5,005 |
| | Commercial | 2,325 | 2,850 | 3,350 | 3,850 | 4,850 |

| Column 1 Projection | Column 2 LGIP | Column 3 Existing a | nd projecte | ed non-resid | dential flooi | r space (m² |
|------------------------|-----------------------|---------------------|---------------|---------------|---------------|-----------------------------|
| area | developmen t type | GFA) | | | | |
| | туре | 2016 | 2021 | 2026 | 2031 | Ultimate developmen t |
| | Industrial | 17,135 | 17,595 | 18,055 | 18,515 | 19,435 |
| | Community Purposes | 2,664 | 2,664 | 2,664 | 2,664 | 2,664 |
| | Total | 27,129 | 28,114 | 29,074 | 30,034 | 31,954 |
| Victoria | Retail | 132,363 | 137,368 | 147,994 | 159,005 | 197,197 |
| Point | Commercial | 16,950 | 18,325 | 20,925 | 23,675 | 35,200 |
| | Industrial | 46,115 | 46,115 | 46,115 | 46,115 | 46,115 |
| | Community Purposes | 76,392 | 80,856 | 88,416 | 95,400 | 113,472 |
| | | | | | | |
| | Total | 271,820 | 282,664 | 303,450 | 324,195 | 391,984 |
| Wellington Point | Retail | 34,188 | 35,112 | 36,036 | 36,960 | 38,808 |
| Foilit | Commercial | 7,675 | 8,050 | 8,175 | 8,175 | 11,225 |
| | Industrial | 24,150 | 24,150 | 24,150 | 24,150 | 24,150 |
| | Community Purposes | 48,672 | 49,968 | 51,120 | 51,840 | 52,920 |
| | Total | 114,685 | 117,280 | 119,481 | 121,125 | 127,103 |
| Inside priority | Retail | 911,141 | 1,004,77 3 | 1,104,41 1 | 1,204,43 4 | 1,420,727 |
| infrastructur | Commercial | 180,200 | 192,075 | 200,400 | 208,250 | 234,175 |
| e area (total) | Industrial | 933,570 | 943,690 | 953,580 | 963,470 | 983,250 |
| | Community Purposes | 622,872 | 640,584 | 681,552 | 736,344 | 821,736 |
| | Total | 2,647,78 | 2,781,12 2 | 2,939,94 | 3,112,49 8 | 3,459,888 |
| Outside | Retail | 4,697 | 15,400 | 30,415 | 35,112 | 35,882 |
| priority infrastructur | Commercial | 1,925 | 6,075 | 12,350 | 14,900 | 16,300 |
| e area (total) | Industrial | 155,250 | 155,365 | 155,480 | 155,595 | 155,825 |
| 0 4.04 (1014.) | Community Purposes | 18,288 | 20,016 | 21,168 | 22,248 | 24,696 |
| | | | | | | |
| | Total | 180,160 | 196,856 | 219,413 | 227,855 | 232,703 |
| Redland City | Retail | 915,838 | 1,020,17 3 | 1,134,82 6 | 1,239,54 6 | 1,456,609 |
| | Commercial | 182,125 | 198,150 | 212,750 | 223,200 | 250,475 |
| | Industrial | 1,088,82 0 | 1,099,05 5 | 1,109,06 0 | 1,119,06 5 | 1,139,075 |

| Column 1 Projection area | Column 2 LGIP developmen | Existing and projected non-residential floor spa | | | | | | |
|--------------------------------|--------------------------------|--|---------------|---------------|---------------|-----------------------------|--|--|
| | t type | 2016 | 2021 | 2026 | 2031 | Ultimate developmen t | | |
| | Community Purposes | 641,160 | 660,600 | 702,720 | 758,592 | 846,432 | | |
| | | | | | | | | |
| | Total | 2,827,94 3 | 2,977,97 8 | 3,159,35 6 | 3,340,40 3 | 3,692,591 | | |

Table SC 3.1.6—Existing and projected demand for the water supply network

| Column 1 | Column 2 Existing and projected demand (EP) | | | | | | |
|---------------------------------|---|--------|--------|---------|----------------------|--|--|
| Service catchment ⁴ | 2016 (base date) | 2021 | 2026 | 2031 | Ultimate development | | |
| Alexandra Hills | 89,613 | 93,713 | 97,959 | 101,712 | 102,719 | | |
| Mount Cotton | 21,165 | 21,890 | 22,965 | 23,961 | 24,250 | | |
| Dunwich | 1,372 | 1,575 | 1,607 | 1,633 | 1,636 | | |
| Amity Point | 841 | 885 | 903 | 935 | 935 | | |
| Point Lookout | 1,132 | 1,132 | 1,132 | 1,132 | 1,132 | | |
| Southern Moreton Bay Islands | 6,804 | 8,153 | 9,511 | 10,855 | 12,148 | | |
| Heinemann Road | 47,714 | 52,069 | 55,198 | 57,362 | 58,047 | | |

Table SC 3.1.7—Existing and projected demand for the sewerage network

| Table SC 3.1.7—Existing and projected demand for the sewerage network | | | | | | | | |
|---|---------------------|------------------------------------|--------|--------|-------------------------|--|--|--|
| Column 1 | Column 2 | | | | | | | |
| Service catchment ⁵ | Existing and | Existing and projected demand (EP) | | | | | | |
| | 2016 (base date) | 2021 | 2026 | 2031 | Ultimate development | | | |
| Capalaba | 28,110 | 28,900 | 29,786 | 30,645 | 30,997 | | | |
| Cleveland | 41,053 | 45,071 | 47,964 | 50,590 | 51,381 | | | |
| Thorneside | 42,615 | 44,268 | 45,840 | 46,856 | 47,470 | | | |
| Victoria Point | 30,721 | 32,940 | 34,813 | 36,243 | 36,642 | | | |
| Mount Cotton | 4,205 | 5,314 | 5,352 | 5,409 | 5,494 | | | |
| Dunwich | 1,003 | 1,564 | 1,572 | 1,578 | 1,614 | | | |
| Point Lookout | 1,834 | 7,116 | 7,600 | 7,600 | 7,600 | | | |

Table SC 3.1.8—Existing and projected demand for the stormwater network

| Column 1 | Column 2 | | | | | | | |
|--------------------------|------------|--|--------|--------|-------------------------|--|--|--|
| Service | Existing a | Existing and projected demand (imp ha) | | | | | | |
| catchment ⁶ | 2016 | 2021 | 2026 | 2031 | Ultimate development | | | |
| Cleveland CBD | 121.88 | 132.88 | 143.23 | 151.04 | 156.00 | | | |
| Kinross Road Precinct | 28.36 | 32.54 | 37.11 | 40.24 | 44.48 | | | |
| Lower Tingalpa Creek | 34.61 | 36.66 | 38.69 | 40.69 | 45.00 | | | |

⁴ **Error! Reference source not found.** Column 1 – The service catchments for the water supply network are dentified on Local Government Infrastructure Plan Map LGIP-02 Plan for trunk water supply infrastructure in SC3.3 Local government infrastructure plan maps. The water supply network service catchments are not the water service areas under the *Water Act 2000*.

⁵ Table SC 3.1.7 Column 1 – The service catchments for the sewerage network are identified on Local Government Infrastructure Plan Map LGIP-03 Plan for trunk sewerage infrastructure in SC3.3 Local government infrastructure plan maps. The sewerage network service catchments are not the service areas under the *Water Act 2000*.

⁶ Table SC 3.1.8 Column 1 - The service catchments for the stormwater network are identified on Local Government Infrastructure Plan Map LGIP-04 Plan for trunk stormwater infrastructure in SC3.3 Local government infrastructure plan maps.

| Column 1 Service | Column 2 Existing and projected demand (imp ha) | | | | | | |
|---------------------------|---|----------|----------|----------|-------------------------|--|--|
| catchment ⁶ | 2016 | 2021 | 2026 | 2031 | Ultimate development | | |
| Native Dog Creek | 28.79 | 33.22 | 34.95 | 34.95 | 34.95 | | |
| SE Thornlands Precinct | 20.25 | 23.24 | 26.51 | 28.74 | 31.77 | | |
| Torquay Creek | 27.36 | 29.83 | 33.08 | 35.15 | 35.73 | | |
| Upper Eprapah Creek | 30.43 | 30.93 | 31.75 | 32.11 | 34.44 | | |
| Weinam Creek | 58.01 | 63.25 | 70.13 | 74.52 | 75.76 | | |
| Redlands Balance | 2,089.17 | 2,215.39 | 2,359.80 | 2,667.37 | 3,531.35 | | |

Table SC 3.1.9—Existing and projected demand for the transport network

| Column 1 | Column 2 | | | | | |
|--------------------------------|--|---------|---------|---------|-------------------------|--|
| Service catchment ⁷ | Existing and projected demand (vehicle trips per day, vpd) | | | | | |
| | 2016 | 2021 | 2026 | 2031 | Ultimate development | |
| Alexandra Hills | 65,347 | 66,484 | 67,620 | 68,756 | 87,497 | |
| Birkdale | 53,605 | 55,562 | 57,519 | 59,476 | 75,688 | |
| Capalaba | 138,401 | 144,381 | 150,362 | 156,342 | 198,957 | |
| Cleveland | 99,465 | 106,118 | 112,772 | 119,425 | 151,977 | |
| Mt Cotton | 18,756 | 20,320 | 21,884 | 23,448 | 29,839 | |
| Ormiston | 24,082 | 25,264 | 26,446 | 27,628 | 35,159 | |
| Redland Bay | 47,277 | 50,045 | 52,812 | 55,579 | 70,729 | |
| Sheldon | 7,847 | 7,865 | 7,883 | 7,901 | 10,055 | |
| Thorneside | 10,214 | 10,315 | 10,415 | 10,516 | 13,382 | |
| Thornlands | 47,778 | 52,637 | 57,495 | 62,353 | 79,349 | |
| Victoria Point | 77,539 | 81,493 | 85,447 | 89,402 | 113,771 | |
| Wellington Point | 39,591 | 40,936 | 42,280 | 43,624 | 55,515 | |
| Islands | 23,847 | 26,186 | 28,526 | 30,865 | 39,278 | |
| Citywide | 653,748 | 687,604 | 721,459 | 755,315 | 961,196 | |

Table SC 3.1.10—Existing and projected demand for the parks and land for community facilities network

| lacinities network | | | | | | |
|--------------------------------|------------------------------------|--------|--------|--------|----------------------|--|
| Column 1 | Column 2 | | | | | |
| Service catchment ⁸ | Existing and projected demand (EP) | | | | | |
| | 2016 | 2021 | 2026 | 2031 | Ultimate development | |
| Catchment 1 | 31,553 | 32,795 | 34,246 | 34,704 | 35,528 | |
| Catchment 2 | 35,506 | 36,565 | 38,172 | 38,981 | 40,172 | |
| Catchment 3 | 22,159 | 23,970 | 25,730 | 26,951 | 27,837 | |
| Catchment 4 | 46,762 | 51,005 | 56,036 | 59,302 | 62,932 | |

⁷ Table SC 3.1.9 Column 1 - The service catchments for the transport network are identified on Local Government Infrastructure Plan Map LGIP-05 Plan for trunk transport infrastructure in SC3.3 Local government infrastructure plan maps.

⁸ Table SC 3.1.10 Column 1 - The service catchments for the parks and land for community facilities network are identified on Local Government Infrastructure Plan Map LGIP-06 Plan for trunk parks and land for community facilities infrastructure in SC3.3 Local government infrastructure plan maps.

| Column 1 | Column 2 | | | | |
|--------------------------------|------------------------------------|---------|---------|---------|-------------------------|
| Service catchment ⁸ | Existing and projected demand (EP) | | | | |
| | 2016 | 2021 | 2026 | 2031 | Ultimate development |
| Catchment 5 | 7,930 | 8,741 | 8,925 | 8,936 | 8,794 |
| Catchment 6 | 9,752 | 10,345 | 11,236 | 12,049 | 13,149 |
| Citywide | 153,662 | 163,421 | 174,346 | 180,923 | 188,412 |

SC3.2 Schedules of works

Table SC 3.2.1—Water supply network schedule of works

| Column 1 Map reference | Column 2 Trunk infrastructure | Column 3 Estimated timing | Column 4 Establishment cost ⁹ |
|---------------------------|---|---------------------------|--|
| DMA210 | Thornlands PRV | 2021 | \$96,584 |
| DMA214 | Ziegenfusz PRV | 2021 | \$83,902 |
| PIP_IC14A | DN300 Trunk Main Good Soil Urban | 2017 | \$214,871 |
| PIP_IC13_P1 | DN300 Trunk Main Good Soil Urban | 2021 | \$145,401 |
| PIP_IC13_P2 | DN300 Trunk Main Good Soil Urban | 2021 | \$393,236 |
| PIP_NEWAUG14_P2 | DN200 Trunk Main Sand Rural | 2020 | \$476,389 |
| PIP_NEWAUG14_P1 | DN200 Trunk Main Acid Sulphate Rural | 2020 | \$771,877 |
| PIP_IC9_Opt2 | DN250 Trunk Main Good Soil HDU | 2020 | \$248,694 |
| Total | | | \$2,430,954 |

Table SC 3.2.2—Sewerage network schedule of works

| Column 1 Map reference | Column 2 Trunk infrastructure | Column 3 Estimated timing | Column 4 Establishment cost ¹⁰ |
|---------------------------|---------------------------------------|---------------------------|---|
| FGM_CL_13 | Gravity Main DN150 Good Soil Rural | 2016 | \$13,300 |
| FGM_CL_10 | Gravity Main DN150 Good Soil HDU | 2016 | \$20,137 |
| FGM_CL_11 | Gravity Main DN150 Good Soil HDU | 2016 | \$15,245 |
| SPS12 | Pump Station Pump Station Upgrade | 2017 | \$130,813 |
| SPS35 | Pump Station Pump Station Upgrade | 2017 | \$3,162,500 |
| SPS138 | Pump Station Pump Station Upgrade | 2017 | \$136,922 |
| CAP_STP_17 | Treatment Plant STP Upgrade | 2017 | \$133,759 |
| FGM_CA_03 | Gravity Main DN225 Good Soil Rural | 2017 | \$2,871 |
| FGM_CA_04 | Gravity Main DN225 Good Soil Rural | 2017 | \$32,404 |
| FGM_CL_03 | Gravity Main DN300 Good Soil Rural | 2017 | \$123,267 |
| FGM_CL_04 | Gravity Main DN300 Good Soil Rural | 2017 | \$246,379 |
| FGM_CL_07 | Gravity Main DN300 Good Soil Rural | 2017 | \$93,850 |

⁹ Table SC 3.2.1 Column 4 – The establishment cost is expressed in current cost terms as at the base date.

 $^{^{10}}$ Error! Reference source not found. Column 4 – The establishment cost is expressed in current cost terms s at the base date.

| Column 1 | Column 2 | Column 3 | Column 4 |
|-----------------|---------------------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹⁰ |
| FGM_CL_12 | Gravity Main DN150 Good Soil HDU | 2017 | \$23,714 |
| FRM_TH_03 | Rising Main DN300 Good Soil Urban | 2017 | \$3,017 |
| FRM_TH_01 | Rising Main DN450 Good Soil Rural | 2017 | \$582,327 |
| FRM_TH_02 | Rising Main DN200 Good Soil Rural | 2017 | \$4,126 |
| FGM_TH_01 | Gravity Main DN675 Poor Soil Rural | 2017 | \$19,546 |
| FRM_MC_01 | Rising Main DN225 Good Soil Rural | 2017 | \$33,218 |
| FRM_MC_02 | Rising Main DN225 Good Soil Rural | 2017 | \$93,510 |
| FRM_MC_03 | Rising Main DN225 Good Soil Rural | 2017 | \$274,630 |
| FRM_MC_04 | Rising Main DN225 Good Soil Urban | 2017 | \$60,117 |
| FGM_PT_08 | Gravity Main DN150 Urban Sand Island | 2017 | \$107,655 |
| FGM_PT_11 | Gravity Main DN150 Urban Sand Island | 2017 | \$82,825 |
| FGM_PT_09 | Gravity Main DN150 Urban Sand Island | 2017 | \$45,202 |
| FGM_PT_02 | Gravity Main DN225 Urban Sand Island | 2017 | \$224,832 |
| FGM_PT_04 | Gravity Main DN150 Urban Sand Island | 2017 | \$42,142 |
| FGM_PT_07 | Gravity Main DN150 Urban Sand Island | 2017 | \$77,420 |
| FGM_PT_05 | Gravity Main DN150 Urban Sand Island | 2017 | \$25,574 |
| FGM_PT_01 | Gravity Main DN225 Urban Sand Island | 2017 | \$152,641 |
| FGM_PT_03 | Gravity Main DN225 Urban Sand Island | 2017 | \$49,822 |
| FGM_PT_06 | Gravity Main DN150 Urban Sand Island | 2017 | \$45,788 |
| FGM_PT_10 | Gravity Main DN150 Urban Sand Island | 2017 | \$51,304 |
| CAP_STP_18 | Treatment Plant STP Upgrade | 2018 | \$1,228,919 |
| CLE_STP_18 | Treatment Plant STP Upgrade | 2018 | \$17,250 |
| MC_STP_18 | Treatment Plant STP Upgrade | 2018 | \$28,750 |
| CLE_STP_19 | Treatment Plant STP Upgrade | 2019 | \$155,250 |
| THORNE_STP_19 | Treatment Plant STP Upgrade | 2019 | \$129,375 |
| MC_STP_19 | Treatment Plant STP Upgrade | 2019 | \$669,875 |
| CLE_STP_20 | Treatment Plant STP Upgrade | 2020 | \$567,813 |
| THORNE_STP_20 | Treatment Plant STP Upgrade | 2020 | \$510,313 |
| MC_STP_20 | Treatment Plant STP Upgrade | 2020 | \$431,250 |
| | Pump Station Pump Station | | |
| SPS68 MC_STP_21 | Upgrade Treatment Plant STP Upgrade | 2021 | \$136,922 \$4,240,625 |
| | | | |
| DUN_STP_21 | Treatment Plant STP Upgrade | 2021 | \$339,000 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|---------------|---------------------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹⁰ |
| FGM_TH_02 | Gravity Main DN525 Good Soil Urban | 2021 | \$97,281 |
| FGM_VP_22 | Gravity Main DN450 Hdu Good Soil | 2021 | \$45,119 |
| FGM_VP_23 | Gravity Main DN450 Hdu Good Soil | 2021 | \$32,295 |
| FGM_VP_24 | Gravity Main DN375 Hdu Good Soil | 2021 | \$173,955 |
| CLE_STP_22 | Treatment Plant STP Upgrade | 2022 | \$215,625 |
| MC_STP_22 | Treatment Plant STP Upgrade | 2022 | \$8,855,000 |
| CLE_STP_23 | Treatment Plant STP Upgrade | 2023 | \$6,933,063 |
| MC_STP_23 | Treatment Plant STP Upgrade | 2023 | \$7,848,750 |
| FRM_PT_01 | Rising Main DN225 Urban Sand Island | 2023 | \$1,205,295 |
| MC_STP_24 | Treatment Plant STP Upgrade | 2024 | \$747,500 |
| CLE_STP_25 | Treatment Plant STP Upgrade | 2025 | \$3,113,625 |
| SPS69 | Pump Station Pump Station Upgrade | 2026 | \$71,875 |
| SPS70 | Pump Station Pump Station Upgrade | 2026 | \$71,875 |
| SPS71 | Pump Station Pump Station Upgrade | 2026 | \$6,296,250 |
| SPS72 | Pump Station Pump Station Upgrade | 2026 | \$71,875 |
| CAP_STP_26 | Treatment Plant STP Upgrade | 2026 | \$209,875 |
| FGM_CL_08 | Gravity Main DN150 Good Soil CBD | 2026 | \$53,669 |
| FGM_CL_14 | Gravity Main DN150 | 2017 | \$275,000 |
| FRM_CL_01 | Rising Main DN300 | 2017 | \$275,000 |
| FPS_A | Pump station | 2017 | \$550,000 |
| Total | | | \$51,852,640 |

Table SC 3.2.3—Stormwater network schedule of works

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|-----------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹¹ |
| SW-P-25 | Kinross GPT C | 2017 | \$51,376 |
| SW-A-305 | Bioretention Basin C | 2017 | \$210,243 |
| SW-P-8 | Kinross GPT D | 2017 - 2020 | \$71,172 |
| SW-A-199 | Wetland System | 2017 - 2021 | \$2,243,426 |
| SW-A-257 | Bioretention A | 2017 - 2021 | \$439,965 |
| SW-A-258 | Infiltration Bioretention B | 2017 - 2021 | \$109,658 |
| SW-A-262 | Infiltration Bioretention A | 2017 - 2021 | \$267,760 |
| SW-A-263 | Infiltration Bioretention A | 2017 - 2021 | \$267,760 |

¹¹ **Error! Reference source not found.** Column 4 – The establishment cost is expressed in current cost terms s at the base date.

Redland City Plan 2018 - version 6

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|--|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹¹ |
| SW-A-264 | Infiltration Bioretention A | 2017 - 2021 | \$267,760 |
| SW-A-266 | Infiltration Bioretention B | 2017 - 2021 | \$109,658 |
| SW-A-267 | Infiltration Bioretention B | 2017 - 2021 | \$109,658 |
| SW-A-268 | Infiltration Bioretention B | 2017 - 2021 | \$109,658 |
| SW-A-269 | Bioretention C | 2017 - 2021 | \$89,640 |
| SW-A-272 | Bio retention Basin D | 2017 - 2021 | \$95,517 |
| SW-A-279 | Bioretention Basin D | 2017 - 2021 | \$814,032 |
| SW-A-287 | Kinross | 2017 - 2021 | \$691,578 |
| SW-P-26 | Kinross GPT J | 2019 | \$51,376 |
| SW-A-306 | Bioretention Basin J | 2019 | \$772,090 |
| SW-L-17 | South East Thornlands Drainage System 1 (pipes, pits & headwall) | 2021 - 2026 | \$1,216,650 |
| SW-A-198 | Wetland System | 2021 - 2026 | \$1,442,477 |
| SW-A-275 | Wetland C (including inlet pond) | 2021 - 2026 | \$1,596,610 |
| SW-P-3 | South East Thornlands GPT D | 2022 - 2026 | \$62,123 |
| SW-P-16 | South East Thornlands Scour Protection Works | 2022 - 2026 | \$20,471 |
| SW-A-294 | Bioretention Basin - Native Dog Creek | 2026 | \$446,342 |
| SW-A-297 | Bioretention Basin - Native Dog Creek | 2026 | \$271,688 |
| SW-A-302 | Bioretention Basin - Native Dog Creek | 2026 | \$455,938 |
| SW-A-303 | Bioretention Basin - Native Dog Creek | 2026 | \$455,938 |
| SW-A-304 | Bioretention Basin - Thornlands | 2026 | \$455,938 |
| SW-A-200 | Bioretention Basin System | 2026 - 2031 | \$375,392 |
| SW-A-201 | Bioretention Basin System | 2026 - 2031 | \$308,565 |
| SW-A-202 | Bioretention Basin System | 2026 - 2031 | \$695,598 |
| SW-A-249 | Wetland | 2026 - 2031 | \$784,585 |
| SW-A-250 | Sediment Basin | 2026 - 2031 | \$253,392 |
| Total | | | \$15,614,034 |

Table SC 3.2.4—Transport network schedule of works

| Column 1 Map reference | Column 2 Trunk infrastructure | Column 3 Estimated timing | Column 4 Establishment cost ¹² |
|------------------------------|--|---------------------------|---|
| TR-L-111 | Beveridge Rd: Upgrade collector Redland Bay Rd to Rachow St | 2018 | \$3,017,406 |
| TR-L-91 | German Church Rd: Seal widening Cleveland Redland Bay to Gordon Rd and realignment School of Arts Rd | 2019 | \$3,304,685 |
| TR-L-105 | Panorama Drive (Arterial Road): Upgrade from 2 to 4 lanes from Boundary Road to Wellington Rd | 2020 | \$9,825,972 |
| TR-P-8 | Long Street (Major Collector Road): Intersection upgrade at Smith Street | 2021 | \$1,102,912 |

 $^{^{12}}$ Error! Reference source not found. Column 4 – The establishment cost is expressed in current cost terms s at the base date.

Redland City Plan 2018 – version 6

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|--|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-P-9 | Ziegenfusz Road (Major Collector Road): New single lane roundabout at Trundle Street | 2021 | \$735,275 |
| TR-P-14 | Passage Street (Major Collector Road): Intersection upgrade at Princess Street | 2021 | \$52,520 |
| TR-P-15 | Collingwood Road (Major Collector Road): Intersection upgrade at Spoonbill Street | 2021 | \$502,688 |
| TR-P-16 | Collingwood Road (Major Collector Road): Intersection upgrade at Lorna Street | 2021 | \$1,102,912 |
| TR-P-6 | Mount Cotton Road: Change priority at existing signalised intersection at Redland Bay Road | 2026 | \$727,772 |
| TR-P-7 | Starkey Street (Major Collector Road): Channelisation improvements at Old Cleveland Road | 2026 | \$748,679 |
| TR-P-11 | Hardy Road (Major Collector Road): Intersection upgrade at Collingwood | 2026 | \$502,688 |
| TR-P-10 | Benfer Road (Major Collector Road): Signalisation of intersection at Link Road | 2027 | \$300,112 |
| TR-P-12 | Old Cleveland Road East (Sub Arterial Road): Signals at Randall Road | 2027 | \$300,112 |
| TR-P-13 | Old Cleveland Road East (Sub Arterial Road): Signals at Barron Street | 2027 | \$300,112 |
| TR-P-21 | Northern Arterial Road (Arterial Road): Upgrade and signalisation of intersection at Sturgeon Street | 2027 | \$727,772 |
| TR-P-26 | Northern Arterial Road (Arterial Road): Roundabout at Wellington Street | 2027 | \$735,275 |
| TR-L-92 | School of Arts Road: Seal widening and channelisation from German Church Road to Collins Street | 2017 - 2019 | \$6,835,279 |
| TR-L-297 | New 2.5m Off-Road Cycle Path | 2017 - 2020 | \$107,160 |
| TR-P-17 | Pitt Road (Major Collector Road): Intersection upgrade at Nelson Street | 2017 - 2021 | \$502,688 |
| TR-P-19 | Broadwater Terrace (Major Collector Road): Intersection upgrade Stradbroke Street | 2017 - 2021 | \$727,772 |
| TR-P-20 | Heinemann Road (Sub Arterial Road): Intersection upgrade at Double Jump Road | 2017 - 2021 | \$555,208 |
| TR-L-115 | Double Jump Rd: Realignment Heinemann to Kingfisher, new intersection Heinemann, roundabout Bunker | 2017 - 2021 | \$3,278,190 |
| TR-L-100 | Kinross Road: Divided major collector w/ breakdowns from Boundary Rd to 3rd new roundabout | 2017 - 2021 | \$7,052,897 |
| TR-L-103 | Dinwoodie Road: Upgrade to 2 lane major collector Cleveland-Redland Bay Road to Boundary Rd | 2017 - 2021 | \$6,397,616 |
| TR-L-110 | Main Road (Sub Arterial Road): Seal widening to divided 2 lane sub arterial from Plumer to Duncan St | 2017 - 2021 | \$1,638,612 |
| TR-L-112 | Meissner Street: Seal widening and intersection upgrade at Weinam Street Government Road | 2017 - 2021 | \$805,201 |
| TR-L-114 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$1,805,035 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|--|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-78 | New Major Collector - South East Thornlands: 2 lane collector Boundary Rd to Cleveland-Redland Bay | 2017 - 2021 | \$5,369,884 |
| TR-L-79 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$2,109,558 |
| TR-L-124 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$52,691 |
| TR-L-125 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$15,670 |
| TR-L-126 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$96,971 |
| TR-L-127 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$269,806 |
| TR-L-128 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$86,274 |
| TR-L-129 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$76,848 |
| TR-L-133 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$98,000 |
| TR-L-134 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$53,540 |
| TR-L-135 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$162,189 |
| TR-L-136 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$109,841 |
| TR-L-137 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$108,498 |
| TR-L-138 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$103,123 |
| TR-L-139 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$226,364 |
| TR-L-140 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$75,715 |
| TR-L-141 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$34,325 |
| TR-L-142 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$80,136 |
| TR-L-143 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$84,284 |
| TR-L-144 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$38,311 |
| TR-L-145 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$82,512 |
| TR-L-146 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$96,512 |
| TR-L-147 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$146,285 |
| TR-L-148 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$54,142 |
| TR-L-149 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$101,844 |
| TR-L-150 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$50,468 |
| TR-L-151 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$45,199 |
| TR-L-152 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$183,835 |
| TR-L-153 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$237,373 |
| TR-L-154 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$33,435 |
| TR-L-155 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$107,586 |
| TR-L-156 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$119,783 |
| TR-L-157 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$33,074 |
| TR-L-158 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$105,323 |
| TR-L-159 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$53,814 |
| TR-L-160 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$112,155 |
| TR-L-161 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$64,939 |
| TR-L-162 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$42,477 |
| TR-L-163 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$29,343 |
| TR-L-164 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$86,965 |
| TR-L-165 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$90,360 |
| TR-L-166 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$42,630 |
| TR-L-185 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$54,413 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|----------------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-186 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$185,372 |
| TR-L-187 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$67,124 |
| TR-L-189 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$32,201 |
| TR-L-190 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$149,988 |
| TR-L-191 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$406,745 |
| TR-L-193 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$226,152 |
| TR-L-194 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$453,185 |
| TR-L-195 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$466,561 |
| TR-L-196 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$171,424 |
| TR-L-197 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$304,768 |
| TR-L-198 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$215,915 |
| TR-L-199 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$213,868 |
| TR-L-200 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$347,423 |
| TR-L-201 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$116,030 |
| TR-L-234 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$560,771 |
| TR-L-235 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$312,613 |
| TR-L-236 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$238,516 |
| TR-L-249 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$230,137 |
| TR-L-254 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$452,314 |
| TR-L-255 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$70,132 |
| TR-L-256 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$400,891 |
| TR-L-257 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$366,358 |
| TR-L-258 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$206,785 |
| TR-L-259 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$366,851 |
| TR-L-261 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$260,096 |
| TR-L-263 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$128,404 |
| TR-L-264 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$84,205 |
| TR-L-266 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$145,914 |
| TR-L-267 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$42,384 |
| TR-L-268 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$167,317 |
| TR-L-270 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$318,166 |
| TR-L-271 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$306,399 |
| TR-L-275 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$335,241 |
| TR-L-276 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$335,196 |
| TR-L-277 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$244,007 |
| TR-L-278 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$97,759 |
| TR-L-279 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$163,853 |
| TR-L-280 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$163,584 |
| TR-L-288 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$168,087 |
| TR-L-289 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$53,531 |
| TR-L-290 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$137,347 |
| TR-L-291 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$45,595 |
| TR-L-292 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$103,993 |
| TR-L-293 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$31,627 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|----------------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-294 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$89,099 |
| TR-L-295 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$77,338 |
| TR-L-296 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$228,593 |
| TR-L-298 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$290,719 |
| TR-L-299 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$291,825 |
| TR-L-300 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$474,133 |
| TR-L-301 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$47,312 |
| TR-L-302 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$38,265 |
| TR-L-303 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$91,777 |
| TR-L-304 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$66,863 |
| TR-L-305 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$142,467 |
| TR-L-306 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$208,748 |
| TR-L-307 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$118,850 |
| TR-L-308 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$99,609 |
| TR-L-309 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$92,133 |
| TR-L-310 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$69,954 |
| TR-L-311 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$244,220 |
| TR-L-312 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$71,489 |
| TR-L-313 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$109,351 |
| TR-L-314 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$159,174 |
| TR-L-315 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$128,317 |
| TR-L-316 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$114,430 |
| TR-L-317 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$92,781 |
| TR-L-318 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$45,042 |
| TR-L-347 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$18,406 |
| TR-L-348 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$69,945 |
| TR-L-349 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$16,156 |
| TR-L-350 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$21,830 |
| TR-L-352 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$41,433 |
| TR-L-353 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$55,635 |
| TR-L-354 | Upgrade 2.5m Off-Road Cycle Path | 2017 - 2021 | \$15,533 |
| TR-L-356 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$58,724 |
| TR-L-357 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$31,753 |
| TR-L-370 | Upgrade 3m Off-Road Cycle Path | 2017 - 2021 | \$220,730 |
| TR-L-371 | Upgrade 3m Off-Road Cycle Path | 2017 - 2021 | \$79,379 |
| TR-L-372 | New 3m Off-Road Cycle Path | 2017 - 2021 | \$354,628 |
| TR-L-387 | New 3m Off-Road Cycle Path | 2017 - 2021 | \$199,459 |
| TR-L-388 | New 3m Off-Road Cycle Path | 2017 - 2021 | \$351,650 |
| TR-L-389 | New 3m Off-Road Cycle Path | 2017 - 2021 | \$168,399 |
| TR-L-390 | Upgrade 3m Off-Road Cycle Path | 2017 - 2021 | \$40,114 |
| TR-L-392 | New 3m Off-Road Cycle Path | 2017 - 2021 | \$270,096 |
| TR-L-393 | Upgrade 3m Off-Road Cycle Path | 2017 - 2021 | \$180,906 |
| TR-L-394 | New 3m Off-Road Cycle Path | 2017 - 2021 | \$253,110 |
| TR-L-400 | Upgrade 1.5m On-Road Cycle Lane | 2017 - 2021 | \$17,143 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|---|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-401 | Upgrade 1.5m On-Road Cycle Lane | 2017 - 2021 | \$10,381 |
| TR-L-402 | Upgrade 1.5m On-Road Cycle Lane | 2017 - 2021 | \$9,954 |
| TR-L-403 | Upgrade 1.5m On-Road Cycle Lane | 2017 - 2021 | \$17,911 |
| TR-L-416 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$9,446 |
| TR-L-417 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$8,186 |
| TR-L-418 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$6,730 |
| TR-L-419 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$1,560 |
| TR-L-420 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$2,700 |
| TR-L-421 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$1,347 |
| TR-L-422 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$16,920 |
| TR-L-423 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$1,440,538 |
| TR-L-425 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$10,677 |
| TR-L-426 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$10,224 |
| TR-L-427 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$6,331 |
| TR-L-428 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$2,409 |
| TR-L-429 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$3,556 |
| TR-L-430 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$2,087 |
| TR-L-431 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$2,315 |
| TR-L-432 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$2,532 |
| TR-L-433 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$2,120 |
| TR-L-434 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$3,672 |
| TR-L-435 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$6,533 |
| TR-L-436 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$3,628 |
| TR-L-437 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$6,415 |
| TR-L-438 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$7,810 |
| TR-L-439 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$3,691 |
| TR-L-442 | New 2.5m Off-Road Cycle Path | 2017 - 2021 | \$220,212 |
| TR-L-445 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$11,168 |
| TR-L-446 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$13,519 |
| TR-L-457 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$1,953,730 |
| TR-L-458 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$585,219 |
| TR-L-459 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$810,303 |
| TR-L-462 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$270,101 |
| TR-L-463 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$1,440,538 |
| TR-L-464 | Upgrade 2m On-Road Cycle Lane | 2017 - 2021 | \$733,774 |
| TR-P-28 | Cleveland - Middle Street Major Bus Stop | 2019 - 2021 | \$0 |
| TR-P-27 | Capalaba Bus Interchange | 2021 - 2023 | \$0 |
| TR-L-102 | Pitt Street: Seal widening and channelisation from Weinam Street to Hamilton Street | 2021 - 2026 | \$1,490,057 |
| TR-P-4 | Upgrade to existing intersection Road A and Road B | 2022 - 2024 | \$565,409 |
| TR-L-80 | New Major Collector Stub: 2 lane undivided major collector off Panorama Drive | 2022 - 2026 | \$1,089,550 |

| reference Mount Cotton Rd: Upgrade 2 lanes w/b breakdowns, intersection upgrades Moreton Bay Rd to Howlett Rd 2022 - 2026 \$16,074,712 TR-L-84 Mount Cotton Rd: Upgrade 2 lanes w/b breakdowns, intersection upgrades Moreton Bay Rd to Howlett Rd 2022 - 2026 \$3,618,752 TR-L-93 Serpentine Creek Road: seal widening and channelisation from Collins St to Cleveland Redland Bay Rd 2022 - 2026 \$3,618,752 TR-L-94 Ianes from Northern Arterial Road to Starkey Street 2022 - 2026 \$7,974,067 TR-L-95 McDonald Road (Sub Arterial Road): Seal widening from Finucane Road to McMillan Road 2022 - 2026 \$909,115 TR-L-96 Weinam Street: seal widening and channelisation from Meissner Street to Pitt Street 2022 - 2026 \$939,126 TR-L-97 Kingfisher Road: Seal widening and channelisation from Pitt Street to Peel Street 2022 - 2026 \$1,375,264 TR-L-98 Springacre Road: Seal widening and intersection upgrade from Eprapah Creek to Erpapah Road 2022 - 2026 \$745,779 TR-L-104 Wellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$1,708,388 TR-L-104 Wellington Street: upgrade 2 to 4 lanes widening and intersection upgrade from Enterprise Street to Russell Street 2022 - 2026 \$ | Column 1 | Column 2 | Column 3 | Column 4 |
|--|----------|--|-------------|----------------------------------|
| TR-L-94 | | Trunk infrastructure | | Establishment cost ¹² |
| RR-L-93 | TR-L-84 | breakdowns, intersection upgrades Moreton Bay Rd to Howlett Rd | 2022 - 2026 | \$16,074,712 |
| RR-L-94 | TR-L-93 | channelisation from Collins St to Cleveland Redland Bay Rd | 2022 - 2026 | \$3,618,752 |
| TR-L-95 widening from Finucane Road to McMillan Road 2022 - 2026 \$909,115 TR-L-96 Weinam Street: seal widening and chanelisation from Meissner Street to Pitt Street 2022 - 2026 \$939,126 TR-L-97 Kingfisher Road: Seal widening and intersection upgrade from Eprapah Creek to Realignment 2022 - 2026 \$2,123,294 Hamilton Street: Seal widening and channelisation from Pitt Street to Peel Street 2022 - 2026 \$1,375,264 TR-L-98 Springacre Road: Seal widening and intersection upgrade from Eprapah Creek to Eprapah Road 2022 - 2026 \$745,779 TR-L-99 Mellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$16,165,242 TR-L-104 Wellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$16,165,242 TR-L-104 Bunker Road (Sub Arterial Road): Seal widening from Enterprise Street to Russell Street 2022 - 2026 \$1,708,388 TR-L-107 Springacre Road: Seal widening and intersection upgrade from Boundary Road to Eprapah Road 2022 - 2026 \$2,663,495 TR-L-108 Gordon Road: Intersection upgrades from Cleveland-Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-109 New 2.5m Off-Road Cycle | TR-L-94 | lanes from Northern Arterial Road to | 2022 - 2026 | \$7,974,067 |
| TR-L-96 chanelisation from Meissner Street to Pitt Street 2022 - 2026 \$939,126 TR-L-97 Kingfisher Road: Seal widening and intersection upgrade from Eprapah Creek to Realignment 2022 - 2026 \$2,123,294 TR-L-98 Hamilton Street: Seal widening and channelisation from Pitt Street to Peel Street 2022 - 2026 \$1,375,264 TR-L-99 Springacre Road: Seal widening and intersection upgrade from Eprapah Creek to Eprapah Road 2022 - 2026 \$745,779 TR-L-104 Wellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$16,165,242 TR-L-106 Bunker Road (Sub Arterial Road): Seal widening from Eneliginment 2022 - 2026 \$1,708,388 TR-L-107 Springacre Road: Seal widening and intersection upgrade from Boundary Road to Eprapah Road 2022 - 2026 \$2,663,495 TR-L-108 Cleveland-Redland Bay Road to Heinemann Road 2022 - 2026 \$3,468,096 TR-L-109 Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$114,084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 U | TR-L-95 | widening from Finucane Road to McMillan Road | 2022 - 2026 | \$909,115 |
| TR-L-97 Intersection upgrade from Eprapah Creek to Realignment 2022 - 2026 \$2,123,294 TR-L-98 Hamilton Street: Seal widening and channelisation from Pitt Street to Peel Street 2022 - 2026 \$1,375,264 TR-L-99 Springacre Road: Seal widening and intersection upgrade from Eprapah Creek to Eprapah Road 2022 - 2026 \$745,779 TR-L-104 Wellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$16,165,242 Bunker Road (Sub Arterial Road): Seal widening from Enterprise Street to Russell Street 2022 - 2026 \$1,708,388 TR-L-106 Widening from Brookvale Drive to Realignment 2022 - 2026 \$1,708,388 Springacre Road: Seal widening and Intersection upgrade from Boundary Road to Eprapah Road 2022 - 2026 \$2,663,495 TR-L-108 Double Jump Road: Seal widening from Cleveland-Redland Bay Road to Heinemann Road 2022 - 2026 \$3,468,096 TR-L-109 Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$114,084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$51,654 TR-L-122 New 2.5m Off-Road Cycle Path </td <td>TR-L-96</td> <td>chanelisation from Meissner Street to Pitt Street</td> <td>2022 - 2026</td> <td>\$939,126</td> | TR-L-96 | chanelisation from Meissner Street to Pitt Street | 2022 - 2026 | \$939,126 |
| TR-L-98 channelisation from Pitt Street to Peel Street 2022 - 2026 \$1,375,264 TR-L-99 Springacre Road: Seal widening and intersection upgrade from Eprapah Creek to Eprapah Road 2022 - 2026 \$745,779 TR-L-104 Wellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$16,165,242 TR-L-106 Bunker Road (Sub Arterial Road): Seal widening from Brookvale Drive to Realignment 2022 - 2026 \$1,708,388 TR-L-107 Springacre Road: Seal widening and intersection upgrade from Boundary Road to Eprapah Road 2022 - 2026 \$2,663,495 TR-L-108 Double Jump Road: Seal widening from Cleveland-Redland Bay Road to Heinemann Road 2022 - 2026 \$3,468,096 TR-L-109 Gordon Road: Intersection upgrades from Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$114,084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$42,054 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Roa | TR-L-97 | intersection upgrade from Eprapah Creek to Realignment | 2022 - 2026 | \$2,123,294 |
| TR-L-99 intersection upgrade from Eprapah Creek to Eprapah Road 2022 - 2026 \$745,779 TR-L-104 Wellington Street: upgrade 2 to 4 lanes from Enterprise Street to Russell Street 2022 - 2026 \$16,165,242 TR-L-106 Bunker Road (Sub Arterial Road): Seal widening from Brookvale Drive to Realignment 2022 - 2026 \$1,708,388 TR-L-107 Springacre Road: Seal widening and intersection upgrade from Boundary Road to Eprapah Road 2022 - 2026 \$2,663,495 TR-L-108 Cleveland-Redland Bay Road to Heinemann Road 2022 - 2026 \$3,468,096 TR-L-109 Cleveland Redland Bay Road to Gordon Road: Intersection upgrades from Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$1,4084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$142,054 TR-L-122 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 <t< td=""><td>TR-L-98</td><td>channelisation from Pitt Street to Peel Street</td><td>2022 - 2026</td><td>\$1,375,264</td></t<> | TR-L-98 | channelisation from Pitt Street to Peel Street | 2022 - 2026 | \$1,375,264 |
| Fraction | TR-L-99 | intersection upgrade from Eprapah Creek to | 2022 - 2026 | \$745,779 |
| Ralignment Springacre Road: Seal widening and intersection upgrade from Boundary Road to Eprapah Road Double Jump Road: Seal widening from Cleveland-Redland Bay Road to Heinemann Road Gordon Road: Intersection upgrades from Cleveland-Redland Bay Road to Heinemann Road Gordon Road: Intersection upgrades from Cleveland Redland Bay Road to Government Road Springacre Road: Seal widening from Cleveland Redland Bay Road to Heinemann Road Gordon Road: Intersection upgrades from Cleveland Redland Bay Road to Government Road Springacre Road: Springacre R | TR-L-104 | | 2022 - 2026 | \$16,165,242 |
| TR-L-107 intersection upgrade from Boundary Road to Eprapah Road 2022 - 2026 \$2,663,495 TR-L-108 Double Jump Road: Seal widening from Cleveland-Redland Bay Road to Heinemann Road 2022 - 2026 \$3,468,096 TR-L-109 Gordon Road: Intersection upgrades from Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$114,084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$42,054 TR-L-122 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 <td>TR-L-106</td> <td>Bunker Road (Sub Arterial Road): Seal widening from Brookvale Drive to</td> <td>2022 - 2026</td> <td>\$1,708,388</td> | TR-L-106 | Bunker Road (Sub Arterial Road): Seal widening from Brookvale Drive to | 2022 - 2026 | \$1,708,388 |
| TR-L-108 Cleveland-Redland Bay Road to Heinemann Road 2022 - 2026 \$3,468,096 TR-L-109 Gordon Road: Intersection upgrades from Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$114,084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$42,054 TR-L-122 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$918,384 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road | TR-L-107 | intersection upgrade from Boundary Road | 2022 - 2026 | \$2,663,495 |
| TR-L-109 Cleveland Redland Bay Road to Government Road 2022 - 2026 \$1,958,232 TR-L-120 New 2.5m Off-Road Cycle Path 2022 - 2026 \$114,084 TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$42,054 TR-L-122 New 2.5m Off-Road Cycle Path 2022 - 2026 \$61,654 TR-L-123 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | TR-L-108 | Cleveland-Redland Bay Road to | 2022 - 2026 | \$3,468,096 |
| TR-L-121 New 2.5m Off-Road Cycle Path 2022 - 2026 \$42,054 TR-L-122 New 2.5m Off-Road Cycle Path 2022 - 2026 \$61,654 TR-L-123 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | TR-L-109 | Cleveland Redland Bay Road to | 2022 - 2026 | \$1,958,232 |
| TR-L-122 New 2.5m Off-Road Cycle Path 2022 - 2026 \$61,654 TR-L-123 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | TR-L-120 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$114,084 |
| TR-L-123 New 2.5m Off-Road Cycle Path 2022 - 2026 \$59,258 TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | TR-L-121 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$42,054 |
| TR-L-130 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$137,418 TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | 2022 - 2026 | \$61,654 |
| TR-L-131 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$178,512 TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | ' | | |
| TR-L-132 Upgrade 2.5m Off-Road Cycle Path 2022 - 2026 \$97,667 TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | |
| TR-L-167 New 2.5m Off-Road Cycle Path 2022 - 2026 \$37,207 TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | |
| TR-L-168 New 2.5m Off-Road Cycle Path 2022 - 2026 \$56,316 TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | |
| TR-L-169 New 2.5m Off-Road Cycle Path 2022 - 2026 \$198,384 TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | |
| TR-L-170 New 2.5m Off-Road Cycle Path 2022 - 2026 \$91,772 TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | |
| TR-L-171 New 2.5m Off-Road Cycle Path 2022 - 2026 \$93,911 TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | |
| TR-L-172 New 2.5m Off-Road Cycle Path 2022 - 2026 \$79,771 | | | | + |
| | | | | |
| TD L 172 Ungrado 2 5m Off Dood Cyala Dath 1 2022 2026 #E2 044 | TR-L-172 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$79,771 \$53,914 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|----------------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-174 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$29,569 |
| TR-L-175 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$54,103 |
| TR-L-176 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$32,587 |
| TR-L-179 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$167,666 |
| TR-L-180 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$111,279 |
| TR-L-181 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$48,630 |
| TR-L-182 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$93,190 |
| TR-L-183 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$216,092 |
| TR-L-184 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$69,462 |
| TR-L-202 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$90,635 |
| TR-L-203 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$103,067 |
| TR-L-204 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$203,376 |
| TR-L-205 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$201,771 |
| TR-L-206 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$251,005 |
| TR-L-207 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$39,237 |
| TR-L-208 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$44,778 |
| TR-L-209 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$102,699 |
| TR-L-210 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$211,738 |
| TR-L-211 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$71,281 |
| TR-L-212 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$406,448 |
| TR-L-213 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$83,345 |
| TR-L-214 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$480,597 |
| TR-L-215 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$156,574 |
| TR-L-216 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$532,357 |
| TR-L-217 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$310,296 |
| TR-L-218 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$151,143 |
| TR-L-219 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$118,097 |
| TR-L-220 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$190,339 |
| TR-L-221 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$169,604 |
| TR-L-222 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$228,866 |
| TR-L-223 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$377,247 |
| TR-L-224 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$225,214 |
| TR-L-225 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$142,167 |
| TR-L-226 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$43,300 |
| TR-L-227 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$131,913 |
| TR-L-228 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$17,091 |
| TR-L-229 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$126,261 |
| TR-L-243 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$123,044 |
| TR-L-244 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$11,766 |
| TR-L-246 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$20,168 |
| TR-L-247 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$123,576 |
| TR-L-272 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$249,822 |
| TR-L-273 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$302,450 |
| TR-L-274 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$153,289 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|----------------------------------|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-285 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$298,173 |
| TR-L-286 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$162,184 |
| TR-L-287 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$278,168 |
| TR-L-320 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$78,217 |
| TR-L-321 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$119,187 |
| TR-L-323 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$103,436 |
| TR-L-330 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$215,428 |
| TR-L-332 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$17,863 |
| TR-L-333 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$152,780 |
| TR-L-334 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$177,743 |
| TR-L-336 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$191,970 |
| TR-L-337 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$144,047 |
| TR-L-338 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$80,166 |
| TR-L-339 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$91,360 |
| TR-L-340 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$81,424 |
| TR-L-341 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$93,336 |
| TR-L-342 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$75,880 |
| TR-L-345 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$117,142 |
| TR-L-346 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$14,344 |
| TR-L-358 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$21,815 |
| TR-L-359 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$44,989 |
| TR-L-361 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$23,846 |
| TR-L-362 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$73,914 |
| TR-L-363 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$17,493 |
| TR-L-365 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$257,759 |
| TR-L-366 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$72,212 |
| TR-L-367 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$262,653 |
| TR-L-368 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$391,340 |
| TR-L-369 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$307,063 |
| TR-L-373 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$137,951 |
| TR-L-374 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$166,768 |
| TR-L-375 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$146,279 |
| TR-L-376 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$646,598 |
| TR-L-377 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$263,296 |
| TR-L-379 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$107,740 |
| TR-L-382 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$316,475 |
| TR-L-383 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$192,856 |
| TR-L-384 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$204,065 |
| TR-L-385 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$66,169 |
| TR-L-386 | Upgrade 3m Off-Road Cycle Path | 2022 - 2026 | \$71,103 |
| TR-L-391 | New 3m Cycle Boardwalk | 2022 - 2026 | \$293,369 |
| TR-L-395 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$325,776 |
| TR-L-396 | New 3m Off-Road Cycle Path | 2022 - 2026 | \$298,047 |
| TR-L-397 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$2,855 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|--|------------------|----------------------------------|
| Map reference | Trunk infrastructure | Estimated timing | Establishment cost ¹² |
| TR-L-398 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$28,042 |
| TR-L-399 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$7,589 |
| TR-L-404 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$2,306 |
| TR-L-405 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$1,935 |
| TR-L-407 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$2,973 |
| TR-L-408 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$6,395 |
| TR-L-409 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$4,356 |
| TR-L-410 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$1,404 |
| TR-L-411 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$1,496 |
| TR-L-412 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$8,956 |
| TR-L-413 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$3,838 |
| TR-L-414 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$15,566 |
| TR-L-415 | Upgrade 0m Cycle Bridge | 2022 - 2026 | \$180,067 |
| TR-L-441 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$90,627 |
| TR-L-443 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$198,907 |
| TR-L-444 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$61,335 |
| TR-L-448 | New 2.5m Off-Road Cycle Path | 2022 - 2026 | \$213,065 |
| TR-L-449 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$1,289 |
| TR-L-450 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$1,750 |
| TR-L-451 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$7,854 |
| TR-L-452 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$1,729 |
| TR-L-453 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$2,852 |
| TR-L-454 | New 2.5m Cycle Boardwalk | 2022 - 2026 | \$104,905 |
| TR-L-460 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$738,276 |
| TR-L-461 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$1,305,488 |
| TR-L-465 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$8,386 |
| TR-L-466 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$6,547 |
| TR-L-468 | Upgrade 2m On-Road Cycle Lane | 2022 - 2026 | \$4,051,514 |
| TR-L-469 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$17,606 |
| TR-L-470 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$17,250 |
| TR-L-471 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$45,484 |
| TR-L-472 | Upgrade 1.5m On-Road Cycle Lane | 2022 - 2026 | \$1,935,723 |
| TR-L-473 | New 1.5m On-Road Cycle Lane | 2022 - 2026 | \$495,185 |
| TR-L-474 | Upgrade 2.5m Off-Road Cycle Path | 2022 - 2026 | \$149,490 |
| TR-L-83 | German Church Road: Seal widening from Cleveland-Redland Bay Road to Heinemann Road | 2027 - 2031 | \$1,876,987 |
| TR-L-85 | Woodlands Drive: Seal widening and intersection upgrade from Taylor Road to Boundary Road | 2027 - 2031 | \$4,301,808 |
| TR-L-86 | Woodlands Drive: Seal widening and intersection upgrade from Mt Cotton Road to Taylor Road | 2027 - 2031 | \$2,257,144 |
| TR-L-87 | Wellington Street: Upgrade to 2 lanes plus breakdowns from South Street to Panorama Drive | 2027 - 2031 | \$6,010,346 |

| Column 1 Map reference | Column 2 Trunk infrastructure | Column 3 Estimated timing | Column 4 Establishment cost ¹² |
|------------------------------|---|---------------------------|---|
| TR-L-90 | Giles Road: Road improvement and upgraded intersection from Heinemann to Cleveland-Redland Bay Rd | 2027 - 2031 | \$2,296,158 |
| TR-L-101 | Ney Road (Sub Arterial Road): Seal widening from Wildflower Street to Mt Cotton Road | 2027 - 2031 | \$462,867 |
| TR-L-113 | Future Northern Public Transport corridor | 2027 - 2031 | \$0 |
| Total | • | | \$193,628,042 |

Table SC 3.2.5—Parks and land for community facilities schedule of works

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|---|------------------|----------------------------------|
| Map reference | Trunk Infrastructure | Estimated timing | Establishment cost ¹³ |
| 5945 | Thornlands - Thornlands Community Park Upgrade | 2017 | \$2,342,546 |
| C4N43 | New Rec Park T3 Redland Bay | 2017 | \$667,269 |
| 5217 | Cleveland - Cleveland Point Recreation Reserve Upgrade | 2018 | \$31,149 |
| 5913 | Russell Island - Russell Island Sport & Recreation Park Upgrade | 2018 | \$4,374,348 |
| 5274 | Ormiston - Raby Esplanade Park Upgrade | 2019 | \$547,939 |
| 5319 | Coochiemudlo Island - Pioneer Park (Coochie) Upgrade | 2019 | \$239,281 |
| 5416 | Point Lookout - Headland Park Upgrade | 2019 | \$72,209 |
| 5772 | Macleay Island - Macleay Island Community Park Upgrade | 2019 | \$1,110,745 |
| 5028 | Keith Surridge Sportsfields | 2019 | \$118,225 |
| 5237 | Cleveland - Henry Ziegenfusz Park Upgrade | 2020 | \$1,110,711 |
| 5303 | Cleveland - Wellington Street Park Upgrade | 2020 | \$723,506 |
| 5421 | Point Lookout - Point Lookout Oval Upgrade | 2020 | \$14,159 |
| 5443 | Redland Bay - Fielding Park Upgrade | 2020 | \$284,588 |
| 5485 | Redland Bay - Denham Boulevard Park Upgrade | 2020 | \$2,988,887 |
| 5586 | Thornlands - Manning Esplanade Foreshore Upgrade | 2020 | \$74,333 |
| 5831 | Redland Bay - Grevillea Street Park Upgrade | 2020 | \$60,174 |
| 5833 | Redland Bay - Cliftonville Place Park Upgrade | 2020 | \$60,174 |
| 5089 | Birkdale - Judy Holt Recreation Reserve Upgrade | 2021 | \$1,886,189 |
| 5350-16 | Lamb Island - Pioneer Park (Lamb) Upgrade | 2021 | \$1,127,735 |
| 5367 | Mount Cotton - Mount Cotton Community Park Upgrade | 2021 | \$4,296,437 |
| 5432 | Redland Bay - Charlie Buckler Sportsfield Upgrade | 2021 | \$2,283,432 |
| 5508 | Russell Island - Jock Kennedy Park Upgrade | 2021 | \$297,331 |
| 5644 | Victoria Point - Cascades Gardens Upgrade | 2021 | \$56,635 |
| 5915 | Norm Price Park | 2021 | \$4,091,844 |
| 5046 | Alexandra Hills - Valantine Park Upgrade | 2022 | \$710,763 |
| 5049 | Alexandra Hills - Windemere Road Park Upgrade | 2022 | \$505,463 |
| 5061 | Birkdale - Bailey Road Park Upgrade | 2022 | \$755,363 |
| 5353 | Macleay Island - Corroboree Place Park Upgrade | 2022 | \$115,393 |
| 5382 | Mount Cotton - Valley Way Drainage Reserve Upgrade | 2022 | \$60,174 |
| 5425 | Redland Bay - Bedarra Street Park Upgrade | 2022 | \$132,383 |
| 5453 | Redland Bay - Jack Gordon Park Upgrade | 2022 | \$44,600 |
| 5454 | Redland Bay - Jack Gordon Pathway (Esplanade) Upgrade | 2022 | \$87,784 |

¹³ **Error! Reference source not found.** Column 4 – The establishment cost is expressed in current cost terms s at the base date.

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|---|------------------|----------------------------------|
| Map reference | Trunk Infrastructure | Estimated timing | Establishment cost ¹³ |
| 5456 | Redland Bay - Junee Street Park Upgrade | 2022 | \$60,882 |
| 5457 | Redland Bay - Lanyard Place Park Upgrade | 2022 | \$14,159 |
| 5460 | Redland Bay - Point Talburpin Park Upgrade | 2022 | \$191,142 |
| 5467 | Redland Bay - Nev Stafford Park Upgrade | 2022 | \$44,600 |
| 5471 | Redland Bay - Orchard Beach Foreshore (South) Upgrade | 2022 | \$56,635 |
| 5476 | Redland Bay - Pinelands Circuit Park Upgrade | 2022 | \$104,774 |
| 5540 | Thornlands - Abbotsleigh Street Park Upgrade | 2022 | \$148,666 |
| 5542 | Thornlands - Anniversary Park Upgrade | 2022 | \$4,248 |
| 5553 | Thornlands - Conley Avenue Park Upgrade | 2022 | \$147,958 |
| 5570 | Thornlands - Lorikeet Drive Park Upgrade | 2022 | \$194,681 |
| 5583 | Thornlands - Robert Mackie Park Upgrade | 2022 | \$60,174 |
| 5584 | Thornlands - Percy Ziegenfusz Park Upgrade | 2022 | \$134,507 |
| 5590 | Thornlands - Tindappah Drive Foreshore Upgrade | 2022 | \$147,958 |
| 5592 | Thornlands - Tuna Court Park Upgrade | 2022 | \$249,192 |
| 5630 | Victoria Point - Aspect Drive Pathway Upgrade | 2022 | \$60,174 |
| 5636 | Victoria Point - Bill Scudamore-Smith Park Upgrade | 2022 | \$60,174 |
| 5639 | Victoria Point - Brookvale Drive Park Upgrade | 2022 | \$249,900 |
| 5641 | Victoria Point - Bunker Road Bushland Refuge Upgrade | 2022 | \$253,439 |
| 5652 | Victoria Point - Duncan Jenkins Eucalypt Park Upgrade | 2022 | \$4,248 |
| 5656 | Victoria Point - Glen Road Park Upgrade | 2022 | \$286,004 |
| 5659 | Victoria Point - Holly Road Urban Habitat Upgrade | 2022 | \$60,174 |
| 5665 | Victoria Point - Les Moore Park Upgrade | 2022 | \$191,142 |
| 5672 | Victoria Point - Orana Esplanade Foreshore Park Upgrade | 2022 | \$521,038 |
| 5675 | Victoria Point - Parklands Court Park Upgrade | 2022 | \$60,174 |
| 5681 | Victoria Point - Poinciana Avenue Park Upgrade | 2022 | \$440,333 |
| 5689 | Victoria Point - Sandy Drive Creek Corridor Upgrade | 2022 | \$74,333 |
| 5690 | Victoria Point - Schmidt Street Road Reserve Upgrade | 2022 | \$249,192 |
| 5704 | Victoria Point - Victoria Point Recreation Reserve Upgrade | 2022 | \$724,922 |
| 5705 | Victoria Point - W H Yeo Park Upgrade | 2022 | \$176,275 |
| 5773 | Redland Bay - Moogurrapum Creek Corridor - Pelorus Street Upgrade | 2022 | \$56,635 |
| 5777 | Redland Bay - Lime Street Wetlands Upgrade | 2022 | \$87,784 |
| 5778 | Redland Bay - Azure Park Upgrade | 2022 | \$134,507 |
| 5780 | Thornlands - George Thorn Drive Foreshore Upgrade | 2022 | \$18,406 |
| 5819 | Thornlands - Ribonwood Street Park Upgrade | 2022 | \$60,174 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|---|------------------|----------------------------------|
| Map reference | Trunk Infrastructure | Estimated timing | Establishment cost ¹³ |
| 5821 | Thornlands - Primrose Drive Wetlands Upgrade | 2022 | \$134,507 |
| 5822 | Thornlands - Primrose Drive Park Upgrade | 2022 | \$74,333 |
| 5828 | Redland Bay - Emperor Drive Bushland Refuge Upgrade | 2022 | \$44,600 |
| 5899 | Victoria Point - Bob & Delphine Douglas Reserve Upgrade | 2022 | \$14,159 |
| 5908 | Thornlands - Baythorn Drive Nature Belt Upgrade | 2022 | \$241,405 |
| NDCF1 | Multi-Purpose Community Centre (Cleveland) - Cleveland Civic Precinct | 2022 | \$1,355,908 |
| 5578 | Pinklands Sporting Complex | 2022 | \$2,693,002 |
| C4N0 | New Sport Park City Redland Bay | 2022 - 2032 | \$36,377,418 |
| C6N56 | New Rec Park T3 Karragarra Island Esplanade | 2023 | \$828,498 |
| C6N54-5 | New Rec Park T3 Golden Sands Foreshore Park | 2024 | \$966,545 |
| C6N57-9 | New Rec Park T3 Trevanna Ave Park | 2024 | \$567,272 |
| 5150 | Redland Baseball | 2024 | \$2,401,304 |
| 5487 | Redland Bay - Sel Outridge Park Upgrade | 2025 | \$1,254,455 |
| C4N29 | New Rec Park T2 Kinross Road - Kinross Community * | 2025 | \$2,637,441 |
| C4N29-1 | New Rec Park T3 Kinross Road | 2025 | \$855,988 |
| C4N29-2 | New Rec Park T3 Kinross Road | 2025 | \$855,988 |
| C4N29-3 | New Rec Park T3 Kinross Road | 2025 | \$855,988 |
| C4N32-1 | New Rec Park T3 Se Thornlands | 2025 | \$855,988 |
| C4N35-2 | New Rec Park T3 Se Thornlands | 2025 | \$855,988 |
| 5655 | Ern And Alma Dowling Sportsfield | 2025 | \$1,254,455 |
| 5400 | Redland Softball | 2025 | \$1,211,979 |
| 5048 | Alexandra Hills - Wimborne Road Park Upgrade | 2026 | \$579,796 |
| 5337 | Karragarra Island - Karragarra Island Foreshore (North) Upgrade | 2026 | \$249,192 |
| 5340 | Karragarra Island - Karragarra Island Urban Habitat Upgrade | 2026 | \$60,174 |
| 5350-21 | Lamb Island - Pioneer Park (Lamb) Upgrade | 2026 | \$134,507 |
| 5687 | Victoria Point - Rosebud Esplanade Park Upgrade | 2026 | \$90,615 |
| 5703 | Victoria Point - Victoria Point Bushland Refuge Upgrade | 2026 | \$18,406 |
| 5751 | Wellington Point - Sovereign Waters Foreshore Upgrade | 2026 | \$90,615 |
| 5852 | Victoria Point - Cleveland Redland Bay Road Reserve Upgrade | 2026 | \$141,586 |
| 5906 | Wellington Point - Bibury Street Road Reserve Upgrade | 2026 | \$134,507 |
| 5924 | Russell Island - High Street Nature Belt Upgrade | 2026 | \$249,192 |
| 5930 | Russell Island - Vista Street Park Upgrade | 2026 | \$70,793 |
| 5934 | Mount Cotton - Baradine Street Park Upgrade | 2026 | \$193,265 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|--|------------------|----------------------------------|
| Map reference | Trunk Infrastructure | Estimated timing | Establishment cost ¹³ |
| 5942 | Thornlands - Redland Bay Road Bushland Refuge Upgrade | 2026 | \$281,049 |
| 5947 | Macleay Island - Pecan Street Park Upgrade | 2026 | \$60,174 |
| 5948 | Macleay Island - Beelong Street Park Upgrade | 2026 | \$192,557 |
| 5949 | Macleay Island - Yacht Street Park Upgrade | 2026 | \$132,383 |
| 5950 | Russell Island - Toolona Avenue Park Upgrade | 2026 | \$192,557 |
| 5951 | Russell Island - Cowderoy Drive Park Upgrade | 2026 | \$336,975 |
| 5952 | Russell Island - Monaco Avenue Park Upgrade | 2026 | \$87,784 |
| 5953 | Russell Island - Villa Wood Road Park Upgrade | 2026 | \$266,890 |
| 5954 | Macleay Island - Aruma Street Park Upgrade | 2026 | \$282,465 |
| 5955 | Russell Island - Centre Road Park Upgrade | 2026 | \$266,890 |
| 5956 | Russell Island - Cutler Drive Park Upgrade | 2026 | \$824,740 |
| 5957 | Ormiston - Hilliards Creek Platypus Corridor Park Upgrade | 2026 | \$130,967 |
| 5958 | Birkdale - Harrogate Park Upgrade | 2026 | \$60,174 |
| 5959 | Thornlands - Luke Street Park Upgrade | 2026 | \$263,351 |
| 5960 | Redland Bay - Gordon Road Park Upgrade | 2026 | \$60,174 |
| 5961 | Ormiston - Dundas Street Park Upgrade | 2026 | \$14,159 |
| 5962 | Redland Bay - Potts Place Park Upgrade | 2026 | \$58,758 |
| SDCF4 | Multi-Purpose Community Centre (Redland Bay) - Community Well-Being Hub Reland Bay Youth Space | 2026 | \$2,066,521 |
| 5334 | Ron Stark Oval | 2026 | \$716,427 |
| 5005 | Alexandra Hills - Babiana Street Park Upgrade | 2027 | \$44,600 |
| 5025 | Alexandra Hills - Hyde Court Park Upgrade | 2027 | \$4,248 |
| 5038 | Alexandra Hills - Princeton Avenue Park Upgrade | 2027 | \$60,174 |
| 5044 | Alexandra Hills - Snowdon Street Park Upgrade | 2027 | \$14,159 |
| 5051 | Alexandra Hills - Workington Street Park Upgrade | 2027 | \$60,174 |
| 5053 | Amity Point - Amity Point Recreation Reserve Upgrade | 2027 | \$56,635 |
| 5083 | Birkdale - Goodge Court Park Upgrade | 2027 | \$104,774 |
| 5087 | Birkdale - Juanita Street Park Upgrade | 2027 | \$249,192 |
| 5090 | Birkdale - Lachlan Street Park Upgrade | 2027 | \$70,793 |
| 5111 | Birkdale - Robinson Park Upgrade | 2027 | \$4,248 |
| 5125 | Birkdale - William Taylor Memorial Park Upgrade | 2027 | \$161,408 |
| 5132 | Capalaba - Blarney Street Park Upgrade | 2027 | \$60,174 |
| 5133 | Capalaba - Bowen Street Park Upgrade | 2027 | \$60,174 |
| 5156 | Capalaba - Howletts Road Park Upgrade | 2027 | \$147,958 |
| 5158 | Capalaba - Jacaranda Road Park Upgrade | 2027 | \$14,159 |
| 5159 | Capalaba - John Frederick Park Upgrade | 2027 | \$846,394 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|---|------------------|----------------------------------|
| Map reference | Trunk Infrastructure | Estimated timing | Establishment cost ¹³ |
| 5161 | Capalaba - Jupiter Street Park Upgrade | 2027 | \$249,192 |
| 5167 | Capalaba - Lawlor Reserve Upgrade | 2027 | \$60,174 |
| 5168 | Capalaba - Little Killarney Park Upgrade | 2027 | \$18,406 |
| 5172 | Capalaba - Coolnwynpin Creek Corridor - Macquarie Street Upgrade | 2027 | \$60,174 |
| 5177 | Capalaba - Nangando Street Park Upgrade | 2027 | \$63,006 |
| 5179 | Capalaba - Quentin Street Road Reserve Upgrade | 2027 | \$60,174 |
| 5190 | Capalaba - Tauris Road Park Upgrade | 2027 | \$314,322 |
| 5192 | Capalaba - Wentworth Drive Park Upgrade | 2027 | \$799,963 |
| 5194 | Capalaba - Winter Memorial Park Upgrade | 2027 | \$4,248 |
| 5209 | Cleveland - Bloomfield Street Park Upgrade | 2027 | \$31,149 |
| 5226 | Cleveland - Donald Simpson Park Upgrade | 2027 | \$4,248 |
| 5230 | Cleveland - G J Walter Park Upgrade | 2027 | \$53,803 |
| 5234 | Cleveland - Haggup Street Park Upgrade | 2027 | \$266,890 |
| 5240 | Cleveland - Janlaw Street Park Upgrade | 2027 | \$60,174 |
| 5249 | Cleveland - Long Street Park Upgrade | 2027 | \$56,635 |
| 5261 | Cleveland - Nandeebie Park Upgrade | 2027 | \$181,230 |
| 5265 | Cleveland - Oyster Point Park Upgrade | 2027 | \$179,815 |
| 5277 | Cleveland - Scott Street Park Upgrade | 2027 | \$4,248 |
| 5296 | Cleveland - Vassi Concord Park Upgrade | 2027 | \$60,174 |
| 5305 | Cleveland - William Ross Park Upgrade | 2027 | \$89,907 |
| 5579 | Wellington Point - Plantation Place Park Upgrade | 2027 | \$58,758 |
| 5605 | Thorneside - Alma Street Park Upgrade | 2027 | \$241,405 |
| 5608 | Thorneside - Beth Boyd Park Upgrade | 2027 | \$179,815 |
| 5610 | Thorneside - Jack And Edna Finney Reserve Upgrade | 2027 | \$853,058 |
| 5618 | Thorneside - Gradi Court Park Upgrade | 2027 | \$253,439 |
| 5621 | Thorneside - Railway Parade Park Upgrade | 2027 | \$4,248 |
| 5626 | Thorneside - Willard-Weber Foreshore Upgrade | 2027 | \$194,681 |
| 5627 | Thorneside - William Taylor Memorial Sportsfield Upgrade | 2027 | \$1,267,277 |
| 5722 | Wellington Point - Egw Wood Sportsfield Upgrade | 2027 | \$757,487 |
| 5726 | Wellington Point - Goodall Street Park Upgrade | 2027 | \$395,734 |
| 5729 | Wellington Point - Jacob Street Nature Belt Upgrade | 2027 | \$14,159 |
| 5731 | Wellington Point - Liner Street Park Upgrade | 2027 | \$104,774 |
| 5764 | Wellington Point - Wellington Point Recreation Reserve Upgrade | 2027 | \$438,918 |
| 5768 | Cleveland - Norm Dean Park Upgrade | 2027 | \$56,635 |
| 5775 | Birkdale - Tarradarrapin Creek Corridor - Collingwood Road Upgrade | 2027 | \$4,248 |
| 5801 | Thorneside - Willard-Weber Reserve Upgrade | 2027 | \$194,681 |
| 5804 | Wellington Point - Saranah Place Park Upgrade | 2027 | \$70,793 |

| Column 1 | Column 2 | Column 3 | Column 4 |
|------------------|--|------------------|----------------------------------|
| Map reference | Trunk Infrastructure | Estimated timing | Establishment cost ¹³ |
| 5838 | Cleveland - Shelduck Street Park Upgrade | 2027 | \$60,174 |
| 5859 | Birkdale - Hardy Road Park Upgrade | 2027 | \$134,507 |
| 5872 | Cleveland - Ronnie Street Park Upgrade | 2027 | \$44,600 |
| 5905 | Wellington Point - Hilliards Creek Corridor - Bibury Street Upgrade | 2027 | \$2,125,918 |
| 5627 | William Taylor Memorial Sportsfields (50 Car Spaces) | 2027 | \$1,267,277 |
| Total | | | \$114,545,019 |

SC3.3 Local government infrastructure plan maps

<u>Local Government Infrastructure Plan Map LGIP-01 Priority infrastructure area and projection areas map</u>

Local Government Infrastructure Plan Map LGIP-02 Plan for trunk water supply infrastructure

Local Government Infrastructure Plan Map LGIP-03 Plan for trunk sewerage infrastructure

Local Government Infrastructure Plan Map LGIP-04 Plan for trunk stormwater infrastructure

Local Government Infrastructure Plan Map LGIP-05 Plan for trunk transport infrastructure

Local Government Infrastructure Plan Map LGIP-06 Plan for trunk parks and land for community facilities infrastructure

Schedule 4 Notations required under the *Planning Act* 2016

SC4.1 Notation of decisions affecting the planning scheme under section 89 of the Act

Table SC4.1.1—Notation of decisions under section 89 of the Act

| Date of decision | Location (real property description) | Decision type | File/Map reference |
|--|---|--|--------------------|
| Preliminary approval | affecting the scheme | (a variation approval) | T |
| Approved (negotiated decision) 11 Dec 2001 Court Order 25 Oct 2002 | Lot 3 RP165277 | Preliminary approval under the IPA, section 3.1.6 for: Industry Class I, II and III uses, Bulk Store, Caretaker's Residence, Car Repair Station, Motor Vehicle Depot, Public Utility, Service Shop, Truck Depot and Warehouse uses as defined in the Town Planning Scheme and reconfiguration of proposed Lots 1 to 17, park and balance area. | MC006008 |
| Court Order 1 June 2005 | Lot 16 RP30555 Lot 17 RP30555 Lot 24 RP30555 Lot 25 RP30555 Lot 2 RP48270 Lot 2 RP95747 Lot 3 RP90361 Lot 11 SL1595 | Preliminary approval under the IPA, section 3.1.6 for: 1. Mixed use retirement community incorporating: • independent and assisted living (attached and detached dwellings) • dependent aged care residential • local retail and services • crèche • community facilities 2. Dedicated park land In accordance with Central Redland Bay | MC008369 |

| Date of decision | Location (real property description) | Decision type | File/Map reference |
|---|--|--|--------------------|
| | | Plan of Development by Wolters Consulting Pty Ltd and MPS Architects received by RSC 21st January 2005. | |
| Approved 07 Feb 2006. Amended (Version 1.8, dated 18 December 2013) | Lot 2 RP221100 Lot 24 RP203700 | Preliminary approval under the IPA, section 3.1.6 for: Redlands Business Park - "German Church Road Integrated Employment Centre - Plan of Development - Version 1.8" dated 18 December 2013 | MC008666 |
| 9 March 2012 and changed on 19 Jun 2013 | Lot 7 RP131749 Lot 8 RP131749 Lot 9 RP131749 | Preliminary Approval Overriding the Planning Scheme for a Material Change of Use to establish a Childcare centre | MC009598 |
| 2 May 2012 | Lot 1 RP187813 | Preliminary approval (under s242 of the Sustainable Planning Act 2009) for a Material Change of Use for Dwelling Houses, Small Lot Houses, Dual Occupancy, Home Business, Relatives Apartment, Domestic Additions, Domestic Outbuilding and Private Swimming Pool and Reconfiguration of a Lot (1 into 8 lots) | MC012446 |
| 22 June 2012 | Lot 2 RP122781 | Development Permit for Reconfiguring a Lot and Preliminary Approval affecting a Local Planning Instrument for a Material Change of Use (Dwelling Houses and Small Lot Houses) PEET — Reconfiguration (98 | MC12091 / SB5471 |

| Date of decision | Location (real property description) | Decision type | File/Map reference |
|--|--|---|------------------------|
| | | lots) and PA for MCU (Dwelling Houses and Small Lot Houses) | |
| 22 June 2012 | Lot 2 RP75742 | Development Permit for Reconfiguring a Lot and Preliminary Approval affecting a Local Planning Instrument for a Material Change of Use (Dwelling Houses and Small Lot Houses) Ausbuild — Reconfiguration (141 lots) and PA for MCU (Dwelling Houses and Small Lot Houses) | MC12092 / SB5472 |
| 23 May 2013 | Lot 3 RP173523 Lot 2 RP14813 Lot 14 RP869105 Lot 5 RP14813 Lot 6 RP14813 Lot 1 RP59490 Lot 1 RP869105 | Preliminary approval affecting a planning scheme for material change of use and reconfiguring a lot | MC007588 / SB004758 |
| 10 Jan 2014 and changed on 17 Aug 2015 | Lot 51 SP157199 Lot 2 RP84645 | Preliminary approval affecting a planning scheme for material change of use for education facility | MCU012926 |
| 26 August 2015 | Lot 2 RP815077 Lot 1 RP815078 Lot RP865865 | Preliminary approval affecting a planning scheme for material change of use for a neighbourhood centre, open space and residential uses | MC010715 |
| 18 November 2015 | Lot 2 on RP149309 Lot 8 on R1291 Lots 69, 70, 71, 72, 73 & 74 on S31102 Lot 1 on RP133830 Lots 1, 3 & 4 on RP105915 Lot 11 on SP268704 Lot 2 on SP226358 Lot 1 on RP 212251 Lot 1 on RP103265 Lots 1 & 2 on RP140163 | Preliminary approval affecting the planning scheme for a Material Change of Use for a master planned urban community, comprising town centre, town centre frame, residential and open space precincts | MCU013287 |

| Date of decision | Location (real property description) | Decision type | File/Map reference | |
|---|---|---|--------------------|--|
| | Lot 1 on RP71630 Lots 83, 84 & 86 on S312432 Lot 247, 252, 255, 256, 257 & 259 on S312432 | | | |
| 15 December 2016 | Lot 1 RP123222 | Preliminary approval affecting a planning scheme for material change of use for residential uses | MC010624 | |
| Approved 17 July 2019 | Lot 101 on SP 278900 and Lot 0 on SP 2788900 | Preliminary approval affecting a local planning instrument (under section 61 of the <i>Planning Act 2016</i>) for a material change of use application for mixed use multiple dwelling and ground level commercial office. | MCU19/0003 | |
| Court Order 31 July 2020 | Lot 29 SP237942, Lots 9 and 10 on RP57455 and Lot 2 RP149315 | Preliminary approval (under section 61 of the <i>Planning Act</i> 2016) for a Material Change of Use for a Retirement Facility and Relocatable Home Park. | MCU19/0001 | |
| Court Order 28 August 2020 | Lot 3 SP117065 | Preliminary approval (under section 242 of the Sustainable Planning Act2009) for a Material Change of Use for a Mixed use Development. | MCU013296 | |
| Development Approv | al which is substantia | lly inconsistent with th | ne planning scheme | |
| 4 November 2010 | Lot 1 RP65410 | Development permit for an Apartment Building (5 Units) and Health Care Centre | MC011884 | |
| 7 September 2016 | Lot 11 SL1595 Lot 500 SP197855 Lot 501 SP277507 Lot 16 RP30555 (in part) Lot 500 SP277507 (in part) | Development permit for reconfiguring a lot for 5 into 91 lots | ROL006001 | |
| Decision agreeing to a superseded planning scheme request | | | | |

| Date of decision | Location (real property description) | Decision type | File/Map reference |
|--------------------|--|--|------------------------|
| 1 March 2012 | Lot 2 SP196390 Lot 3 SP196390 | Development Permit issued under Superseded Planning Scheme for Reconfiguring a Lot into 61 lots and Dwelling Houses | MC011341 / SB005349 |
| 1 January 2013 | Lot 293 RP31201 | Development permit for a dwelling house | MCU013097 |
| 23 April 2013 | Lot 236 RP31201 | Development permit for a dwelling house | MCU012963 |
| 30 October 2013 | Lot 293 RP31201 | Dwelling house assessed under superseded planning scheme | MCU013097 |
| 14 January 2019 | Lot 5 on SP 186484 | Development Permit issued under Superseded Planning Scheme for a Material Change of Use for dwelling | MCU19/0006 |
| 24 January 2019 | Lot 2 on RP86393, Lot 7 on RP14104 | Development permit issued under superseded Planning Scheme for Reconfiguring a lot (Rearranging Boundaries 2 into 2 lots) | RAL19/0016 |
| 27 February 2019 | Lot 1 on RP 97669 | Development Permit issued under Superseded Planning Scheme for a Material Change of Use for home based business (equine) | MCU19/0096 |
| 8 March 2019 | Lot 1 on RP 97308 | Development permit issued under superseded Planning Scheme for Reconfiguring a lot (1 into 50 lot subdivision plus road and an open space lot) | RAL19/0071 |
| 8 May 2019 | Lot 4 on RP89757 | Development permit issued under superseded Planning Scheme for Reconfiguring a lot (1 into 2) | RAL19/0038 |

| Date of decision | Location (real property description) | Decision type | File/Map reference |
|------------------|--|---|--------------------|
| 6 August 2019 | Lot 28 RP 116012 | Development permit issued under superseded Planning Scheme for Reconfiguring a lot (1 into 2) | RAL19/0099 |
| 3 September 2019 | Lot 58 RP 148243 | Development permit issued under Superseded Planning Scheme for Reconfiguring a Lot 1 into 2 Lots | RAL19/0074 |
| 16 October 2019 | Lot 2 on SP 276794 | Development permit issued under superseded Planning Scheme for Reconfiguring a lot (1 into 2) | RAL19/0092 |
| 4 November 2019 | Lot 1 on RP 173751 | Development permit issued under superseded Planning Scheme for Reconfiguring a lot (1 into 2) | RAL19/0097 |
| 11 November 2019 | Lot 2 on RP 212525 | Development permit issued under superseded Planning Scheme for material change of use for mixed use development | MCU19/0176 |
| 4 December 2019 | Lot 41 RP 128356 and Lot 1 RP 128356 | Development Permit issued under Superseded Planning Scheme for a Material Change of Use for multiple dwellings | MCU20/0069 |
| 17 August 2020 | Lot 1 SP 244046 | Decision agreeing to apply a superseded Planning Scheme for a domestic outbuilding that was accepted development subject to requirements. | SPS20/0001 |

SC4.2 Notation of resolution(s) under Chapter 4, Part 2, Division 2 of the Act

Table SC4.2.1—Notation of resolutions under Chapter 4, Part 2, Division 2 of the Act

| Date of resolution | Date of effect | Details | Contact information |
|-------------------------------------|----------------|--|---------------------|
| 29/06/2011 Amended 25/07/2012 | 01/07/2011 | http://www.redland.qld.gov.au/Planninga ndBuilding/RPS/Pages/Infrastructure- charges-2011.aspx | |

SC4.3 *Notation of registration for urban encroachment* provisions under section 267 of the Act

Editor's note—There are currently no registrations for urban encroachments in Redland City.

Schedule 5 Designation of premises for development

Table SC5.1—Designation of premises for development of infrastructure under section 42 of the Act

Editor's note – the process for designating the following premises for development infrastructure is prescribed by the Act. The Act allows for the designation of development infrastructure by:

- 1. Minister for state government designated development infrastructure; and
- 2. Council for local government designated development infrastructure.

The Act requires Council to amend this table when it has received a notice from the Minister of a new state government designation, or change to an existing state government designation for development infrastructure.

| Date the designation, amendment, extension or repeal takes effect | Location of premises (real property description) | Street address | Type of infrastructure |
|---|--|--|---|
| 2 July 1999 | Lot 2 C698 | Corner of Russell and Wellington Streets, Cleveland | 1 (g) – Emergency services facilities |
| 1 June 2001 | Lot 1 on RP119834 Lot 2 on RP119834 Lot 3 on RP119834 Lot 501 on SP102115 | 9 Middle Street, Cleveland | 1 (s) any other facility not mentioned in paragraphs (a) to (r) and intended primarily to accommodate government functions Further described as: "Law courts, cells, storage, office functions, amenities, secure parking and support facilities." |
| 31 March 2000 | Lot 1 on C668 Lot 2 on C668 Lot 3 on C668 Lot 6 on C671 Lot 31 on C145614 Lot 32 on C145614 Lot 43 on C145614 Lot 145 on SL11048 | Corner of Finucane Road and Delancey Street, Cleveland | 1 (s) any other facility not mentioned in paragraphs (a) to (r) and intended primarily to accommodate government functions Further described as: "Administrative offices, conference, accommodation and training facilities, laboratories, glass houses, packing facilities, material store, regulated public access, car parking, farm manager's on site accommodation, teaching and training facilities, commercial activities, fauna hospital, farm machinery storage and fuel store, research, and extension facilities |

| Date the designation, amendment, extension or repeal takes effect | Location of premises (real property description) | Street address | Type of infrastructure |
|---|--|---|--|
| | | | including but not limited to a diverse range of sciences together with support facilities and a range of primary industries." |
| 9 June 2000 | Lot 29 on SL11549 | Corner of Wellington and Weippin Streets, Cleveland | 1 (h) hospital and associated institutions Further described as: "Public and private health facilities plus support facilities including non-acute accommodation, ancillary commercial and medical services, laundry, engineering and maintenance services, teaching and researching facilities, car parking, helipad and accommodation for emergency services." |
| 3 February 2006 | Lot 1 on CP905844 (part) Lot 139 on SP137447 (part) | Randall Road, Birkdale | 1 (k) operating works under the <i>Electricity Act</i> 1994. Further described as: "Proposed 33/11 kilovolt Birkdale substation". |
| 30 March 2006 | Lot 2 on RP815062 (part) | 127 Birkdale Road, Birkdale | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 2 on SP148430 (part) | 2 Haig Road, Birkdale | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 1 on RP86393 (part) | 163 Collingwood Road, Birkdale | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 2 on RP86393 (part) | 167 Collingwood Road, Birkdale | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 7 on RP14104 (part) | 175 Collingwood Road, Birkdale | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 2 on RP139096 (part) | 613 Main Road, Wellington Point | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 14 on RP113406 (part) | 75 Starkey Street, Wellington Point | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 1 on RP104887 | 598 Main Road, Wellington Point | 1 (o) transport infrastructure |
| 30 March 2006 | Lot 2 on RP178370 (part) | 82 Redland Bay Road, Capalaba | 1 (o) transport infrastructure |
| 21 January 2009 | Lot 48 on SL12849 | 77 Ziegenfusz Road, Thornlands | 1 (f) - Education facilities |

| Date the designation, amendment, extension or repeal takes effect | Location of premises (real property description) | Street address | Type of infrastructure |
|---|--|--|--|
| 21 January 2009 | Lot 3 on SP204523 | 33-37 Gordon Road, Redland Bay | (g) emergency services facilities Redland City Council - Redland Bay Fire and Rescue Station. The designation for community infrastructure is made subject to the following requirements - An offset for the net benefit of koalas and koala habitat is to be provided as agreed between the Environmental Protection Agency and Department of Emergency Services. |
| 2 December 2011 | Lot 2 on CP910606 | 36 Wellington Street, Cleveland | (7) emergency services facilities (15) storage and works depots and the like including administrative facilities associated with the provision or maintenance of the community infrastructure mentioned in this part. Rebuilding of the Cleveland Ambulance Station and associated facilities on the site. |
| 20 December 2013 | Lots 1 and 2 on RP808662 and Lot 2 on SP213903 | 221 and 223 Mount Cotton Road and 2/10 Natasha Street, Capalaba | (7) emergency services; facilities; (9) hospitals and associated institutions; and (15) storage and works depots and similar facilities, including administrative facilities associated with the provision or maintenance of the community infrastructure mentioned in this part. Development of the Capalaba Emergency Services Precinct (comprising the existing Ambulance Station and |

| Date the designation, amendment, extension or repeal takes effect | Location of premises (real property description) | Street address | Type of infrastructure |
|---|--|--|--|
| | | | proposed extensions to the existing Fire and Rescue Station) and the temporary Fire and Rescue Station and associated facilities. |
| 29 August 2014 | Lot 14 on RP122267 | 24-26 High Street, Russell Island | (7) emergency services facilities (9) hospitals and associated institutions (15) storage and works depots, inc. admin facilities assoc. with provision or maint. of the CID in this part Russell Island Ambulance Station |
| 16 August 2016 | Lot 197 on SP241130 Lot 198 on SP241130 | 150 Mount Cotton Road, Capalaba (Capalaba State College and Early Years Service) | (4) community and cultural facilities, including facilities where an education and care service under the Education and Care Services National Law (Queensland) is operated or a QEC approved service under the Education and Care Services Act 2013 is operated, community centres, meeting halls, galleries and libraries (6) educational facilities (15) storage and works depots and similar facilities, including administrative facilities associated with the provision or maintenance of the community infrastructure mentioned in this part |
| 18 August 2017 | Lot 11 C696 Lot 2 C697 | 20-42 Smith Street, Cleveland | (4) community and cultural facilities, including facilities where an education and care service under the Education and Care Services National Law is operated or a Queensland education and care approved |

| Date the designation, amendment, extension or repeal takes effect | Location of premises (real property description) | Street address | Type of infrastructure |
|---|--|--|--|
| | | | serive under the Education and Care Services Act 2013 is operated, community centres, meeting halls, galleries and libraries; (6) educational facilities (15) storage and works depots and similar facilities, including administrative facilities associated with the provision or maintenance of the community infrastructure mentioned in this part The land has been designated for the Cleveland District State High School at Cleveland. |
| 6 December 2019 (Ministerial designation) | Lot 18 on SP296433 | Dickson Way, North Stradbroke Island | Minjerribah Cemetery (1) cemeteries and crematoriums. |
| 10 January 2020 (Ministerial designation) | Lot 76 on SL4907 | 14-16 Ballow Road, Dunwich | Minjerribah Quandamooka Arts, Museum and Performance Institute (the QuAMPI) (3) community and cultural facilities, including community centres, galleries, libraries and meeting halls. |
| 27 March 2020 (Ministerial designation) | Lot 1 on SP306495 | 6-12 Mooloomba Road, Point Lookout | Yalingbila Bibula Whale Interpretive Centre (3) community and cultural facilities, including community centres, galleries, libraries and meeting halls. |
| 11 September 2020 (Ministerial designation) | Lot 4 RP884261 and Lot 1 RP128531 | 129 and 131 Russell Street, Cleveland | (14) Residential care facilities. |
| 2 October 2020 (Ministerial designation) | Lot 7 RP160678 | 28 Dickson Way, Dunwich | Nareeba Moopi Moopi Pa Aged Care Hostel |

| Date the designation, amendment, extension or repeal takes effect | Location of premises (real property description) | Street address | Type of infrastructure |
|---|--|------------------------------------|--|
| | | | (14) Residential care facilities. |
| 11 May 2021 (Ministerial designation) | Lot 29 SL11549 and Lot 30 SP106226 | 21-31 Weippin Street, Cleveland | Redland Hospital (12) Hospitals and health care services. |
| 24 June 2021 (Ministerial designation) | Lots 2 and 3 on RP223470, Lot 1 on SL3427, Lot 254 on S31102 and Part of unallocated state land (Serpentine Creek) | 38 Longland Road, Redland Bay | Southern Redland Bay Wastewater Treatment Plant (17) Water cycle management infrastructure. |
| 1 October 2021 (Ministerial designation) | Lot 15 on SP304734 | 14 Sturt Street, Dunwich | Quandamooka Yoolooburrabee Aboriginal Corporation (QYAC) Interim Ranger Base (18) Storage and works depots and similar facilities, including administrative facilities relating to the provision or maintenance of infrastructure stated in this part. |
| 3 December 2021 (Ministerial designation) | Lot 2 on SP309555 | 22 Meissner Street, Redland Bay | Redland Health Care Facility (12) Hospitals and health care services |

Schedule 6 Planning scheme policies

SC6.1 Planning scheme policy index

The table below lists all the planning scheme policies applicable to the planning scheme area.

Table SC6.1.1—Planning scheme policy index

| Planning scheme policy title |
|--|
| Planning Scheme Policy 1 - Environmental significance |
| Planning Scheme Policy 2 – Infrastructure works |
| Planning Scheme Policy 3 – Flood, storm tide and drainage constrained land |
| Planning Scheme Policy 4 – Landslide hazard |
| Planning Scheme Policy 5 – Structure plans |
| Planning Scheme Policy 6 – Environmental emissions |

SC6.2 Planning Scheme Policy 1 – Environmental significance

To view the planning scheme policy, click here.

SC6.3 Planning Scheme Policy 2 – Infrastructure works

To view the planning scheme policy, click here.

SC6.4 Planning Scheme Policy 3 – Flood, storm tide and drainage constrained land

To view the planning scheme policy, click here.

SC6.5 Planning Scheme Policy 4 - Landslide hazard

To view the planning scheme policy, click here.

SC6.6 Planning Scheme Policy 5 – Structure plans

To view the planning scheme policy, click here.

SC6.7 Planning Scheme Policy 6 – Environmental emissions

To view the planning scheme policy, click here.

Schedule 7 Heritage schedule

The table below lists the local heritage places included in the heritage overlay map.

Table SC7.1—Local heritage places

| No. | Lot and Plan No | Street Address | Locality | Description |
|-----|--|--|---------------------|---|
| 1 | Road Reserve | Middle Street | Cleveland | Large Ficus Street Tree |
| 2 | Road Reserve | North Street | Cleveland | Large Banyan Street Tree |
| 3 | Lot 9 SP144574 | 33 Shore Street East | Cleveland | War Memorial |
| 4 | Lot 66 SP115554 | 240 Middle Street | Cleveland | Reserve and Pine Promenade/GJ Walter Park |
| 5 | Lot 1 SP236501 | 44 Smith Street | Cleveland | Edgar Harley Pavilion (School of Arts) |
| 6 | Lot 1 SP236501 | 44 Smith Street | Cleveland | Redlands Memorial Hall |
| 7 | Lot 37 SP221102 and Lot 84 SL12329 | 242-250 Long Street and 31-51 Weippin Street | Cleveland | WW1 and WW2 Rifle Ranges |
| 8 | Lot 1 SP185725 | 53-71 Wellington Street | Cleveland | General Cemetery No. 2 |
| 9 | Lot 83 SL5432 | 2-14 Old Cleveland Road | Capalaba | Pioneer Road - Rocks Crossing, Tingalpa Creek |
| 10 | Lot 999 RP863217 | 11-13 Empire Vista | Ormiston | Empire Point Foreshore |
| 11 | Lot 7 RP807476 | 56 Hilliard Street | Ormiston | Old Bridge over Hilliards Creek |
| 12 | Lot 199 SL8594 | 2A Main Road | Wellington Point | Wellington Point Reserve |
| 13 | Lot 130 SL319 | 101 Birkdale Road | Birkdale | School of Arts Hall |
| 14 | Lot 1 RP14821 | 11 Point O'Halloran Road | Victoria Point | Public Hall Monkani |
| 15 | Lot 167 CP884275 | 46-72 Banana Street | Redland Bay | Roll of Honour |
| 16 | Lot 1 SP165089 | 189 School Of Arts Road | Redland Bay | Residential Dwelling |
| 17 | Lot 2 RP209904 | 19-27 Gordon Road | Redland Bay | North Redland Bay Cemetery |
| 18 | Road Reserve | Moores Road | Redland Bay | Moreton Bay Figs |
| 19 | Lot 1 RP138577 | 87-95 Redland Bay Road | Thornlands | Thornlands Public Hall (Dance Palais) |

| No. | Lot and Plan No | Street Address | Locality | Description |
|-----|--|---|-------------------------------|---|
| 20 | Lot 171 SL12421 | Dickson Way | North Stradbroke Island | Moongalba/Myora Aboriginal Cemetery |
| 21 | Lot 152 SP104035 | Unnamed Street | North Stradbroke Island | Lazaret Cemetery |
| 22 | Road Reserve | The Esplanade, Oxley Parade | Dunwich | Polka Point Draughts Board |
| 23 | Lot 3 CP865498 | Junner Street | Dunwich | Benevolent Asylum structures |
| 24 | Lot 125 SP160702 | 10 East Coast Road | Dunwich | Dunwich Learning Centre |
| 25 | Lot 89 SL5124 | Dickson Way | North Stradbroke Island | Water Tanks and Water Pump |
| 26 | Lots 704 & 705 D9044 | 15-17 Welsby Street | Dunwich | Historical Museum |
| 27 | Lot 130 SL13002 | Mooloomba Road | Point Lookout | Bill North's Cattle Dip |
| 28 | Lot 6 SL1335 | 40 Lucinda Crescent | Point Lookout | Point Lookout Lighthouse |
| 29 | Road Reserve | Moongalba Road | Point Lookout | Point Lookout Norfolk Pines (7) |
| 30 | Lot 1 AP5382 | East Coast Road | Point Lookout | Point Lookout Well |
| 31 | Lot 1 A33911 | 16 Ballow Street | Amity | Amity Point Public Hall |
| 32 | Lot 76 RP130935 | 4 Hume Street | Russell Island | Mrs Fischer's Grave |
| 33 | Lot 1 RP31200 | 25-27 High Street | Russell Island | St Peter's Parish Hall |
| 34 | Lot 37 SL5485 | 107-123 Jackson Road | Russell Island | Jackson's Oval |
| 35 | Road Reserve | Weedmore Road Reserve | Russell Island | "Corduroy Road" log sleepers |
| 36 | Lot 188 RP133301 and Lot 14 RP127625 | 57-59 Charles Terrace | Macleay Island | Tim Shea's wetland and waterhole |
| 37 | Lot 19 SP168884; 16-18 and 25-28 RP111529 | 17-79 Cotton Tree Avenue; and 3-6 Boat Harbour Avenue; and 11-15 Cotton Tree Avenue | Macleay Island | Aboriginal Midden/Fishing |
| 38 | Reserve | Wharf Street – West | Macleay Island | Marine Structure/ Convict Campsite/ Aboriginal Campsite |
| 39 | Lot 77 RP907133 | 5 Brook Haven; | Lamb Island | Harry Brook Reserve |
| 40 | Lot 82-86 RP125521; Lot 39 RP131565; | 40-42 Pier Haven; 46- 48 Nectar Street; and 5-13 Lavender Street | Lamb Island | Dam and Melaleuca Forest |

| No. | Lot and Plan No | Street Address | Locality | Description |
|-----|---|---|------------------------|--|
| | and Lot 20 SP252656 | | | |
| 41 | Reserve | Lucas Drive | Lamb Island | Jetty Shed |
| 42 | Reserve | Lucas Drive | Lamb Island | Thomas Lucas' Grave |
| 43 | Road Reserve | Tina Avenue | Lamb Island | Mango Trees |
| 44 | Lot 148 RP14120 | 200-204 Mooroondu Road | Thorneside | Thorneside Public Hall |
| 45 | Lot 137 SP144276 and Lot 22 SP144276 | 326-346 Victoria Parade South | Coochiemudlo Island | Community Hall, jetty and steps |
| 46 | Lot 24 SP199973 | 51 Victoria Parade South | Coochiemudlo Island | Norfolk Beach |
| 47 | Lot 25 SP199973 | 245 Victoria Parade West | Coochiemudlo Island | Morton's Steps and stone jetty |
| 48 | Lot 2 SP211270 | 302 Old Cleveland Road East | Birkdale | Willard's Farm complex, including house, dairy, laundry, established trees, front fence and gates |
| 49 | Part of Lot 106 SP117644 | 17 Runnymede Road | Capalaba | Mature Tallowwood tree |
| 50 | Lots 22 and 23 on SP144276; Lots 24, 25 and 26 on SP199973; Lot 101 on C3281; Plus Road Reserve on Victoria Parade South, West, North and East. | Victoria Parade, North, South, East and West | Coochiemudlo Island | Emerald Fringe |

Appendix 1 Index and glossary of abbreviations and acronyms

Table AP1.1—Abbreviations and acronyms

| Abbreviation/ acronym | Description |
|--------------------------|--|
| MCU | Material change of use as defined in the Planning Act 2016 |
| ROL | Reconfiguring a lot as defined in the Planning Act 2016 |
| the Act | Planning Act 2016 |
| the Regulation | Planning Regulation 2017 |
| the SP Act | Sustainable Planning Act 2009 (repealed) |
| the SP Regulation | Sustainable Planning Regulation 2009 (repealed) |

Appendix 2 Table of amendments

Table AP2.1—Table of amendments

| Date of adoption and effective date | Planning scheme version number | Amendment type | Summary of amendments |
|--|---|---|---|
| Adopted 6 March 2019 Effective 4 April 2019 | 2 | Minor | The amendment provides clarity around design and siting criteria for dual occupancy development |
| Adopted 5 June 2019 Effective 17 July 2019 | 3 | Administrative, Minor and Planning Scheme Policy Amendment | Miscellaneous general amendments |
| Adopted 29 January 2020 Effective 19 February 2020 | 4 | Major | Miscellaneous major amendments including zone changes. |
| Adopted 4 November 2020 Effective 18 November 2020 | 5 | Administrative and Minor Amendment | Miscellaneous general amendments |
| Adopted 19 January 2022 Effective 9 February 2022 | 6 | Administrative and Minor Amendment | Miscellaneous general amendments |